Journal of SCIENCE

Index

Volumes 1-10

U. of ILL. LIBRARY
AUG 28 1973
CHICAGO CIRCLE

Journal of SCIENCE

Index

Volumes 1-10

COMPILED BY AUDREY O. SMITH

The entries in the Index of Subjects have been prepared from the titles of papers.

INDEX OF SUBJECTS

A9 cells

fused with B82 cells by Sendai virus, early phase, cytogenetic and nuclear studies: ENGEL, McGEE & HARRIS 5, 93

Absorption maxima

of chlorophyllous pigments, shifts associated with changes in membrane structure: HENNINGSEN 7, 587

Acetabularia

nuclei anchored by cytoplasmic microtubules: woodcock 8, 611

N-acetylglucosamine

inhibition of cell aggregation in vitro, biochemical investigation: LLOYD & KEMP 9, 85

Acheta domesticus

egg shell, electron-microscope study: FUR-NEAUX, JAMES & POTTER **5**, 227

extra-chromosomal DNA in early stages of oogenesis: CAVE & ALLEN 4, 593

Acid phosphatase

in eel pituitary prolactin cell, localization: HOPKINS & BAKER 3, 357

in intine of *Crocus vernus*, localization: KNOX & HESLOP-HARRISON 8, 727

Acinar cell(s)

of submandibular gland, mechanism of watery vacuolation in: TAPP 4, 55

Acinetobacter

fine structure and radiation resistance: THORNLEY & GLAUERT 3, 273

fine structure and radiation resistance in a range of strains: GLAUERT & THORNLEY 8, 19

Actinomycin D

effect on nuclear organelles in oocytes of Triturus cristatus: SNOW 10, 833

3H-actinomycin D

in demonstration of DNA distribution within amphibian oocyte nucleoli: EBSTEIN 5, 27

Actinophrys sp.

locomotion of: WATTERS 3, 231

Actinosphaerium eichhorni

locomotion of: WATTERS 3, 231

Actinosphaerium nucleofilum

microtubular system, effect of inhalational anaesthetics: ALLISON, HULANDS, NUNN, KITCHING & MACDONALD 7, 483

Actinosphaerium nucleofilum (Barrett)

axopodia and redevelopment of microtubule pattern, effect of colchicine on: TILNEY 3, 549 Activation

of peripheral lymphocytes in culture: LING & HOLT 2, 57

Activités enzymatiques

dans le spermatozoïde de certains mollusques gastéropodes:

I. PERSONNE & ANDERSON 4, 693

Actomyosin(s)

antibodies against, effect on embryonic chick cell aggregation: KEMP, JONES & GRÖSCHEL-STEWART Q, 103

Adenosinetriphosphatase

fine-structural localization in rectum of Calliphora: BERRIDGE & GUPTA 3, 17

in plant root meristem: SHIFRIN & LEVINE 3, 423

localization in striated muscle: GILLIS & PAGE 2, 113

Adhesion

mutual, of preaggregation cells of *Dictyo*stelium discoideum, effect of temperature: GARROD & BORN 8, 751

Afferent fibre(s)

termination in olfactory bulb, electronmicroscopic study: PRICE & POWELL 7, 157

Agar suspension

surface extensions on BHK cells grown in: TUFFERY 10, 123

Ageing

of Calliphora erythrocephala, biochemical and structural variations in flight muscle mitochondria: TRIBE & ASHHURST 10, 471

Aggregation (SEE ALSO Cell aggregation) and sialic acid of cells: MCQUIDDY & LILIEN 9, 823

of BHK21 and virus-transformed BHK21 cells, effect of neuraminidase: VICKER & EDWARDS 10, 759

of Burkitt lymphoma cells in stationary culture, experimental and theoretical analysis: MAYHEW & BLUMENSON 10, 749

of Dictyostelium discoideum

inhibition by *Escherichia coli* factor: SHAFFER I, 391

relevance of changes in cell surface charge density: LEE 10, 249

of dissociated cells from embryonic chick muscle, effect of neuraminidase: KEMP 6,

of trypsin- and versene-dissociated chick fibroblasts, effect of puromycin: KEMP, JONES, CUNNINGHAM & JAMES 2, 323 Aggregation (cont.)

of trypsinized cells: EDWARDS & CAMPBELL 8, 53

Aggregative behaviour

of embryonic chick cells in presence of antibodies against actomyosins: KEMP, IONES & GRÖSCHEL-STEWART 9, 103

Airflow receptor

cephalic, in Schistocerca gregaria: GUTHRIE 1, 463

Aldehyde(s)

perfusion of central nervous system, effect on extracellular space: JOHNSTON & ROOTS 2, 377

Alga(e) (SEE ALSO individual species)

brown, distribution of pyrenoids among: EVANS I, 449

freshwater red, systemic viral material in: LEE 8, 623

marine, cytoplasmic streaming and microtubules in: SABNIS & JACOBS 2, 465

multicellular, mitosis in: LØVLIE & BRÅTEN 6, 109

ultrastructure of fertilization and zygote formation in: BRÅTEN 9, 621

Alkaline phosphatase

substrate induction and L-cyst(e)ine repression of, mechanism: GRIFFIN & COX 2, 545

Allium cepa

root meristematic cells, localization of intranucleolar DNA in: CHOUINARD 6, 73 root meristematic cells, radioautography of sites of protein synthesis in nucleoli: CHOUINARD & LEBLOND 2, 473

Ambystoma mexicanum

chromosomes and nucleoli of: CALLAN 1, 85

Amino acid(s)

exogenous, displacing valine from seaurchin eggs: PIATIGORSKY & TYLER 3, 515 utilization and contact inhibition of WI-38 cells: GRIFFITHS 6, 739

Amoeba (SEE ALSO individual species)

collective, labelling of cell surface with fluorescent anti-serum: SHAFFER 3, 151

cytoplasmic DNA-containing bodies and response to dimidium bromide: HAWKINS & WILLIS 5, 57

enclosed, movement, fine structure and fusion of pseudopods: GRIFFIN 10, 563

Amoeba proteus

anucleate cytoplasm, viability: ORD 3, 81 as cell model for DNA replication: ORD 9, 1 cell cycle, DNA synthesis through: ORD 3,

effects of polylysine on: SANDERS & BELL 7, 739

mutations induced by N-methyl-N-nitrosourethane: ORD 7, 531

pseudopodium induction in by quaternary ammonium ions: BREWER & BELL 4, 17

Amphibian (SEE ALSO individual species)

atrial muscle, cellular surfaces of: LORBER & BERTAUD 9, 427

cell cultures, use of antibiotics: LASKEY 7,

embryos, identification of glycogen in thin sections: PERRY 2, 257

erythrocytes, haemoglobin in condensed chromatin: SMALL & DAVIES 7, 15

oocyte

DNA distribution within: EBSTEIN 5, 27 water, sodium and potassium concentrations in nucleus and cytoplasm: CENTURY, FENICHEL & HOROWITZ 7, 5

oocyte nucleoli

membranous components: KEZER, MAC-GREGOR & SCHABTACH 8, 1

incorporation of [3H]uridine into RNA of: MACGREGOR 2, 145

Amphiuma tridactylum

polymorphonuclear neutrophil leucocytes, respiration control in: DAVID & MAC-MULLEN 10, 719

Anaemic Xenopus laevis

haemoglobins of: MACLEAN & JURD 9, 509

Anaesthetic(s)

inhalational, effect on microtubular system of Actinosphaerium nucleofilum: Allison, HULANDS, NUNN, KITCHING & MACDONALD 7, 483

Anemonia sulcata (Pennant)

nutritional relationship with its symbiont: TAYLOR 4, 751

Animal cell(s)

artificial heterokaryons of, from different species: HARRIS, WATKINS, FORD & SCHOEFL I, I

hybrid, and expression of genetic information: HARRIS, SIDEBOTTOM, GRACE & BRAMWELL 4, 499

Anlage

macronuclear, in Stylonichia notophora, organization and development: SAPRA & DASS 6, 351

Anther(s)

of Lilium, autoradiography of soluble [2-14C]thymidine derivatives during meiosis and microsporogenesis: HESLOP-HARRISON & MACKENZIE 2, 387

Antibiotic(s)

in preparation of cell cultures from contaminated material: LASKEY 7, 653

Antibody(ies)

against actomyosins, effect on embryonic cell aggregation: KEMP, JONES & GROSCHEL-STEWART 9, 103

ferritin-labelled, for location of blood group antigen A: DIMMOCK, FRANKS & GLAUERT 10, 525

fluorescent, for study of cell surface behaviour in *Dictyostelium discoideum*: GARROD & WOLPERT 3, 365

Antigen(s)

cell surface, rapid intermixing after heterokaryon formation: FRYE & EDIDIN 7, 319

Forssman, associated with viral transformation of BHK21 cells: o'NEILL 3,

intine-held, fate on stigma in compatible and incompatible pollinations: KNOX & HESLOP-HARRISON 9, 239

surface, of interspecific mammalian cell heterokaryons: WATKINS & GRACE 2, 193

Antigen A

location on cultured rabbit kidney cells:
DIMMOCK, FRANKS & GLAUERT 10, 525

Antigenic activity

of pollen-wall proteins during development of *Gladiolus*; KNOX 9, 209

Antiserum

fluorescent, for cell surface labelling of Dictyostelium discoideum: SHAFFER 3, 151

Apterygota

muscle attachment related to cuticle architecture: CAVENEY 4, 541

Arbacia punctulata

secondary mesenchyme cells, microtubules and filaments in filopodia of: TILNEY & GIBBINS 5, 195

[3H]Arginine

for radioautography of sites of protein synthesis in nucleoli of root meristematic cells: CHOUINARD & LEBLOND 2, 473

Artemisia pycnocephala

freeze-etched pollen walls: SOUTHWORTH & BRANTON 9, 193

Artifact

sources of, in localization of ATPase in muscle: GILLIS & PAGE 2, 113

Ascorbic acid

for growth and macromolecular synthesis of mouse fibroblast: LEVENE & BATES 7, 671

Aspergillus nidulans

mitosis in: ROBINOW & CATEN 5, 403

Aspiculuris tetraptera

structure and development of spermatozoon: LEE & ANYA 2, 537

Astrocyte(s)

human tumour, virus-transformed, cytology and growth characteristics: MAC-INTYRE, GRIMES & VATTER 5, 583

ATPase: SEE Adenosinetriphosphatase

Autoradiography

of incorporation into sycamore vascular tissue walls: WOODING 3, 71

of labelled extracellular fluid indicators in nervous tissue: BROWN, STUMPF & ROTH 4, 265

of male meiosis in *Triturus vulgaris*: CALLAN & TAYLOR 3, 615

of mitosis and cell cycle in metamorphic moult of *Oncopeltus fasciatus*: LAWRENCE 3, 39¹

of soluble [2-14C]thymidine derivatives during meiosis and microsporogenesis in *Lilium* anthers: HESLOP-HARRISON & MACKENZIE 2, 387

of synthesis and localization of sulphated mucopolysaccharide in megakaryocytes and platelets of rat: MACPHERSON 10, 705

of transfer of growth inhibition between normal and virus-transformed cells: STOKER 2, 293

with [3H]arginine of sites of protein synthesis in nucleoli of root meristematic cells: CHOUINARD & LEBLOND 2, 473

with tritiated actinomycin D, demonstration of DNA distribution within nucleoli: EBSTEIN 5, 27

Avian erythroid cell(s)

DNA synthesis in purified populations of: WILLIAMS 10, 27

Avian erythropoietic series

characterization of DNA-bound histone in cells of: APPELS, WELLS & WILLIAMS 10, 47

Axolotl: SEE Ambystoma mexicanum

Axon(s)

from cockroach ganglia, lanthanum staining of neurotubules: LANE & TREHERNE 7, 217 intrinsic to glomerular layer of olfactory bulb: PINCHING & POWELL 10, 637

of pyramidal cells, synapses on initial segments: JONES & POWELL 5, 495

Axon cell(s)

short, of olfactory bulb: PRICE & POWELL 7, 631

Axon fusion

lack of, in two insect sensory nerves: STEINBRECHT 4, 39

Axon hillocks

in cerebral cortex, synapses on: JONES & POWELL 5, 495

Axopodium(a)

in Actinosphaerium nucleofilum, effect of colchicine on: TILNEY 3, 549

microtubules, effect of urea: SHIGENAKA, ROTH & PIHLAJA 8, 127

of heliozoan, III. SHIGENAKA, ROTH & PIHLAJA 8, 127

B82 cells

fused with A9 cells by Sendai virus, early phase, cytogenetic and nuclear studies: ENGEL, MCGEE & HARRIS 5, 93

Bacillus polymyxa

cell walls, structure of macromolecular units on: FINCH, KLUG & NERMUT 2, 587

Bacterium(a) (SEE ALSO individual species) infected, function and fate of phage progeny RNA in: FENWICK 8, 633

normal and phage-infected, density of ribosomes bearing m-RNA in: FENWICK 8, 649

Bacteroid-containing cell(s)

fusion of membranes: GUNNING 7, 307

Bactoprenol

cellular distribution and association with spheroplasts: BARKER & THORNE 7, 755

Barentsia gracilis

fine structure of muscle fibres and contained crystalloids in basal socket muscle:
REGER 4, 305

Bark beetle: SEE Ips confusus

Barley

etioplasts, red-light stimulation of prolamellar body recrystallization and thylakoid formation in: BERRY & SMITH 8, 185

leaves, dark-grown, effect of brief illumination on plastids: HENNINGSEN & BOYNTON 5, 757

Basal body(ies)

associated with morphogenesis of microtubular organelle in *Nassula*: TUCKER **6**,

distributor in meiosis of Bombyx mori, spindle as: FRIEDLÅNDER & WAHRMAN 7, 65

in cortex of Nassula, development and deployment: TUCKER 9, 539

of isolated oral apparatus of *Tetrahymena* pyriformis, structural analysis: WOLFE **6**, 679

Basal granular cell(s)

of bat thyroid, seasonal changes in fine structure: NUNEZ, GOULD, HAMILTON & HOLT 2, 401

Basal lamina

of chick limb buds, effects of trypsin and EDTA: GOEL & JURAND 3, 373

Basal socket muscle

of Barentsia gracilis, fine structure: REGER 4, 305

Bat

parafollicular cell, granule formation in: NUNEZ, GOULD & HOLT 5, 531

thyroid parafollicular cells, seasonal changes: NUNEZ, GOULD & HOLT 6, 821 thyroid, seasonal changes in basal granular cells: NUNEZ, GOULD, HAMILTON, HAYWARD & HOLT 2, 401

BHK cell(s)

effect of neuraminidase on aggregation: VICKER & EDWARDS 10, 759

growth, inhibitor of in calf serum: OTSUKA 10, 137

in monolayers and suspension, surface extensions on: TUFFERY 10, 123

inverse relation between cell density and number of microvilli: o'NEILL & FOLLETT 7, 695

trypsinized, aggregation: EDWARDS & CAMP-BELL 8, 53

viral transformation, association with Forssman antigen in: O'NEILL 3, 405

virus-transformed, effect of neuraminidase on aggregation: VICKER & EDWARDS 10, 759

Binary fission

in Nassula, changes in nuclear structure during: TUCKER 2, 481

Biochemical effect(s)

of sugars in organ culture: DINGLE, FELL & GLAUERT 4, 139

Biological system

producing self-assembling cholesteric protein liquid crystal: NEVILLE & LUKE 8, 93

Biological tissue

electron stereoscopy, problems: GRAY & WILLIS 3, 309

Blastocladiella emersonii

zoospore germination:

I. SOLL & SONNEBORN 9, 679

II. SOLL & SONNEBORN 10, 315

Blastoid(s)

transformation of lymphocytes to: CHAP-MAN, ELVES & GOUGH 2, 359

Blood cell(s)

insect, electron-microscope study of capsule formation: GRIMSTONE, ROTHERAM & SALT 2, 281

Blood group antigen A

location on cultured rabbit kidney cells: DIMMOCK, FRANKS & GLAUERT 10, 525

Blowfly (SEE ALSO individual species)

ageing, biochemical and structural variations in flight muscle mitochondria: TRIBE & ASHHURST 10, 471

Body wall

of Lumbricus terrestris, contractile mechanism of obliquely striated muscle in: KNAPP & MILL 8, 413

Body wall muscle(s)

in Lumbricus terrestris

fine structure: MILL & KNAPP 7, 233
neuromuscular junctions: MILL & KNAPP
7, 263

Bombus terrestris

oocyte periphery during vitellogenesis: HOPKINS & KING I, 201

Bombyx mori

meiosis, spindle as basal body distributor in: friedlånder & Wahrman 7, 65

Brain

extracellular space and membrane morphology variations with preparative procedures: SCHULTZ & KARLSSON 10, 181

of Octopus, electron-microscope study of subcellular fractions: JONES 2, 573

Branchiomma vesiculosum

eyespots, structure of photoreceptors: KRASNE & LAWRENCE I, 239

Bristle(s)

in Oncopeltus fasciatus, development and determination: LAWRENCE I, 475

Brown algae

distribution of pyrenoids among: EVANS I,

Brush border(s)

isolation from epithelial cells of rat small intestine: MILLINGTON, CRITCHLEY & TOVELL I, 415

membrane, X-ray diffraction and electronmicroscope studies: LIMBRICK & FINEAN 7, 373

of intestinal cells, fine-structural organization: MUKHERJEE & STAEHELIN 8, 573

Bulbochaete hiloensis

pyrenoids, development and structure: RETALLACK & BUTLER 6, 229

Bullfrog

tadpole, metamorphosing, intracellular membrane development concomitant with HCl secretion in oxyntic cells: FORTE, LIMLOMWONGSE & FORTE 4, 709

Burkitt lymphoma cell(s)

in stationary culture, experimental and theoretical analysis of aggregation: MAY-HEW & BLUMENSON 10, 749

Calcium

role of, in isolation of brush borders from epithelial cells of rat small intestine: MILLINGTON, CRITCHLEY & TOVELL I, 415

Calf

serum, inhibitor in, preventing growth of BHK21 cells: OTSUKA 10, 137

Calliphora

rectal papillae, fine-structural changes during ion and water transport: BERRIDGE & GUPTA 2, 89

rectum, fine-structural localization of ATPase in: BERRIDGE & GUPTA 3, 17

Calliphora erythrocephala

ageing, biochemical and structural variations in flight muscle mitochondria: TRIBE & ASHHURST 10, 471

Callose special wall

stage in *Helleborus foetidus* L., development through: ECHLIN & GODWIN 3, 175

Callus cell(s)

of sycamore, structure during division in suspension culture: ROBERTS & NORTH-COTE 6, 299

Capsella

embryogenesis: SCHULZ & JENSEN 8, 201

Capsule

formation by insect blood cells, electronmicroscope study: GRIMSTONE, ROTHERAM & SALT 2, 281

Carausius morosus

secretory processes in corpus cardiacum: smith & smith I, 59

ultrastructure of perineurium: MADDRELL & TREHERNE 2, 119

Carbohydrate metabolism

of mouse LS cells, effect of dissolved oxygen partial pressure: KILBURN, LILLY, SELF & WEBB 4, 25

Carchesium

stalk, structure and coiling: AMOS 10, 95

Carcinogen

inducing mutations in Amoeba proteus: ORD 7, 531

Cardiac muscle (SEE ALSO Muscle)

surface features: RAYNS, SIMPSON & BER-TAUD 3, 467

Carnitine acetyltransferase

activity, cytochemical localization: HIGGINS & BARRNETT 6, 29

Cartilage

bovine articular, distribution of proteinpolysaccharide and collagen in: SMITH, PETERS & SERAFINI-FRACASSINI 2, 129

epiphysial plate, disposition of proteinpolysaccharide in: SMITH 6, 843

Catecholamine(s)

uptake and localization in chick embryo sympathetic neurons in tissue culture: ENGLAND & GOLDSTEIN 4, 677

Cation(s)

inducing pseudopodia in Amoeba proteus, specificity: BREWER & BELL 7, 549

Caulerpa prolifera

cytoplasmic streaming and microtubules in: SABNIS & JACOBS 2, 465

Caveolae intracellulares

in smooth muscle: GABELLA 8, 601

Cecropia

oocytes, protein synthesis and uptake by: ANDERSON 8, 735

Cell(s) (SEE ALSO Animal cell, Plant cell and specific types of cell)

absorptive, of Hydra, coated vesicles in: SLAUTTERBACK 2, 563

marked, used in autoradiographic studies of transfer of growth inhibition between normal and virus-transformed cells: STOKER 2, 293

normal and transformed, toxic effect of spermidine on: OTSUKA 9, 71

normal and transformed bovine, interaction in culture: MACINTYRE & PONTÉN

osteogenic, uptake of [3H]uridine in: OWEN

penetration by Newcastle disease virus, electron-microscopic study: MEISELMAN, KOHN & DANON 2, 71

polyoma-transformed, inhibition by static normal fibroblasts: STOKER, SHEARER & O'NEILL I, 297

proliferation, effect of tritiated thymidine: BLENKINSOPP 2, 305

red, reactivation of nucleus in: HARRIS 2, 23 virus-transformed, and normal, transfer of growth inhibition: STOKER 2, 293

Cell adhesion

indiscriminate and selective, molecular basis for: JONES & MORRISON 4, 799

Cell aggregation (SEE ALSO Aggregation)

and sialic acid: MCQUIDDY & LILIEN 9,

in Dictyostelium discoideum, relevance of changes in cell surface charge density: LEE 10, 249

in vitro, inhibitory effects of hexosamines, biochemical investigation: LLOYD & KEMP

inhibition by puromycin: DUNN, OWEN & KEMP 7, 557

Cell culture(s)

from highly contaminated material, use of antibiotics: LASKEY 7, 653

hamster, normal and polyoma virustransformed, structure: HOUSE & STOKER 1, 169

mammalian, mechanism of substrate induction and L-cyst(e)ine repression of alkaline phosphatase in: GRIFFIN & COX 2, 545

medium for HeLa cells in suspension: BLAKER, BIRCH & PIRT 9, 529

of dispersed steer thyroid cells, preservation of specialization: SIEGEL 9, 49

of mouse fibroblasts, choline and serum protein requirements: BIRCH & PIRT 5,

Cell cycle

in metamorphic moult of Oncopeltus fasciatus, radioautographic study: LAW-RENCE 3, 391

of Amoeba proteus, DNA synthesis through:

ORD 3, 483

of Saccharomyces pombe, linear synthesis of sucrase and phosphatases during: MITCHISON & CREANOR 5, 373

of Schizosaccharomyces pombe, growth and changes in pool and macromolecular components during: STEBBING 9, 701

Cell cycle time

estimation, comparison of multiple injections with continuous infusion of [3H]thymidine: BLENKINSOPP 5, 575

Cell death

in foetal rat foot, cytological and cytochemical studies: BALLARD & HOLT 3, 245

Cell density

and number of microvilli in BHK21 cells, inverse relation: O'NEILL & FOLLETT 7, 695

Cell differentiation

control by ions in germination of Blastocladiella emersonii zoospore: SOLL & SONNEBORN 10, 315

Cell division

in formation of stomatal complex of young leaves of wheat: PICKETT-HEAPS & NORTH-COTE 1, 121

in suspension culture, structure of sycamore cells during: ROBERTS & NORTHCOTE 6, 299

Cell electrophoresis

of Dictyostelium discoideum:

I. LEE 10, 229 II. LEE 10, 249

Cell fusion

chemically induced, studies on: AHKONG, CRAMP, FISHER, HOWELL & LUCY 10, 769

detection of SV40 virus in transformed cells by, effects of metabolic inhibitors: **WATKINS** 6, 721

erythrocyte nuclei reactivated by, changes in cytochemical properties: BOLUND, RINGERTZ & HARRIS 4, 71

Cell fusion (cont.)

for analysis of malignancy:

 KLEIN, BREGULA, WIENER & HARRIS 8, 659

II. BREGULA, KLEIN & HARRIS 8, 673
III. WIENER, KLEIN & HARRIS 8, 681

interspecific, induced by Sendai virus, ultrastructural study: SCHNEEBERGER & HARRIS I, 401

Cell growth

mammalian, energetics of: KILBURN, LILLY & WEBB 4, 645

Cell isolation

method, effect on metabolic activity of rat liver cells: LIPSON, CAPUZZI & MARGOLIS 10, 167

Cell membrane(s)

isolated, X-ray diffraction and electronmicroscope studies: FINEAN, COLEMAN, GREEN & LIMBRICK I, 287

Cell migration

in wool follicles of sheep: CHAPMAN 9, 791

Cell model

for DNA replication, Amoeba proteus as: ORD 9, I

Cell plate

formation, phragmoplast filaments in: BAJER & ALLEN 1, 455

Cell population density

effect on nutrient uptake and cell metabolism: GRIFFITHS 10, 515

Cell proliferation

effect of [3H]thymidine on: BLENKINSOPP 2, 305

in epithelium of mouse oesophagus, trachea and ureter: BLENKINSOPP 5, 393

Cell surface

antigens, rapid intermixing after heterokaryon formation: FRYE & EDIDIN 7, 319

behaviour during movement of preaggregation cells of *Dictyostelium discoideum*: GARROD & WOLPERT 3, 365

charge density changes, relevance to cell aggregation and morphogenesis of Dictyostelium discoideum: LEE 10, 249

ionogenic groups of Dictyostelium discoideum characterization: LEE 10, 229

of amphibian atrial muscle: LORBER & BERTAUD 9, 427

of cultivated mouse cells, glucosaminecontaining component: ONODERA & SHEININ 7, 337

of Dictyostelium discoideum, labelling with fluorescent anti-serum: SHAFFER 3, 151

relation to valine and cytidine uptake in sea-urchin embryos: MITCHISON & CUM-MINS 1, 35

Cell suspension

from rat liver, method of obtaining intact:
GALLAI-HATCHARD & GRAY 8, 73

Cell wall(s)

of *Bacillus polymyxa*, structure of macromolecular units on: FINCH, KLUG & NERMUT **2**, 587

of mycetomal micro-organisms: SINGH & MUSGRAVE I, 175

Cellular basis

of movement of migrating grex of Dictyostelium discoideum: GARROD 4, 781

Cellular degeneration

in interdigital areas of developing chick limb: HAMMAR & MOTTET 8, 229

Cellular junction(s)

in tunicate heart: LORBER & RAYNS 10, 211

Cellular location

of ribosome and ribosomal RNA species in *Chlamydomonas reinhardi*: BOURQUE, BOYNTON & GILLHAM **8**, 153

Cellular slime mould: SEE Slime mould, Polysphondylium pallidum

Cement gland

of Xenopus laevis, ultrastructure: PERRY & WADDINGTON I, 193

Central nervous system

fixation by aldehyde perfusion, effect on extracellular space as seen by electron microscopy: JOHNSTON & ROOTS 2, 377

Central pair

of microtubules from cilia of *Tetrahymena* pyriformis: CHASEY **5**, 453

Centrifugal fibre(s)

termination in glomerular layer of olfactory bulb: PINCHING & POWELL 10, 621

Centriole(s)

and centriole-like structures formed during meiosis and mitosis in *Labyrinthula* sp.: PERKINS **6**, 629

formation in mammalian lungs, reconstruction of: SOROKIN 3, 207

giant, in neuropteran meiosis: FRIEDLÄNDER & WAHRMAN I, 129

Cephalopod mollusc: SEE Loligo vulgaris

Cerebellar molecular layer

demonstration of extracellular space by freeze-drying: VAN HARREVELD & MAL-HOTRA I, 223

Cerebral cortex

axon hillocks and pyramidal cell axons, synapses on: JONES & POWELL 5, 495

of mouse, changes in extracellular space during fixation and postfixation: VAN HARREVELD & KHATTAB 4, 437

Cerebral cortex (cont.)

superficial and deep regions, magnitude of extracellular space in electron micrographs: VAN HARREVELD & STEINER 6, 793

Cerebral hemisphere

afferent fibres to olfactory bulb from, electron-microscopic study: PRICE & POWELL 7, 157

Chaetomorpha

chloroplast fine structure in swarmers: ROBINSON 10, 307

swarmers, fine structure:

I. ROBINSON & PRESTON 9, 581
II. ROBINSON 10, 307

Chalazal proliferating tissue

in Capsella embryogenesis: SCHULZ & JENSEN 8, 201

Characeae (SEE ALSO individual species) cells and isolated cytoplasm, action of cytochalasin B: WILLIAMSON 10, 811

Charge density

changes of cell surface, relevance to cell aggregation and morphogenesis of Dictyostelium discoideum: LEE 10, 249

Charged groups

at surface of murine CL 3 ascites leukaemia cells, electrophoretic and chemical characterization: WARD & AMBROSE 4, 289

Chemically defined medium

for LS cells in suspension, improvements: BIRCH & PIRT 7, 661

for mouse LS cells

glucose and mineral requirements: BIRCH & PIRT 8, 693

vitamin uptake from: BLAKER & PIRT 8,

Chemically induced cell fusion

studies on: AHKONG, CRAMP, FISHER HOWELL & LUCY 10, 769

Chick

developing limb, tetrazolium salt and electron-microscopic study of degeneration and necrosis in interdigital areas: HAMMAR & MOTTET 8, 229

embryonic cells, aggregative behaviour in presence of antibodies against actomyosins: KEMP, JONES & GROSCHEL-STEWART 9, 103

embryonic muscle cells, dissociated, effect of neuraminidase on aggregation: KEMP 6, 751

embryonic muscle cells, inhibition of aggregation in vitro: LLOYD & KEMP 9, 85

embryonic skin, ultrastructural features of defective *in vitro* keratinization: JENSEN & MOTTET **6**, 485 embryonic sympathetic neurons in tissue culture, uptake and localization of cate-cholamines: ENGLAND & GOLDSTEIN 4, 677

fibroblasts, effect of puromycin on aggregation: KEMP, JONES, CUNNINGHAM & JAMES 2, 323

limb bud basal lamina, effects of trypsin and EDTA: goel & JURAND 3, 373

spinal cord, *in vitro*, mitochondrial extensions associated with microtubules:
GRAINGER & JAMES 4, 729

Chicken

erythrocyte nuclei, structure of condensed chromatin: EVERID, SMALL & DAVIES 7, 35

Chinese hamster

seminiferous epithelium, growth in vitro: ELLINGSON & YAO 6, 195

Chironomus tentans

isolated polytene chromosomes from, differential effects of K⁺ and Na⁺ on specific bands: LEZZI & GILBERT **6**, 615

Chlamydomonas reinhardii

chloroplast ribosome deficient mutants and ribosome function: BOYNTON, GILL-HAM & CHABOT 10, 267

fertilization, fine-structural aspects: FRIED-MANN, COLWIN & COLWIN 3, 115

flagella, subsidiary components: HOPKINS 7, 823

ribosome and ribosomal species, structure and location: BOURQUE, BOYNTON & GILLHAM 8, 153

Chloragogen cells

of *Tubifex*, natural segregation of ribonucleoprotein components of nucleoli: DJACZENKO, GRABSKA & FILADORO 4, 621

Chloramphenicol

effects on growth, size distribution, chlorophyll synthesis and ultrastructure of Euglena gracilis: BEN-SHAUL & MARKUS 4, 627

-related changes in mitochondrial ultrastructure: SMITH, SMITH & YUNIS 7, 501

Chlorella

mutant, photoinduction of plastids and chlorophyll in: BRYAN, ZADYLAK & EHRET 2, 513

Chlorella pyrenoidosa

ultrastructural study of pyrenoids: BERTA-GNOLI & NADAKAVUKAREN 7, 623

Chlorophyll

photoinduction of, in a *Chlorella* mutant: BRYAN, ZADYLAK & EHRET **2**, 513

synthesis of Euglena gracilis, effect of chloramphenicol: BEN-SHAUL & MARKUS 4, 627 Chlorophyllous pigment(s)

absorption maxima, shifts associated with changes in membrane structure: HENNINGSEN 7, 587

Chloroplast(s)

fine structure in marine dinoflagellates:
DODGE 3, 41

intergranal lamellae, 3-dimensional arrangement: PAOLILLO 6, 243

lamellae of spinach, site of ferricyanide reduction in: HALL, EDGE & KALINA 9, 289 of swarmers of *Cladophora* and *Chaetomorpha*, fine structure: ROBINSON 10, 307

ribosome deficient mutants in *Chlamydo-monas reinhardi*: BOYNTON, GILLHAM & CHABOT 10, 267

RNA, autoradiographic evidence for *in situ* synthesis: GIBB 3, 327

Cholesteric protein liquid crystal

self-assembling: NEVILLE & LUKE 8, 93

Choline

requirement of LS cells in culture: BIRCH & PIRT 5, 135

Cholinesterase

in cholinergic neurons, distribution: LEWIS & SHUTE 1, 381

Chorion

synthesis and deposition and uptake of yolk in dragonfly: BEAMS & KESSEL 4, 241

Chromatin

condensed, of amphibian erythrocytes, haemoglobin in: SMALL & DAVIES 7, 15

condensed, of chicken erythrocyte nuclei, structure: EVERID, SMALL & DAVIES 7, 35 of mycetomal micro-organisms: SINGH & MUSGRAVE 1, 175

Chromocentre(s)

and synaptinemal complex: LA COUR & WELLS 6, 655

Chromosome(s)

cycloid model for: WHITEHOUSE 2, 9

elimination in virus-fused cells by premature condensation: RAO & JOHNSON 10, 495 isolated polytene, differential effects of K⁺ and Na⁺ on specific bands of: LEZZI & GILBERT 6, 615

lampbrush, polarized movement of lateral loops during oogenesis: SNOW & CALLAN

5, 1

meiotic, fine structure of pairing in Lilium polyploids: MOENS 7, 55

mitotic, of newt spleen, electron- and lightmicroscope observations: DAVIES & TOOZE

of Ambystoma mexicanum: CALLAN I, 85 organization of genetic units in: CALLAN 2,

polytene of *Phaseolus*, temperature-dependent functional structures: NAGL 6, 87

X, of spermatocyte, synthesis of DNA and nuclear histone in: BLOCH & TENG 5, 321

Chrysochromulina chiton

fine structure: MANTON 1, 187

fine structure of haptonema, Golgi structure and scale production: MANTON 2, 265 scale formation, further observations: MANTON 2, 411

Chrysophyceae

flagellar hairs, intracellular origin: Leedale, Leadbeater & Massalski 6, 701

Ciliary fibril(s)

and microtubules in insect sensory dendrite, continuity: SLIFER & SEKHON 4, 527

Ciliary organelle(s)

in Euplotes eurystoma, fine structure: GLIDDON I, 439

Ciliate (SEE ALSO individual species)

changes in nuclear structure during binary fission: TUCKER 2, 481

cytopharyngeal basket, fine structure: TUCKER 3, 493

development and deployment of cilia, basal bodies and other microtubular organelles in cortex: TUCKER 9, 539

feeding organelle, microtubule arms and particle propulsion in: TUCKER 10, 883

initiation and differentiation of microtubule patterns in: TUCKER 7, 793

morphogenesis of microtubular organelle and association with basal bodies in: TUCKER 6, 385

Ciliogenesis

in mammalian lungs, reconstruction of: SOROKIN 3, 207

Cilium(a)

in cortex of Nassula, development and deployment: TUCKER 9, 539

of Tetrahymena pyriformis, central pair of microtubules from: CHASEY 5, 453

tips, rotifer, a spiral sleeve in: DICKSON I, 471

CL 3 ascites leukaemia cells

electrophoretic and chemical characterization of charged groups at surface: WARD & AMBROSE 4, 289

Cladophora

chloroplast fine structure in swarmers:
ROBINSON 10, 307

swarmers, fine structure:

I. ROBINSON & PRESTON 9, 581

II. ROBINSON 10, 307

Cleavage

of newt's egg, relation to ultrastructural changes in surface layers: SELMAN & PERRY 6, 207

Cleavage furrow

microtubules and contractile ring of microfilaments associated with: TUCKER 8, 557

Cleavage initiation

in rabbit, alterations of pronuclear membrane during: GONDOS, BHIRALEUS & CONNER 10, 61

Clot retraction

changes in thrombocyte ultrastructure during: SHEPRO, BELAMARICH, MERK & CHAO 4, 763

Coated vesicles

in absorptive cells of *Hydra*: SLAUTTER-BACK **2**, 563

Cockroach

ganglia, lanthanum staining of neurotubules: LANE & TREHERNE 7, 217

Cod

erythrocytes, form of haemoglobin in: THOMAS 8, 407

Coenocytic marine alga: SEE Caulerpa prolifera

Coiling

of flagellar shaft in sperm head: WALKER, 5,

of stalk of *Vorticella* and *Carchesium*:
AMOS 10, 95

Colchicine

action on microtubules in meristem:
BURGESS & NORTHCOTE 5, 433

effect on axopodia and microtubule pattern redevelopment in *Actinosphaerium nucleo-filum*: TILNEY **3**, 549

Coleus blumei Benth.

phloem, development and dispersal of P-protein in: STEER & NEWCOMB 4, 155

Collagen

distribution in bovine articular cartilage: SMITH, PETERS & SERAFINI-FRACASSINI 2, 120

embryonic, electron-microscopic studies of double-stranded beaded filament of: HAYES & ALLEN 2, 419

negatively stained native, interpretation of electron micrographs of: COX, GRANT & KENT 10, 547

of rabbit corneal stroma: SMITH & FRAME 4,

Collagen fibre(s)

native and cross-linked, effect of radiation: GRANT, COX & KENT 7, 387

Contact inhibition

of growth of WI-38 cells and quantitative utilization of amino acids and glucose: GRIFFITHS 6, 739

Contaminated material

cell cultures from, use of antibiotics: LASKEY 7, 653

Contractile element

of insect fibrillar muscle, preparation and properties: ABBOTT & CHAPLAIN I, 311

Contractile mechanism

in obliquely striated muscle of *Lumbricus* terrestris: KNAPP & MILL 8, 413

Contractile ring

of microfilaments associated with cleavage furrow: TUCKER 8, 557

Contractility

and fibre systems of Stentor coeruleus:
BANNISTER & TATCHELL 3, 295

Contraction

of striated muscle fibres, changes during: GOLDSPINK 9, 123

Coprinus

genetic recombination in, II, relations to synaptinemal complexes: LU 6, 669

Coprinus lagopus

meiosis in, comparative study with light and electron microscopy: LU 2, 529

Corneal stroma

of rabbit, collagen and proteinpolysaccharide complex in: SMITH & FRAME 4, 421

Corpus cardiacum

of Carausius morosus, secretory processes in: SMITH & SMITH I, 59

Cortical protein(s)

in Tetrahymena, synthesis: WILLIAMS, MICHELSEN & ZEUTHEN 5, 143

Crab

single fibres from, natural variability in length of thin and thick filaments: FRANZINI-ARMSTRONG 6, 559

Crane-fly

spermatocytes, spindle shape changes as indicator of force production: LAFOUN-TAIN 10, 79

Cricosphaera carterae

fine structure:

I. External morphology. PIENAAR 4, 561

Crithidia fasciculata

division and DNA synthesis in kinetoplast: ANDERSON & HILL 4, 611

Crocus vernus

pollen-wall proteins, acid phosphatase in intine: KNOX & HESLOP-HARRISON 8, 727

Cryptomonas

Flimmer, origin: HEATH, GREENWOOD & GRIFFITHS 7, 445

Crystal lattice

of pyrenoid matrix of Prorocentrum micans: KOWALLIK 5, 251

Crystalloid(s)

in muscle fibres of Barentsia gracilis, fine structure: REGER 4, 305

Crystalloid inclusion(s)

of bat thyroid parafollicular cells, seasonal changes: NUNEZ, GOULD & HOLT 6, 821

Culture

lymphocytes in, activation and reactivation: LING & HOLT 2, 57

of normal and transformed bovine fibroblasts, interaction in:

I. MACINTYRE & PONTÉN 2, 309

II. PONTÉN & MACINTYRE 3, 603

Culture medium

defined, for suspension cultures of HeLa cells: BLAKER, BIRCH & PIRT 9, 529

Cultured cell(s)

of rabbit kidney, surface structure: DIM-MOCK 7, 719

ultrastructural studies of surface morphology: PUGH-HUMPHREYS & SINCLAIR 6, 477

Cultured mammalian cell(s)

regulation of thymidylate synthetase activity in: CONRAD & RUDDLE 10, 471

Cuticle

architecture related to muscle attachment in Apterygota: CAVENEY 4, 541

Cycloid model

for chromosome: WHITEHOUSE 2, 9

Cyst-germination

of *Phytophthora parasitica*, ultrastructural aspects: HEMMES & HOHL 9, 175

L-Cyst(e)ine

repression of alkaline phosphatase in mammalian cell cultures, mechanism of: GRIFFIN & COX 2, 545

Cytidine

uptake by sea-urchin embryos and its relation to cell surface: MITCHISON & CUMMINS I, 35

Cytochalasin B

action on cells and isolated cytoplasm of Characeae: WILLIAMSON 10, 811

response of human cultured lymphocytes to: RIDLER & SMITH 3, 595

Cytochemistry

of carnitine acetyl transferase: HIGGINS & BARRNETT 6, 29

of cell death and digestion in foetal rat foot: BALLARD & HOLT 3, 245

of erythrocyte nuclei reactivated by cell fusion: BOLUND, RINGERTZ & HARRIS 4,

of site of ferricyanide reduction in isolated chloroplast lamellae of spinach: HALL, EDGE & KALINA 9, 289

quantitative, of respiration control in leucocytes of *Amphiuma tridactylum*: DAVID & MACMULLEN 10, 719

Cytogenetic study

on A9 and B82 cells fused together by Sendai virus, early phase: ENGEL, MCGEE & HARRIS 5, 93

Cytokinesis

in wheat meristems, organization of microtubules and endoplasmic reticulum: PICKETT-HEAPS & NORTHCOTE I, 109

Cytological effect(s)

of 2,4,5-trichlorophenoxyacetic acid and dioxin contaminants in 2,4,5-T formulations: JACKSON 10, 15

Cytological studies

on cell death and digestion in foetal rat foot: BALLARD & HOLT 3, 245

Cytology

of human tumour astrocytes, virus-transformed: MACINTYRE, GRIMES & VATTER 5, 583

Cytopharyngeal basket

in Nassula, fine structure and function: TUCKER 3, 493

Cytoplasm

anucleate, of Amoeba proteus, viability: ORD 3, 81

in salivary glands of *Simulium*, fine structure: MACGREGOR & MACKIE 2, 137

isolated of Characeae, action of cytochalasin B: WILLIAMSON 10, 811

of amphibian oocytes, water, sodium and potassium concentrations: CENTURY, FENICHEL & HOROWITZ 7, 5

transfer of RNA from nucleus into, role of nucleolus: SIDEBOTTOM & HARRIS 5,

Cytoplasmic bodies

containing DNA and response to dimidium bromide in amoebae: HAWKINS & WILLIS 5, 57

Cytoplasmic inclusions

in mycoplasma-like infection in mice: GAY & ATTRIDGE 2, 445

Cytoplasmic incorporation

of [3H]thymidine during oogenesis: SIGEE & BELL 8, 467

Cytoplasmic microtubule(s)

in leaf glands of *Phaseolus vulgaris*: O'BRIEN 2, 557

anchoring nuclei: WOODCOCK 8, 611

Cytoplasmic movement

associated with microtubule system in telotrophic ovarioles: MACGREGOR & STEB-BINGS **6**, 431

Cytoplasmic protein(s)

movement into nuclei induced to enlarge: MERRIAM 5, 333

Cytoplasmic streaming

in Caulerpa prolifera: SABNIS & JACOBS 2, 465

Cytoplasmic whorls

in golden hamster oocyte: HADEK I, 281

Defensive secretion(s)

of insects, particles in: KAY, ROTHSCHILD & APLIN 4, 369

Degeneration

of *Drosophila* sperm flagellum: KIEFER **6**, 177 of flight muscles of *Ips confusus*, fine structure: BHAKTHAN, BORDEN & NAIR **6**, 807

of nerve, effect on esterases in mammalian motor end-plate: CSILLIK & KNYIHÁR 3, 529

of retinula cell endings: HÁMORI & HORRIDGE
1. 271

secondary, in optic nerve terminals, enlarged synaptic vesicles an early sign: CUÉNOD, SANDRI & AKERT 6, 605

terminal, in olfactory bulb of rat: PINCHING & POWELL 10, 585

Degradation

of axopodium microtubules after urea treatment: SHIGENAKA, ROTH & PIHLAJA 8, 127

Dehydrogenase(s)

localization in spermatozoid of gasteropod molluscs: PERSONNE & ANDERSON 4, 693

Dendrite

sensory, continuity of ciliary fibrils and microtubules in: SLIFER & SEKHON 4, 527

Dendritic spine(s)

of neocortex, morphological variations: JONES & POWELL 5, 509

Denervation

effects on ultrastructure of insect muscle: REES & USHERWOOD 10, 667

Density

of ribosomes bearing m-RNA in phageinfected and normal bacteria: FENWICK 8, 649

Deoxyribonucleic acid: SEE DNA

Deployment

of cilia, basal bodies and other microtubular organelles in *Nassula*: TUCKER 9, 539

Déshydrogénases

dans le spermatozoïde de certains mollusques gastéropodes: PERSONNE & ANDERSON 4, 693

Determination

of hairs and bristles in *Oncopeltus fasciatus*:
LAWRENCE I, 475

Development

and fine structure of spindle in Lithodesmium undulatum:

II. MANTON, KOWALLIK & VON STOSCH 5, 271

III. MANTON, KOWALLIK & VON STOSCH 6, 131

IV. MANTON, KOWALLIK & VON STOSCH 7, 407

of cilia, basal bodies and other tubular organelles in Nassula: TUCKER 9, 539

of *Drosophila* sperm flagellum: KIEFER **6**,

of hairs and bristles in *Oncopeltus fasciatus*:
LAWRENCE I, 475

of macronuclear Anlage in Stylonichia notophora: SAPRA & DASS 6, 351

of pyrenoids in *Bulbochaete hiloensis*: RETALLACK & BUTLER **6**, 229

of spermatozoon of Aspiculuris tetraptera: LEE & ANYA 2, 537

of tapetum and Ubisch bodies in pollen of Helleborus foetidus L.: ECHLIN & GODWIN 3, 161

Developmental change(s)

in isolated intact etioplasts: Wellburn & Wellburn 9, 271

Diatom (SEE ALSO individual species)

marine centric, fine structure and development of spindle:

> II. MANTON, KOWALLIK & VON STOSCH 5, 271

> III. MANTON, KOWALLIK & VON STOSCH 6, 131

IV. MANTON, KOWALLIK & VON STOSCH 7, 407

Dictyoptera (SEE ALSO individual species)

new junctional structure in epithelia of: FLOWER 10, 683

Dictyostelium discoideum

aggregation, inhibition by Escherichia coli factor: SHAFFER 1, 391

cell aggregation, relevance of changes in cell surface charge density: LEE 10, 249 cell electrophoresis:

I. LEE 10, 229

II. LEE 10, 249

cell surface

ionogenic groups, characterization: LEE 10, 229

labelling with fluorescent antiserum: SHAFFER 3, 151

cell surface behaviour studied with fluorescent antibody: GARROD & WOLPERT 3, 365

Dictyostelium discoideum (cont.)

effect of temperature on mutual adhesion of preaggregation cells: GARROD & BORN 8, 751

grex, cellular basis of movement: GARROD 4, 781

preaggregation cells, progressive change in electrophoretic mobility: GARROD & GINGELL 6, 277

Differentiation

induced, in plant tissue culture, effect of indol-3yl acetic acid and sugar: JEFFS & NORTHCOTE 2, 77

of microtubule patterns in Nassula: TUCKER 7, 793

of neurosensory cells in *Hydra*: DAVIS 5, 699 Difflugia

structural organization associated with pseudopod extension and contraction: WOHLMAN & ALLEN 3, 105

Difflugiella sp.

movement, fine structure and fusion of pseudopods: GRIFFIN 10, 563

Digestion

of cells in foetal rat foot, cytological and cytochemical studies: BALLARD & HOLT 3, 245

Dimidium bromide

response in amoebae and cytoplasmic DNA-containing bodies: HAWKINS & WILLIS 5, 57

Dinoflagellate(s) (SEE ALSO individual species) bioluminescent, fine structure: SCHMITTER 9, 147

eyespot and associated organelles, fine structure: DODGE & CRAWFORD 5, 479

flagellar hairs, intracellular origin: LEAD-BEATER 9, 443

marine, fine structure of chloroplasts and pyrenoids: DODGE 3, 41

symbiont with *Anemonia sulcata*, nutritional relationship: TAYLOR **4**, 751

Dioxin

contaminants in 2,4,5-T formulations, cytological effects: JACKSON 10, 15

Diploid cell(s) (SEE ALSO W1-38 cells)

human, effect of cell population density on nutrient uptake and cell metabolism: GRIFFITHS 10, 515

normal, hybrids with Ehrlich cells: BRE-GULA, KLEIN & HARRIS 8, 673

Diploid fibroblast(s)

hybrids with other tumour cells: WIENER, KLEIN & HARRIS 8, 681

Disintegration

of mycetomal micro-organisms in Sitophilus zea-mais (Mots.) (Coleoptera): MUSGRAVE & GRINYER 3, 65

Distribution

of proteinpolysaccharide and collagen in cartilage: SMITH, PETERS & SERAFINI-FRACASSINI 2, 129

of proteinpolysaccharide complex in nucleus pulposus matrix in young rabbits: SMITH & SERAFINI-FRACASSINI 3, 33

DNA

associated with raffinose-isolated pellicles of *Paramecium aurelia*, properties of: HUFNAGEL 5, 561

distribution within nucleoli of amphibian oocyte: EBSTEIN 5, 27

extrachromosomal, in early stages of oogenesis in *Acheta domesticus*: CAVE & ALLEN **4**, 593

formation and loss in intestinal epithelium:
APPLETON, PELC & TARBIT 5, 45

from isolated pellicles of *Tetrahymena*: FLAVELL & JONES 9, 719

in pellicle of *Paramecium*: SMITH-SONNEBORN & PLAUT 2, 225

incorporation into *Paramecium aurelia*: GIBSON 3, 381

intranucleolar, localization in root cells: CHOUINARD 6, 73

nuclear, replication in Amoeba proteus: ORD

nucleolar, in oocytes of Xenopus laevis: MACGREGOR 3, 437

pellicular, autonomy in *Paramecium*: SMITH-SONNEBORN & PLAUT 5, 365

DNA synthesis (SEE ALSO Synthesis)

cycle, effect of 2-phenyl ethanol: BOSTOCK 7, 523

during interphase, ultrastructural localization: MILNER 4, 569

in fused cells:

JOHNSON & HARRIS 5, 603
 JOHNSON & HARRIS 5, 625

III. JOHNSON & HARRIS 5, 645

in kinetoplast of *Crithidia fasciculata*:
ANDERSON & HILL 4, 611

in multinucleate frog eggs, regulation: GRAHAM 1, 363

in purified populations of avian erythroid cells: WILLIAMS 10, 27

inhibition with hydroxyurea in transforming lymphocyte: MILNER 4, 583

initiation in nuclei induced to enlarge:
MERRIAM 5, 333

its initiation, maintenance and termination in Amoeba proteus: ORD 9, 1

of X chromosome of spermatocyte: BLOCH & TENG 5, 321

through cell cycle of *Amoeba proteus*: ORD 3, 483

DNA-bound histone

characterization in cells of avian erythropoietic series: APPELS, WELLS & WILLIAMS 10, 47

DNA-containing bodies

cytoplasmic, and response of amoebae to dimidium bromide: HAWKINS & WILLIS 5,

Dogfish

neuromuscular junction, dual innervation?
BONE 10, 657

Dragonfly

synthesis and deposition of oocyte envelopes and uptake of yolk in: BEAMS & KESSEL 4, 241

Drosophila

sperm flagellum, development, organization and degeneration: KIEFER 6, 177

Dry matter

concentration in mitotic apparatuses in vivo and after isolation: FORER & GOLD-MAN 10, 387

Earthworm

body wall, contractile mechanism of obliquely striated muscle: KNAPP & MILL 8, 413

body wall muscles, fine structure: MILL & KNAPP 7, 233

muscles, neuromuscular junctions: MILL & KNAPP 7, 263

Echinarachnius parma

secondary mesenchyme cells, microtubules and filaments in filopodia of: TILNEY & GIBBINS 5, 195

EDTA

effect of washing with on structure of spinach thylakoids: PARK & PFEIFHOFER 5, 313

effect on basal lamina of chick limb buds: GOEL & JURAND 3, 373

Eel

pituitary prolactin cell, localization of acid phosphatase in: HOPKINS & BAKER 3, 357

Egg(s)

intact, of sea-urchin, displacement of valine from: PIATIGORSKY & TYLER 3, 515

of frog, DNA synthesis and mitosis in: GRAHAM I, 363

of newt, ultrastructural changes in surface layers in relation to cleavage: SELMAN & PERRY 6, 207

of sea-urchin, effect of high hydrostatic pressure on mechanical properties of surface: WOLPERT, MARSLAND & HIRSH-FIELD 8, 87

Egg shell

of Acheta domesticus, electron-microscope study: FURNEAUX, JAMES & POTTER 5, 227

Ehrlich cell(s)

hybrids with normal diploid cells: BREGULA, KLEIN & HARRIS 8, 673

Electrical resistance

of plasmodesmata in Nitella translucens: SPANSWICK & COSTERTON 2, 451

Electron-dense tracers

in peripheral nerve fibres, distribution: HALL & WILLIAMS 8, 541

Electron micrograph(s)

of bacterial membrane, moiré patterns in: GLAUERT I, 425

of cerebral cortex, magnitude of extracellular space in: VAN HARREVELD & STEINER 6, 793

of negatively stained native collagen, interpretation: COX, GRANT & KENT 10, 547

Electron microscope

demonstration of cholinesterase distribution in cholinergic neurons: LEWIS & SHUTE 1, 381

Electron-microscope autoradiography

of synthesis and localization of sulphated mucopolysaccharide in megakaryocytes and platelets of rat: MACPHERSON 10, 705

Electron-microscopic localization

of acid phosphatase in intine of Crocus vernus: KNOX & HESLOP-HARRISON 8, 727

Electron microscopy (SEE ALSO Fine structure, Ultrastructure)

and light microscopy, comparative study of meiosis in Coprinus lagopus: LU 2, 529

comparative, of synapses in vertebrate spinal cord: CHARLTON & GRAY I, 67

of afferent fibre termination in olfactory bulb: PRICE & POWELL 7, 157

of basal lamina of chick limb buds after trypsin and EDTA treatment: GOEL & JURAND 3, 373

of brush border membrane: LIMBRICK & FINEAN 7, 373

of capsule formation by insect blood cells: GRIMSTONE, ROTHERAM & SALT 2, 281

of cellular degeneration and necrosis in developing chick limb: HAMMAR & MOTTET 8, 229

of central nervous system after fixation with aldehydes, effect on extracellular space: JOHNSTON & ROOTS 2, 377

of double-stranded beaded filament of embryonic collagen: HAYES & ALLEN 2,

of egg shell of Acheta domesticus: FUR-NEAUX, JAMES & POTTER 5, 227 Electron microscopy (cont.)

of erythropoietic cells of Triturus cristatus: TOOZE & DAVIES 2, 617

of fibrillar flight muscles of giant water-

bugs: ASHHURST 2, 435

of formation of centriole and centriole-like structures during meiosis and mitosis of Labyrinthula sp.: PERKINS 6, 629

of in vitro transformation of human leuco-

I. CHAPMAN, ELVES & GOUGH 2, 359

II. CHAPMAN, GOUGH & ELVES 2, 371 of isolated cell membranes: FINEAN, COLE-

MAN, GREEN & LIMBRICK I, 287 of isolated erythrocyte membranes: KNUT-

TON, FINEAN, COLEMAN & LIMBRICK 7, 357 of mitosis in Schizosaccharomyces pombe:

MCCULLY & ROBINOW 9, 475 of mitotic chromosomes of newt spleen: DAVIES & TOOZE I, 331

of nervous system, formalin perfusion for: WESTRUM & LUND I, 229

of nucleolus during oocyte growth in prepubertal mouse: CHOUINARD 9, 637

of nucleolus evolution during oogenesis in Xenopus laevis: VAN GANSEN & SCHRAM 10, 339

of oocyte periphery in Bombus terrestris during vitellogenesis: HOPKINS & KING I,

of organization of heterochromatin in cells: DAVIES 3, 129

of penetration of Newcastle disease virus into cells: MEISELMAN, KOHN & DANON 2,

starch-containing plastids in Todea barbara: SMITH & SMITH 4, 211

of structure of condensed chromatin of chick erythrocyte nuclei: EVERID, SMALL & DAVIES 7, 35

of subcellular fractions of Octopus brain: JONES 2, 573

of virus-transformed cells treated with specific immune serum: NEGRONI & TILLY 7, 711

perfusion fixation with glutaraldehyde and postfixation with osmium tetroxide for: VAN HARREVELD & KHATTAB 3, 579

Electron stereoscopy

for classifying synaptic vesicles: DENNISON 8, 525

of biological tissue, problems: GRAY & WILLIS 3, 309

Electrophoresis

of Dictyostelium discoideum cells:

I. LEE 10, 229

II. LEE 10, 249

Electrophoretic characterization

of charged groups at surface of CL3 cells: WARD & AMBROSE 4, 289

Electrophoretic mobility

of preaggregation cells of Dictyostelium discoideum, progressive change: GARROD & GINGELL 6, 277

Elementary particles

in relation to mitochondrial membranes: MALHOTRA & EAKIN 2, 205

Embryo(s) (SEE ALSO Amphibian, Chick, Sea urchin, Skeletal tissue)

normal and mutant of Xenopus, fine structure of nucleolus: HAY & GURDON 2.

Embryogenesis

of Capsella: SCHULZ & JENSEN 8, 201

Encystation

of Phytophthora parasitica, ultrastructural aspects: HEMMES & HOHL 9, 175

Endocytosis

of sugars in embryonic skeletal tissues in organ culture:

I. FELL & DINGLE 4, 89

II. GLAUERT, FELL & DINGLE 4, 105 III. APPLETON, PELC, DINGLE & FELL 4,

IV. DINGLE, FELL & GLAUERT 4, 139

Endoplasmic reticulum

granular, specialization in pig uterine glands during pregnancy: CROMBIE 10,

in wheat meristems, organization: PICKETT-HEAPS & NORTHCOTE I, 109

Endosperm cell(s)

of Haemanthus katherinae Baker, spindle microtubule orientation during division affected by isopropyl N-phenylcarbamate: HEPLER & JACKSON 5, 727

Endosymbiont(s)

of Paramecium aurelia, classes: BEALE, JURAND & PREER 5, 65

End-plate

of mammalian motor nerve, effect of nerve degeneration on esterases in: CSILLIK & KNYIHÁR 3, 529

Endymion non-scriptus (L.)

pollen grain, formation of generative cell in: ANGOLD 3, 573

Energetics

of mammalian cell growth: KILBURN, LILLY & WEBB 4, 645

Entoproct: SEE Barentsia gracilis

Enucleation

of Peranema trichophorum, effect on flagellar regeneration: TAMM 4, 171

Enzyme(s) (SEE ALSO specific enzymes)

species specificity of, determined by erythrocyte nucleus in interspecific hybrid cell: COOK 7, I

Enzyme activity(ies)

half-lives in mouse leukaemic cell: BOS-MANN 10, 153

in spermatozoids of gasteropod molluscs, localization:

I. PERSONNE & ANDERSON 4, 693

lysosomal, of L5178Y cells, effects of sucrose and salts: BERNACKI & BOSMANN 8, 399

of pollen-wall proteins:

KNOX & HESLOP-HARRISON 6, 1

during development in *Gladiolus*: KNOX **9.** 209

Enzyme synthesis (SEE ALSO Synthesis)

determined by erythrocyte nucleus in hybrid cell: HARRIS & COOK 5, 121

Epidermal cells

of vegetative thallus of *Fucus*, fine structure and functions: MCCULLY 3, I

Epidermal detachment

of keratinizing epithelium, ultrastructural changes after: JENSEN & MOTTET 6, 511

Epidermis

plantar, of rat, microanalysis of proteins and sulphur in: SIMS & HALL 3, 563

Epiphysial plate cartilage

of rabbit, disposition of proteinpolysaccharide in: SMITH **6**, 843

Epithelial cell(s)

of intestine,

brush border membrane: LIMBRICK & FINEAN 7, 373

fine-structural organization of brush border: MUKHERJEE & STAEHELIN 8, 573

of rat small intestine, isolation of brush borders from: MILLINGTON, CRITCHLEY & TOVELL I, 415

sheets, movements in vitro: VAUGHAN & TRINKAUS I, 407

Epithelium

intestinal, DNA formation and loss in:
APPLETON, PELC & TARBIT 5, 45

keratinizing, ultrastructural changes following trypsinization, epidermal detachment and apposition to mesenchymes: JENSEN & MOTTET 6, 511

of Dictyoptera, new junctional structure in: FLOWER 10, 683

of mouse oesophagus, trachea and ureter, cell proliferation in: BLENKINSOPP 5, 393 olfactory, of *Lampetra fluviatilis*, ultrastructure: THORNHILL 2, 591

seminiferous, growth in vitro: ELLINGSON & YAO 6, 195

surface, of human ovary, fine structure: PAPADAKI & BEILBY 8, 445

Erythrocyte(s)

amphibian, haemoglobin in condensed chromatin: SMALL & DAVIES 7, 15

isolated membranes, X-ray diffraction and electron-microscope studies: KNUTTON, FINEAN, COLEMAN & LIMBRICK 7, 357

nuclei of chicken, structure of condensed chromatin: EVERID, SMALL & DAVIES 7, 35 nuclei reactivated by cell fusion, changes in cytochemical properties: BOLUND, RIN-GERTZ & HARRIS 4, 71

nucleus determining enzyme synthesis in hybrid cell: HARRIS & COOK 5, 121

nucleus determining species specificity of enzyme in interspecific hybrid cell: COOK 7, 1

of Gadus callarias, form of haemoglobin in: THOMAS 8, 407

Erythroid cell(s)

avian, DNA synthesis in purified populations of: WILLIAMS 10, 27

Erythropoietic cell(s)

of spleen of Triturus cristatus, fine structure: TOOZE & DAVIES 2, 617

series, avian, characterization of DNAbound histone in: APPELS, WELLS & WILLIAMS 10, 47

Escherichia coli

factor inhibiting aggregation of Dictyostelium discoideum: SHAFFER 1, 391

Esterases

in mammalian motor end-plate, effect of nerve degeneration on fine-structural localization: CSILLIK & KNYIHÁR 3, 529

Ethylenediaminetetra-acetate: SEE EDTA
Ethylenediaminetetra-acetic acid: SEE
EDTA

Etioplast(s)

isolated intact, developmental changes in: WELLBURN & WELLBURN 9, 271

of barley, red-light stimulation of prolamellar body recrystallization and thylakoid formation in: BERRY & SMITH 8, 185

Euglena gracilis

growth, size distribution, chlorophyll synthesis and ultrastructure, effects of chloramphenicol: BEN-SHAUL & MARKUS 4, 627

Euplotes eurystomus

ciliary organelles and fibre systems, fine structure: GLIDDON I, 439

Experimental analysis

of lymphoma cell aggregation in stationary culture: MAYHEW & BLUMENSON 10, 749

Extracellular fluid indicator(s)

labelled, location in nervous tissue by autoradiography: BROWN, STUMPF & ROTH 4, 265

Extracellular space

after aldehyde perfusion: JOHNSTON & ROOTS 2, 377

changes in mouse cerebral cortex during hydroxyadipaldehyde fixation and osmium tetroxide postfixation: VAN HARREVELD & KHATTAB 4, 437

in cerebellar molecular layer: VAN HARRE-VELD & MALHOTRA I, 223

in electron micrographs of cerebral cortex, magnitude: VAN HARREVELD & STEINER 6, 793

of brain, variation with preparative procedures: SCHULTZ & KARLSSON 10, 181

Eye

of *Helobdella stagnalis*, fine structure: CLARK **2**, 341

of Hermissenda crassicornis, fine structure: EAKIN, WESTFALL & DENNIS 2, 349

Eyespot(s)

of Branchiomma vesiculosum, structure: KRASNE & LAWRENCE I, 239

of *Glenodinium foliaceum*, fine structure: DODGE & CRAWFORD **5**, 479

Fat body

in Sarcophaga bullata, proteins: BENSON & BENSON I, 81

in Schistocerca gregaria, fine structure and histochemistry: ODHIAMBO 2, 235

of Rhodnius

cytological changes during starvation, feeding and oxygen want: WIGGLES-WORTH 2, 243

polyploidy and nuclear fusion in WIGGLESWORTH 2, 603

Fat globule

of milk, secretion mechanism: WOODING 9, 805

Fault(s)

in square lattice of mammalian skeletal muscle Z-disks: ROWE & MORTON 9, 139

Feeding

of *Rhodnius*, changes in fat body during: WIGGLESWORTH 2, 243

Fern: SEE Todea barbara

Ferricyanide

photoreduction, site in lamellae of isolated spinach chloroplasts: HALL, EDGE & KALINA 9, 289

Ferritin-labelled antibody

for location of blood group antigen A: DIMMOCK, FRANKS & GLAUERT 10, 525

Fertilization

in *Chlamydomonas reinhardi*, fine-structural aspects: FRIEDMANN, COLWIN & COLWIN 3, 115

in *Ulva mutabilis*, ultrastructure of: BRÅTEN 9, 621

Fibre(s) (SEE ALSO Muscle fibre, Nerve fibre, etc.)

centrifugal, termination in glomerular layer of olfactory bulb: PINCHING & POWELL 10, 621

flagellar, substructure: GRIMSTONE & KLUG
I, 351

of mouse myelinated peripheral nerve, effects of lysophosphatidyl choline injected into: HALL & GREGSON 9, 769

of peripheral nerve, distribution of electrondense tracers in: HALL & WILLIAMS 8, 541

of phasic and tonic skeletal muscle in Schistocerca gregaria, physiology and ultrastructure: COCHRANE, ELDER & USHERWOOD 10, 419

of striated muscle,

changes during contraction and growth: GOLDSPINK 9, 123

longitudinal growth: WILLIAMS & GOLD-SPINK 9, 751

of vertebrate, dual innervation? BONE 10, 657

single, from *Portunus depurator*, natural variability in length of thin and thick filaments: FRANZINI-ARMSTRONG **6**, 559

Fibre systems

and contractility of Stentor coeruleus:
BANNISTER & TATCHELL 3, 295

associated with ciliary organelles in Euplotes eurystomus: GLIDDON I, 439

Fibrillar lattice

intranuclear, in neurons: CHANDLER & WILLIS 1, 283

Fibroblast cell(s)

diploid, hybrids with other tumour cells: Wiener, klein & Harris 8, 681

normal and transformed bovine, interaction in culture:

I. MACINTYRE & PONTÉN 2, 309
II. PONTÉN & MACINTYRE 3, 603

61

inverse relation between cell density and number of microvilli: O'NEILL & FOLLETT 7, 695

polyoma-transformed hybrid clones, segregation of morphological revertants in: MARIN 9, 61

Fibroblast cell(s) (cont.)

of mouse

choline and serum protein requirements in culture: BIRCH & PIRT 5, 135

vitamin uptake by: BLAKER & PIRT 8, 701 static normal, growth inhibition of polyoma-transformed cells by: STOKER, SHEARER & O'NEILL I, 297

3T6, growth and macromolecular synthesis:

I. LEVENE & BATES 7, 671

II. BATES & LEVENE 7, 683

trypsin- and versene-dissociated, effect of puromycin on aggregation: KEMP, JONES, CUNNINGHAM & JAMES 2, 323

Filament(s)

double-stranded beaded, of embryonic collagen: HAYES & ALLEN 2, 419

in filopodia of secondary mesenchyme cells: TILNEY & GIBBINS 5, 195

phragmoplast, in cell-plate formation: BAJER & ALLEN I, 455

thin and thick in single fibres from *Portunus depurator*, natural variability in length: FRANZINI-ARMSTRONG **6**, 559

Filopodium(a)

of secondary mesenchyme cells, filaments and microtubules in: TILNEY & GIBBINS 5, 195

Filopodium-like processes

formation of by *Trypanosoma brucei*: WRIGHT, LUMSDEN & HALES **6**, 285

Fine-structural localization

of acid phosphatase in prolactin cell of eel pituitary: HOPKINS & BAKER 3, 357

of ATPase in rectum of Calliphora: BERRIDGE & GUPTA 3, 17

of esterases in mammalian motor endplate, effect of nerve degeneration on: CSILLIK & KNYIHÁR 3, 529

Fine structure (SEE ALSO Electron microscopy, Structure, Ultrastructure)

and development of spindle in *Litho-desmium undulatum*:

II. MANTON, KOWALLIK & VON STOSCH 5, 271

III. MANTON, KOWALLIK & VON STOSCH 6. 131

IV. MANTON, KOWALLIK & VON STOSCH 7, 407

and radiation resistance

in a resistant strain of Acinetobacter: THORNLEY & GLAUERT 3, 273

in Acinetobacter: GLAUERT & THORNLEY 8, 19

cellular, in organ culture, effect of sucrose:
GLAUERT, FELL & DINGLE 4, 105

of basal granular cells of bat thyroid, seasonal changes: NUNEZ, GOULD, HAMIL-TON, HAYWARD & HOLT 2, 401

of body wall muscles in Lumbricus terrestris: MILL & KNAPP 7, 233

of brush border of intestinal cells: MUKHER-JEE & STAEHELIN 8, 573

of cephalic airflow receptor in Schistocerca gregaria: GUTHRIE 1, 463

of chloroplasts and pyrenoids in marine dinoflagellates: DODGE 3, 41

of Chrysochromulina chiton: MANTON I, 187

MANTON 2, 265

of ciliary organelles and associated fibre systems in *Euplotes eurystomus*: GLIDDON 1, 439

of Cricosphaera carterae, I. External morphology: PIENAAR 4, 561

of cytopharyngeal basket in Nassula: TUCKER 3, 493

of cytoplasm in salivary glands of *Simulium*:
MACGREGOR & MACKIE 2, 137

of cytoplasmic inclusions in mycoplasmalike infection in mice: GAY & ATTRIDGE 2, 445

of degenerating and regenerating flight muscles in *Ips confusus*: BHAKTHAN, BORDEN & NAIR **6**, 807

of epidermal cells of vegetative thallus of Fucus: MCCULLY 3, 1

of erythropoietic cells of spleen of *Triturus* cristatus: TOOZE & DAVIES 2, 617

of eye

of Helobdella stagnalis: CLARK 2, 341 of Hermissenda crassicornis: EAKIN, WEST-

FALL & DENNIS 2, 349

of eyespot and associated organelles in Glenodinium foliaceum: DODGE & CRAW-FORD 5, 479

of fat body in Schistocerca gregaria: ODHIAMBO 2, 235

of fibres and contained crystalloids in basal socket muscle of *Barentsia gracilis*:

REGER 4, 305

of Gonyaulax polyedra: SCHMITTER 9, 147

of meiotic chromosome pairing in *Lilium* polyploids: MOENS 7, 55

of muscle Z-disk, influence of fixation on: LANDON 6, 257

of nucleolus in Xenopus embryos: HAY & GURDON 2, 151

of oogonia and oocytes in human ovaries:
BAKER & FRANCHI 2, 213

of photoreceptors in *Mitopus morio*: CURTIS 4, 327

Fine structure (cont.)

of pollen development in Haemanthus katharinae Baker:

I. SANGER & JACKSON 8, 280

II. SANGER & JACKSON 8, 303

III. SANGER & JACKSON 8, 317

of pseudopods of *Difflugiella* sp.: GRIFFIN **10**, 563

of rectal papillae of *Calliphora*, changes during ion and water transport: BER-RIDGE & GUPTA 2, 89

of surface epithelium of human ovary: PAPADAKI & BEILBY 8, 445

of swarmers of Cladophora and Chaetomorpha:

I. ROBINSON & PRESTON 9, 581

II. ROBINSON 10, 307

Fish

skeletal muscle, freeze-etch studies: BER-TAUD, RAYNS & SIMPSON 6, 537

Fixation

by perfusion with glutaraldehyde for electron microscopy: VAN HARREVELD & KHATTAB 3, 579

influence of, on fine structure of muscle Z-disk: LANDON 6, 257

of central nervous system by aldehyde perfusion, effect on extracellular space: JOHNSTON & ROOTS 2, 377

with hydroxyadipaldehyde, changes in extracellular space of mouse cerebral cortex: VAN HARREVELD & KHATTAB 4, 437

Flagellar adhesion

and surface coat in trypanosomes: VICKER-MAN 5, 163

Flagellar fibre(s)

substructure: GRIMSTONE & KLUG I, 351

Flagellar fibrils

in guinea-pig spermatozoa, topographical relationship of plane of central pair with transverse axis of head: FAWCETT 3, 187

Flagellar hair(s)

in Chrysophyceae and Xanthophyceae, intracellular origin: LEEDALE, LEAD-BEATER & MASSALSKI 6, 701

in Woloszynskia micra, intracellular origin: LEADBEATER 9, 443

Flagellar regeneration

in Peranema trichophorum, effect of enucleation on: TAMM 4, 171

Flagellar shaft

in head region of Nucella lapillus sperm, coiling: WALKER 5, 211

Flagellum(a) (SEE ALSO Flagellar adhesion, Flagellar fibres, etc.)

of Chlamydomonas reinhardi, subsidiary components: HOPKINS 7, 823

of *Drosophila* sperm, development, organization and degeneration: KIEFER 6, 177

Flagellum number

in Naegleria, control: DINGLE 7, 463

Flight muscle(s): SEE Muscle

Flimmer

origin in Saprolegnia, Synura and Cryptomonas: HEATH, GREENWOOD & GRIFFITHS 7, 445

Foetal changes

in pig hepatocytes, ultrastructural: BISCHOFF, RICHTER & STEIN 4, 381

Food particle(s)

° propulsion in feeding organelle of *Phascolodon vorticella*: TUCKER 10, 883

Foot

of foetal rat, cell death and digestion in: BALLARD & HOLT 3, 245

Force production

in crane-fly spermatocytes, spindle shape changes as indicator: LAFOUNTAIN 10,

Formalin

perfusion for light- and electron-microscopical studies of nervous system: WESTRUM & LUND I, 229

Freeze-drying

of cerebellar molecular layer, demonstration of extracellular space: VAN HARRE-VELD & MALHOTRA I, 223

Freeze-drying method(s)

for scanning electron-microscopical study of *Spirostomum ambiguum* and statocyst of *Loligo vulgaris*: BOYDE & BARBER **4**, 223

Freeze-etching

for visualization of membrane differentiation in Golgi complex: STAEHELIN & KIERMAYER 7, 787

of fish skeletal muscle: BERTAUD, RAYNS & SIMPSON 6, 537

of innervation of mesenteric arteries and vas deferens: DEVINE, SIMPSON & BERTAUD 9, 411

of membranes and organelles in pea root tips: NORTHCOTE & LEWIS 3, 199

of particles within membranes: FLOWER 9,

of pollen walls of Artemisia pycnocephala and Lilium humboldtii: SOUTHWORTH & BRANTON 9, 193

Freeze-fracture plane(s)

of yeast membranes, localization: HEREWARD & NORTHCOTE 10, 555

Frog (SEE ALSO individual species)

eggs, multinucleate, DNA synthesis and mitosis in: GRAHAM I, 363

Fucus

fine structure and functions of epidermal cells of vegetative thallus: MCCULLY 3,

Fungal nucleus

kinetochore equivalent: GIRBARDT 9, 453 ultrastructure, II: GIRBARDT 9, 453

Fused cell(s)

DNA synthesis and mitosis in:

I. JOHNSON & HARRIS 5, 603

II. JOHNSON & HARRIS 5, 625

III. JOHNSON & HARRIS 5, 645

Fusion

of pseudopods of *Difflugiella* sp.: GRIFFIN 10, 563

Gadus callarias

erythrocytes, form of haemoglobin in: THOMAS 8, 407

Gametogenesis

male

early meiotic stages in *Lithodesmium* undulatum: MANTON, KOWALLIK & VON STOSCH 5, 271

in Lithodesmium undulatum, later stages of meiosis I in: MANTON, KOWALLIK & VON STOSCH 6, 131

Ganglion(a)

of cockroach, lanthanum staining of neurotubules: LANE & TREHERNE 7, 217

Gasteropod mollusc

spermatozoid, localization of dehydrogenases: PERSONNE & ANDERSON 4, 693

Generative cell(s)

formation

in Haemanthus katherinae Baker: SANGER & JACKSON 8, 289

in massulate orchids: HESLOP-HARRISON

in pollen grain of Endymion non-scriptus, formation: ANGOLD 3, 573

of Haemanthus katherinae Baker, microtubules and elongation: SANGER & JACK-SON 8, 303

Genetic information

expression of, study of hybrid cells: HARRIS, SIDEBOTTOM, GRACE & BRAMWELL **4**, 499

Genetic recombination

in Coprinus, II, relations to synaptinemal complexes: LU 6, 669

Genetic unit(s)

in chromosomes, organization: CALLAN 2, I

Germinal vesicle(s)

breakdown in mouse oocyte: calarco, DONAHUE & SZOLLOSI 10, 369

Germination

of microcysts of *Polysphondylium pallidum*, ultrastructure: HOHL, MIURA-SANTO & COTTER 7, 285

of zoospore of Blastocladiella emersonii: 1. SOLL & SONNEBORN 9, 679

II. SOLL & SONNEBORN 10, 315

Giant water-bugs

fibrillar flight muscles, electron-microscope study: ASHHURST 2, 435

Gladiolus

development, localization, enzymic and antigenic activity of pollen-wall proteins during: KNOX 9, 209

Gland(s) (SEE ALSO specific glands)

of pig uterus, specialization of granular endoplasmic reticulum during pregnancy: CROMBIE 10, 693

Glenodinium foliaceum

eyespot and associated organelles, fine structure: DODGE & CRAWFORD 5, 479

Glial cell(s)

of lobster optic lamina: HÁMORI & HOR-RIDGE I, 275

Glomerular layer

of olfactory bulb

axons intrinsic to: PINCHING & POWELL 10, 637

neuron types of: PINCHING & POWELL 9, 305

termination of centrifugal fibres in: PINCHING & POWELL 10, 621

Glomeruli

of olfactory bulb, neuropil of: PINCHING & POWELL 9, 347

Glucosamine

inhibition of cell aggregation in vitro, biochemical investigation: LLOYD & KEMP 9, 85

Glucosamine-containing component

of surface of mouse cells: ONODERA & SHEININ 7, 337

Glucose

requirement

of HeLa cells in suspension culture: BLAKER, BIRCH & PIRT 9, 529

of mouse LS (suspension) cells: BIRCH & PIRT 8, 693

utilization and contact inhibition of WI-38 cells: GRIFFITHS **6**, 739

Glutamine

requirement of HeLa cells in suspension culture: BLAKER, BIRCH & PIRT 9, 529

Glutaraldehyde

perfusion fixation with, for electron microscopy: VAN HARREVELD & KHATTAB 3, 579

Glycogen

identification in thin sections of amphibian embryos: PERRY 2, 257

in thin sections, comparison of 3 methods for ultrastructural demonstration: vye & FISCHMAN 9, 727

Golden hamster

oocyte, cytoplasmic whorls in: HADEK 1, 281

Golgi apparatus

differentiation and phosphatases: DAU-WALDER, WHALEY & KEPHART 4, 455

in naked swarmers of *Cladophora* and *Chaetomorpha*: ROBINSON & PRESTON 9, 581

membrane differentiation visualized by freeze-etching: STAEHELIN & KIERMAYER 7, 787

of Chrysochromulina chiton: MANTON 2, 265

Golgi vesicle(s)

and synaptic vesicles in *Octopus* neurons, relationship: GRAY 7, 189

Gonyaulax polyedra

fine structure: SCHMITTER 9, 147

Granular endoplasmic reticulum

specialization in pig uterine glands during pregnancy: CROMBIE 10, 693

Granule(s)

intramitochondrial, in *Physarum poly*cephalum, effects of stativation and light: NICHOLLS 10, I

Granule cell(s)

of olfactory bulb

morphology: PRICE & POWELL 7, 91 synaptology: PRICE & POWELL 7, 125

Granule formation

in bat parafollicular cell: NUNEZ, GOULD & HOLT 5, 531

Green alga (SEE ALSO Algae)

chloroplast ribosome deficient mutants and ribosome function: BOYNTON, GILLHAM & CHABOT 10, 267

ribosome and ribosomal RNA species, structure and location: BOURQUE, BOYN-TON & GILLHAM 8, 153

Grex

migrating, of *Dictyostelium discoideum*, cellular basis of movement: GARROD 4, 781

Growth

longitudinal, of striated muscle fibres: WILLIAMS & GOLDSPINK 9, 751

of BHK 21 cells, inhibitor in calf serum: OTSUKA 10, 137

of Chinese hamster seminiferous epithelium in vitro: ELLINGSON & YAO 6, 195

of Euglena gracilis, effect of chloramphenicol: BEN-SHAUL & MARKUS 4, 627

of L5178Y cells, effects of sucrose and salts: BERNACKI & BOSMANN 8, 399

of LS cells

in chemically defined medium, vitamin uptake in: BLAKER & PIRT 8, 701

in suspension, improved medium for: BIRCH & PIRT 7, 661

of mammalian cells, energetics: KILBURN, LILLY & WEBB 4, 645

of mouse LS cells, effect of dissolved oxygen partial pressure: KILBURN, LILLY, SELF & WEBB 4, 25

of mouse oocyte, nucleolus during: CHOUI-NARD 9, 637

of muscle fibres, proliferation of myofibrils during: GOLDSPINK 6, 593

of polyoma-transformed cells, inhibition by static normal fibroblasts: STOKER, SHEARER & O'NEILL I, 297

of striated muscle fibres, changes during: GOLDSPINK 9, 123

of 3T6 fibroblast:

LEVENE & BATES 7, 671
 BATES & LEVENE 7, 683

of WI-38

effect of insulin: GRIFFITHS 7, 575 effect of medium changes: GRIFFITHS 8, 43

post-natal, of mammalian muscle fibres, sarcomere length: GOLDSPINK 3, 539

Growth characteristics

of human tumour astrocytes, virustransformed: MACINTYRE, GRIMES & VATTER 5, 583

Growth inhibition

of transformed cells by normal fibroblasts: STOKER, SHEARER & O'NEILL I, 297

transfer between normal and virustransformed cells: STOKER 2, 293

Guinea-pig

cardiac muscle, surface features: RAYNS, SIMPSON & BERTAUD 3, 467

intestinal epithelial cells, X-ray diffraction and electron-microscope studies of brush border membrane: LIMBRICK & FINEAN 7, 373

skeletal muscle, surface features: RAYNS, SIMPSON & BERTAUD 3, 475

spermatozoa, topographical relationship between plane of central pair of flagellar fibrils and transverse axis of head: FAWCETT 3, 187

Haemanthus katherinae Baker

development of vegetative cells: SANGER & JACKSON 8, 317

Haemanthus katherinae Baker (cont.)

dividing endosperm cells, spindle microtubule orientation affected by isopropyl N-phenylcarbamate: HEPLER & JACKSON 5, 727

fine structure of pollen development:

I. SANGER & JACKSON 8, 289

II. SANGER & JACKSON 8, 303

III. SANGER & JACKSON 8, 317

formation of vegetative and generative cells: SANGER & JACKSON 8, 289

microtubules and elongation of generative cells: SANGER & JACKSON 8, 303

Haematopoietic precursor cell

identifying characteristics: MURPHY, BERTLES & GORDON 9, 23

Haemoglobin(s)

in condensed chromatin of amphibian erythrocytes: SMALL & DAVIES 7, 15

in erythrocytes of Gadus callarias, form: THOMAS 8, 407

of healthy and anaemic Xenopus laevis: MACLEAN & JURD 9, 509

Haemolymph

of insects, particles in: KAY, ROTHSCHILD & APLIN 4, 369

Hair(s) (SEE ALSO Flagellar hairs)

in Oncopeltus fasciatus, development and determination: LAWRENCE 1, 475

spaced, in Oncopeltus fasciatus, development of pattern: LAWRENCE & HAYWARD 8, 513

Hair follicle

keratin, immunological and immunofluorescent studies: KEMP & ROGERS 7, 273

Half-lives

of enzyme activities in mouse leukaemic cell: BOSMANN 10, 153

Hamster (SEE ALSO Chinese, Golden hamster) cell cultures, normal and polyoma virustransformed, structure: HOUSE & STOKER I, 160

fibroblast polyoma-transformed clones, segregation of morphological revertants in: MARIN 9, 61

fibroblasts, inverse relation between cell density and number of microvilli: O'NEILL & FOLLETT 7, 695

Haptonema

of Chrysochromulina chiton, fine structure: MANTON 2, 265

Head region

of Nucella lapillus sperm, coiling of flagellar shaft: WALKER 5, 211

Heart

of tunicate, cellular junctions in: LORBER & RAYNS 10, 211

Heavy water

action on microtubules in meristem: **BURGESS & NORTHCOTE 5, 433**

HeLa cell(s)

in suspension cultures, glucose, insulin and glutamine requirements: BLAKER, BIRCH & PIRT 9, 529

synchronized, ultrastructure: ERLANDSON & DE HARVEN 8, 353 HeLa-chick erythrocyte heterokaryon(s)

DNA synthesis and mitosis in: JOHNSON &

HARRIS 5, 625

HeLa-Ehrlich heterokaryon(s)

DNA synthesis and mitosis in: JOHNSON & HARRIS 5, 645

HeLa homokaryon(s)

DNA synthesis and mitosis in: JOHNSON & HARRIS 5, 603

Heliozoa

microtubules in, IV: TILNEY 3, 549 motility of, 1: WATTERS 3, 231

Heliozoan axopodium

microtubules, III, effect of urea: SHIGENAKA, ROTH & PIHLAJA 8, 127

Helleborus foetidus

formation of pollen grain wall in: ECHLIN & GODWIN 5, 459

pollen ultrastructure and ontogeny:

I. ECHLIN & GODWIN 3, 161

II. ECHLIN & GODWIN 3, 175

III. ECHLIN & GODWIN 5, 459

tapetum and Ubisch bodies, development: ECHLIN & GODWIN 3, 161

Helobdella stagnalis

eye, fine structure: CLARK 2, 341

Hepatocyte(s)

of pig, ultrastructural changes between late foetal and early neonatal life: BISCHOFF, RICHTER & STEIN 4, 381

Hepatoma

of rat, ultrastructural localization and content of sialic acid in plasma membranes from: BENEDETTI & EMMELOT 2, 499

Hermissenda crassicornis

eye, fine structure: EAKIN, WESTFALL & **DENNIS 2, 349**

Heterobasidiomycetous yeast(s) (SEE ALSO individual species)

mitosis in: MCCULLY & ROBINOW 10, 857

Heterochromatin

organization in cells, electron-microscope observations: DAVIES 3, 129

Heterokaryon(s)

artificial, of animal cells from different species: HARRIS, WATKINS, FORD & SCHOEFL I, I

Heterokaryon(s) (cont.)

formation, rapid intermixing of cell surface antigens: FRYE & EDIDIN 7, 319

HeLa-chick erythrocyte, DNA synthesis and mitosis in: JOHNSON & HARRIS 5, 625

HeLa-Ehrlich, DNA synthesis and mitosis in: JOHNSON & HARRIS 5, 645

interspecific, from mammalian cells, surface antigens of: WATKINS & GRACE 2, 193

Heteroploid cell(s)

human, effect of cell population density on nutrient uptake and cell metabolism: GRIFFITHS 10, 515

High-energy electron(s)

irradiation of collagen fibres: GRANT, COX & KENT 7, 387

Histochemical analysis

of proteins in larval fat body of Sarcophaga bullata: BENSON & BENSON I, 81

Histochemical method

for bound lipid in mammal and insect tissue: WIGGLESWORTH 8, 709

Histochemical study

of oocyte periphery during vitellogenesis in Bombus terrestris: HOPKINS & KING I, 201

Histochemistry

of fat body in Schistocerca gregaria: ODHIAMBO 2, 235

Histological effect(s)

of sucrose in organ culture: FELL & DINGLE 4, 89

Histological studies

on Fucus. III. Fine structure and functions of epidermal cells of vegetative thallus:

MCCULLY 3, I

Histone

DNA-bound, characterization in cells of avian erythropoietic series: APPELS, WELLS & WILLIAMS 10, 47

Homokaryon(s)

HeLa, DNA synthesis and mitosis in: JOHNSON & HARRIS 5, 603

House cricket: SEE Acheta domesticus

cultured lymphocytes, response to cytochalasin B: RIDLER & SMITH 3, 595

diploid and heteroploid cell lines, effect of cell population density on nutrient uptake and cell metabolism: GRIFFITHS 10,

ovary, fine structure of surface epithelium: PAPADAKI & BEILBY 8, 445

Human-mouse heterokaryon

formation, rapid intermixing of cell surface antigens: FRYE & EDIDIN 7, 319

Human diploid cell

contact inhibition of growth and quantitative utilization of amino acids and glucose: GRIFFITHS 6, 739

growth and metabolism

effect of insulin: GRIFFITHS 7, 575 effect of medium changes: GRIFFITHS 8, 43

Hybrid(s)

between diploid fibroblasts and other tumour cells: WIENER, KLEIN & HARRIS 8, 681

between Ehrlich cells and normal diploid cells: BREGULA, KLEIN & HARRIS 8, 673

between tumour cells and L cell derivatives: KLEIN, BREGULA, WIENER & HARRIS 8, 659

Hybrid animal cell(s)

and expression of genetic information:
HARRIS, SIDEBOTTOM, GRACE & BRAMWELL
4, 499

determination of enzyme synthesis in, by erythrocyte nucleus: HARRIS & COOK 5, 121

interspecific, species specificity of enzyme determined by erythrocyte nucleus: COOK 7, I

Hybrid clone(s)

of hamster fibroblasts, segregation of morphological revertants in: MARIN 9, 61

Hydra

coated vesicles in absorptive cells of: SLAUTTERBACK'2, 563

differentiation of neurosensory cells: DAVIS 5, 699

Hydrochloric acid

secretion in oxyntic cells concomitant with intracellular membrane development in oxyntic cells of metamorphosing tadpole:
FORTE, LIMLOMWONGSE & FORTE 4,

Hydrolytic enzymes

role of, in cell death and digestion in foetal rat foot: BALLARD & HOLT 3, 245

Hydrostatic pressure

high, effect on mechanical properties of sea-urchin egg surface: WOLPERT, MARS-LAND & HIRSHFIELD 8, 87

Hydroxyadipaldehyde

fixation, changes in extracellular space: VAN HARREVELD & KHATTAB 4, 437

6-hydroxydopamine

effect on nerves in rat upper urinary tract:
GOSLING & DIXON 10, 197

Hydroxyurea

inhibition of DNA synthesis in transforming lymphocyte: MILNER 4, 583

Illumination

brief, effect on plastids of dark-grown barley leaves: HENNINGSEN & BOYNTON 5, 757

Immune adherence

detection of association between viral transformation and Forssman antigen in: 0'NEILL 3, 405

Immunofluorescent study

on keratin of hair follicle: KEMP & ROGERS 7, 273

Immunological study

on keratin of hair follicle: KEMP & ROGERS
7, 273

Incisure(s)

of Schmidt and Lanterman, studies on: HALL & WILLIAMS 6, 767

Indol-3yl acetic acid

influence on pattern of induced differentiation in plant tissue culture: JEFFS & NORTHCOTE 2, 77

Induced cell fusion

studies on: AHKONG, CRAMP, FISHER, HOWELL & LUCY 10, 769

Infection

mycoplasma-like, in mice: GAY & ATTRIDGE 2, 445

Infusion

continuous, with [3H]thymidine for estimation of cell cycle time: BLENKINSOPP 5, 575

Inhibition

of aggregation of *Dictyostelium discoideum* by *Escherichia coli* factor: SHAFFER I, 39I of cell aggregation by puromycin: DUNN, OWEN & KEMP 7, 557

of growth of polyoma-transformed cells by static normal fibroblasts: STOKER, SHEARER & O'NEILL I, 297

Inhibitor

in calf serum preventing growth of BHK 21 cells: Otsuka 10, 137

Inhibitory effect(s)

of hexosamines on aggregation of cells in vitro, biochemical investigation: LLOYD & KEMP 9, 85

Initiation

of microtubule patterns in Nassula: TUCKER 7, 793

Injection(s)

multiple, of [3H]thymidine for estimation of cell cycle time: BLENKINSOPP 5, 575

Innervation

of mesenteric arteries and vas deferens, freeze-etch studies on: DEVINE, SIMPSON & BERTAUD 9, 411

of vertebrate striated muscle fibres, dual?
BONE 10, 657

Insect(s) (SEE ALSO individual species)

blood cells, electron-microscope study of capsule formation: GRIMSTONE, ROTHERAM & SALT 2, 281

epithelia, new junctional structure in: FLOWER 10, 683

fibrillar muscle, contractile element of:
ABBOTT & CHAPLAIN I, 311

haemolymph and defensive secretions, particles in: KAY, ROTHSCHILD & APLIN 4, 369

muscle, effects of denervation on ultrastructure: REES & USHERWOOD 10, 667

sensory dendrite, continuity of ciliary fibrils and microtubules in: SLIFER & SEKHON 4, 527

sensory nerves, lack of axon fusion in: STEINBRECHT 4, 39

tissue, histochemical method for bound lipid in: WIGGLESWORTH 8, 709

visceral muscles, organization and myofilament array: SMITH, GUPTA & SMITH I, 49

Insulin

effect on growth and metabolism of WI-38 cell: GRIFFITHS 7, 575

requirement of HeLa cells in suspension culture: BLAKER, BIRCH & PIRT 9, 529

Interaction

between normal and transformed bovine fibroblasts in culture:

I. MACINTYRE & PONTÉN 2, 309

II. PONTÉN & MACINTYRE 3, 603

Intergranal lamellae

in chloroplasts, 3-dimensional arrangement: PAOLILLO 6, 243

Interphase

ultrastructural localization of DNA synthesis and nuclear morphology during:
MILNER 4, 569

Intestinal epithelial cell(s)

brush border, X-ray diffraction and electron-microscope studies: LIMBRICK & FINEAN 7, 373

fine-structural organization of brush border: MUKHERJEE & STAEHELIN 8, 573

Intestinal epithelium

DNA formation and loss in: APPLETON, PELC & TARBIT 5, 45

Intine

of Crocus vernus, acid phosphatase in: KNOX & HESLOP-HARRISON 8, 727

Intine-held antigen(s)

fate on stigma in compatible and incompatible pollinations: KNOX & HESLOP-HARRISON 9, 239

Intracellular membrane

development concomitant with HCl secretion in oxyntic cells of metamorphosing tadpole: FORTE, LIMLOMWONGSE & FORTE 4, 709

Intracellular mosaicism

(nuclear / mitochondrial +) for thymidine kinase in mouse L cells: CLAYTON & TEPLITZ 10, 487

Intracellular origin

of flagellar hairs in Chrysophyceae and Xanthophyceae: LEEDALE, LEADBEATER & MASSALSKI 6, 701

of flagellar hairs in Woloszynskia micra: LEADBEATER 9, 443

Intramitochondrial granule(s)

in *Physarum polycephalum*, effects of starvation and light: NICHOLLS 10, 1

Intranuclear accumulation

of RNA resembling smaller ribosomal component: BRAMWELL 6, 53

Intraperitoneal injection

of [3H]thymidine, duration of availability: BLENKINSOPP 3, 89

In vivo effect(s)

of injected lysophosphatidyl choline into myelinated peripheral nerve fibres of mouse: HALL & GREGSON 9, 769

Ion control

over cell differentiation in germinating zoospore of Blastocladiella emersonii: SOLL & SONNEBORN 10, 315

Ion transport

in rectal papillae of Calliphora, finestructural changes: BERRIDGE & GUPTA 2, 89

Ionogenic group(s)

of cell surface of *Dictyostelium discoideum*, characterization: LEE 10, 229

Ips confusus

flight muscles, fine structure during degeneration: BHAKTHAN, BORDEN & NAIR 6, 807

Irradiation

of collagen fibres with high energy electrons: GRANT, COX & KENT 7, 387

Isolated rat liver cell(s)

effect of isolation method on metabolic activity: LIPSON, CAPUZZI & MARGOLIS 10, 167

Isopropyl N-phenylcarbamate

affects spindle microtubule orientation in dividing endosperm cells: HEPLER & JACKSON 5, 727

interaction with melatonin in regulation of mitosis: JACKSON 5, 745

Junctional structure(s)

new, in epithelia of Dictyoptera: FLOWER 10, 683

KCE: SEE Kinetochore equivalent

Keratin

of hair follicle, immunological and immunofluorescent studies: KEMP & ROGERS 7, 273

Keratinization

defective, of chick embryonic skin in vitro, ultrastructural features: JENSEN & MOTTET 6, 485

Keratinizing epithelium

ultrastructural changes in following trypsinization, epidermal detachment and apposition to mesenchymes: JENSEN & MOTTET 6, 511

Kidney cell(s)

cultured, of rabbit

location of blood group antigen A on:
DIMMOCK, FRANKS & GLAUERT 10, 525
surface structure: DIMMOCK 7, 719

Kinetochore

ultrastructure in vincristine-treated mammalian cells: JOURNEY & WHALEY 7, 49

Kinetochore equivalent

of fungal nucleus: GIRBARDT 9, 453

Kinetoplast

division and DNA synthesis in Crithidia fasciculata: ANDERSON & HILL 4, 611

L cell(s)

of mouse, intracellular mosaicism for thymidine kinase: CLAYTON & TEPLITZ 10, 487

L cell derivatives

hybrids with tumour cells: KLEIN, BREGULA, WIENER & HARRIS 8, 659

L5178Y cell

half-lives of enzyme activities in: BOSMANN 10, 153

Labelling

of cell surface of *Dictyostelium discoideum* with fluorescent antiserum: SHAFFER 3, 151

Labyrinthula sp.

centriole and centriole-like structures during meiosis and mitosis: PERKINS 6, 629

Lactobacillus casei

spheroplasts and cellular distribution of bactoprenol: BARKER & THORNE 7, 755

Lamella

intergranal, in chloroplasts, 3-dimensional arrangement: PAOLILLO 6, 243

of isolated spinach chloroplasts, site of ferricyanide reduction in: HALL, EDGE & KALINA 9, 289

Lampbrush chromosomes

polarized movement of lateral loops during oogenesis: SNOW & CALLAN 5, I

Lampetra fluviatilis

ultrastructure of olfactory epithelium: THORNHILL 2, 591

Lamprey: SEE Lampetra fluviatilis

Lanthanum

staining of neurotubules in axons from cockroach ganglia: LANE & TREHERNE 7,217

Lateral fusion

of membranes in bacteroid-containing cells: GUNNING 7, 307

Leaf (ves)

formation of stomatal complex in: PICKETT-HEAPS & NORTHCOTE 1, 121

of dark-grown barley, effect of brief illumination on plastids: HENNINGSEN & BOYNTON 5, 757

Leaf gland(s)

of *Phaseolus vulgaris*, microtubules in: 0'BRIEN 2, 557

Leech (SEE ALSO individual species) fine structure of eye: CLARK 2, 341

Leguminous root nodules

fusion of membranes in bacteroid-containing cells: GUNNING 7, 307

Length variability

of thin and thick filaments in single fibres from *Portunus depurator*: FRANZINI-ARMSTRONG **6**, 559

Leucocytes

human, electron-microscope study of transformation *in vitro*:

I. CHAPMAN, ELVES & GOUGH 2, 359

II. CHAPMAN, GOUGH & ELVES 2, 371

polymorphonuclear neutrophil of Amphiuma tridactylum, respiration control in: DAVID & MACMULLEN 10, 719

transformation to macrophages: CHAPMAN, GOUGH & ELVES 2, 371

Leucosporidium scottii

mitosis: MCCULLY & ROBINOW 10, 857

Leukaemic cell(s)

charged groups at surface: WARD & AMBROSE 4, 289

of mouse, half-lives of enzyme activities in:
BOSMANN 10, 153

Light

after starvation, effects on intramitochondrial granules in *Physarum poly*cephalum: NICHOLLS 10, 1

Light microscope

as optical diffractometer: GALL 2, 163

Light microscopy

and electron microscopy, comparative study of meiosis in Coprinus lagopus: LU 2, 529

of cytochalasin B action on cells and isolated cytoplasm of Characeae: WILLIAM-SON 10, 811

of erythropoietic cells of spleen of *Triturus* cristatus: TOOZE & DAVIES 2, 617

of mitosis in Schizosaccharomyces pombe: MCCULLY & ROBINOW 9, 475

of mitotic chromosomes of newt spleen:
DAVIES & TOOZE I, 331

of nervous system, formalin perfusion for:
WESTRUM & LUND I, 229

of nucleolus during oocyte growth in prepubertal mouse: CHOUINARD 9, 637

Lilium

anthers, autoradiography of soluble [2-14C]-thymidine delivatives during meiosis and microsporogenesis: HESLOP-HARRISON & MACKENZIE 2, 387

polyploids, fine structure of meiotic chromosome pairing: MOENS 7, 55

Lilium humboldtii

freeze-etched pollen walls: SOUTHWORTH & BRANTON 9, 193

Lilium longiflorum

germinated pollen, isolation and characterization of secretory vesicles: VAN DER WOUDE, MORRÉ & BRACKER 8, 331

Limb

of developing chick, tetrazolium salt and electron-microscopic study of degeneration and necrosis in interdigital areas: HAMMAR & MOTTET 8, 229

Limb bud(s)

of chick, effects of trypsin and EDTA on: GOEL & JURAND 3, 373

Lipid

bound in tissues of mammal and insect, histochemical method: WIGGLESWORTH 8, 709

Liquid crystal

self-assembling, produced by biological system: NEVILLE & LUKE 8, 93

Lithodesmium undulatum

male gametogenesis, early meiotic stages:

MANTON, KOWALLIK & VON STOSCH 5, 271
mitosis and meiosis, fine structure and
development of spindle:

II. MANTON, KOWALLIK & VON STOSCH 5, 271

III. MANTON, KOWALLIK & VON STOSCH 6, 131

IV. MANTON, KOWALLIK & VON STOSCH 7, 407

Liver

of rat, ultrastructural localization and content of sialic acid in plasma membranes from: BENEDETTI & EMMELOT 2, 499

Liver cell(s)

of rat, effect of isolation method on metabolic activity: LIPSON, CAPUZZI & MAR-GOLIS 10, 167

parenchymal, of rat, preparation: GALLAI-HATCHARD & GRAY 8, 73

Liverwort (SEE ALSO individual species)
action of rifampicin on: MACHE &
LOISEAUX 10, 821

Lobster

optic lamina

Organization: HÁMORI & HORRIDGE
 1, 249

II. Synapses: HÁMORI & HORRIDGE I, 257

III. Degeneration: HÁMORI & HOR-RIDGE I, 271

IV. Glial cells: HÁMORI & HORRIDGE I,

Localization

of ATPase in striated muscle: GILLIS & PAGE 2, 113

of intranucleolar DNA in root cells: CHOUINARD 6, 73

of pollen wall proteins:

KNOX & HESLOP-HARRISON 6, 1

during development in *Gladiolus*: KNOX 9, 209

of polysaccharide in plant cells, ultrastructural observations on: PICKETT-HEAPS 3, 55

of sulphated mucopolysaccharide in megakaryocytes and platelets of rat: MAC-PHERSON 10, 705

Locomotion

in *Difflugia*, structural organization associated with pseudopod extension and contraction: WOHLMAN & ALLEN 3, 105

of Actinosphaerium eichhorni and Actinophrys sp.: WATTERS 3, 231

Locust(s) (SEE ALSO individual species)

phasic and tonic skeletal muscle fibres, physiology and ultrastructure: COCHRANE, ELDER & USHERWOOD 10, 419

resilin, factors affecting tertiary structure:
NEVILLE 2, 273

Loligo vulgaris

statocyst, scanning electron-microscopical study, freeze-drying methods for: BOYDE & BARBER 4, 223

Longitudinal growth

of striated muscle fibres: WILLIAMS & GOLDSPINK 9, 751

LS cell(s) (SEE ALSO Mouse)

in suspension, improved growth medium: BIRCH & PIRT 7, 661 of mouse, effect of dissolved oxygen partial pressure on growth and carbohydrate metabolism: KILBURN, LILLY, SELF & WEBB 4, 25

vitamin uptake by: BLAKER & PIRT 8, 701

Lumbricus terrestris

body wall, contractile mechanism of obliquely striated muscle: KNAPP & MILL 8, 413

body wall muscles, fine structure: MILL & KNAPP 7, 233

muscles, neuromuscular junctions: MILL & KNAPP 7, 263

Lung(s)

mammalian, reconstructions of centriole formation and ciliogenesis in: SOROKIN 3, 207

Lymphocyte(s)

human cultured, response to cytochalasin B: RIDLER & SMITH 3, 595

peripheral, activation and reactivation in culture: LING & HOLT 2, 57

transformation to blastoids: CHAPMAN, ELVES & GOUGH 2, 359

transforming, nuclear ultrastructure in, during inhibition of DNA synthesis with hydroxyurea: MILNER 4, 583

Lymphoma cell(s)

in stationary culture, experimental and theoretical analysis of aggregation: MAY-HEW & BLUMENSON 10, 749

Lysophosphatidyl choline

injection into myelinated peripheral nerve fibres of mouse, *in vivo* and ultrastructural effects: HALL & GREGSON 9, 769

injections into white matter of mouse spinal cord, effect: HALL 10, 535

Lysosomal effect(s)

of sugars in organ culture: DINGLE, FELL & GLAUERT 4, 139

Lysosomal enzyme activity

of L5178Y cells, effects of sucrose and salts: BERNACKI & BOSMANN 8, 399

Macromolecular component(s)

changes during cell cycle of Schizosaccharomyces pombe: STEBBING 9, 701

Macromolecular physiology

of plastids:

VI. HENNINGSEN 7, 587

VII. HENNINGSEN & BOYNTON 5, 757

Macromolecular synthesis

in 3 T6 fibroblast:

I. LEVENE & BATES 7, 671

II. BATES & LEVENE 7, 683

Macromolecular units

on cell walls of *Bacillus polymyxa*, structure: FINCH, KLUG & NERMUT **2**, 587

Macronuclear Anlage

in Stylonichia notophora, organization and development: SAPRA & DASS 6, 351

Macrophage(s)

role of, in cell death and digestion in foetal rat foot: BALLARD & HOLT 3, 245

transformation of leucocytes to: CHAPMAN, GOUGH & ELVES 2, 371

Malignancy

analysis by cell fusion:

I. KLEIN, BREGULA, WIENER & HARRIS 8, 659

II. BREGULA, KLEIN & HARRIS 8, 673
III. WIENER, KLEIN & HARRIS 8, 681

Mammal tissue

bound lipid in, histochemical method: WIGGLESWORTH 8, 709

Mammalian cell(s)

cultured, regulation of thymidylate synthetase activity in: CONRAD & RUDDLE 10, 471 growth, energetics of: KILBURN, LILLY & WEBB 4, 645

heterokaryons, surface antigens of: WAT-KINS & GRACE 2, 193

in tissue culture, metabolic co-operation between: SUBAK-SHARPE, BÜRK & PITTS 4, 353

treated with vincristine, kinetochore ultrastructure: JOURNEY & WHALEY 7, 49

Mammalian motor nerve

effect of degeneration on esterases in endplate: CSILLIK & KNYIHÁR 3, 529

Mammalian skeletal muscle

Z-disks, faults in square lattice: ROWE & MORTON 9, 139

Marchantia polymorpha

action of rifampicin on: MACHE & LOISEAUX 10, 821

Mast cell

proliferation in adult rats: BLENKINSOPP 2, 33

Mate-killer particle(s)

three different types, in Paramecium aurelia:
BEALE & JURAND I, 31

Maturation

of newt oocytes, nuclear sodium concentration during: MUIR & WHITLEY 10, 335

Mechanical properties

of sea-urchin egg surface, effect of high hydrostatic pressure: WOLPERT, MARS-LAND & HIRSHFIELD 8, 87

Medium change(s)

effect on growth and metabolism of WI-38: GRIFFITHS 8, 43

Megakaryocyte(s)

of rat, synthesis and localization of sulphated mucopolysaccharide in: MAC-PHERSON 10, 705

Meiosis

early stages, in male gametogenesis of Lithodesmium undulatum: MANTON, KOWALLIK & VON STOSCH 5, 271

in Coprinus lagopus, comparative study with light and electron microscopy: LU 2, 520

in *Labyrinthula* sp., formation of centriole and centriole-like structures: PERKINS **6**, 629

in *Lilium* anthers, autoradiography of soluble [2-¹⁴C]thymidine derivatives:
HESLOP-HARRISON & MACKENZIE 2, 387

in Lithodesmium undulatum, fine structure and development of spindle:

II. MANTON, KOWALLIK & VON STOSCH 5, 271

III. MANTON, KOWALLIK & VON STOSCH 6, 131

IV. MANTON, KOWALLIK & VON STOSCH 7, 407

in male *Triturus vulgaris*, radioautographic study of time course: CALLAN & TAYLOR 3, 615

neuropteran, giant centrioles in: FRIED-LÄNDER & WAHRMAN I, 129

of *Bombyx mori*, spindle as basal body distributor: FRIEDLÄNDER & WAHRMAN 7, 65

temperature-induced orientation instability during: HENDERSON, NICKLAS & KOCH 6, 323

Meiosis I

later stages of in male gametogenesis of Lithodesmium undulatum: MANTON, KOWALLIK & VON STOSCH 6, 131

Meiosis II

of Lithodesmium undulatum: MANTON, KOWALLIK & VON STOSCH 7, 407

Melatonin

interaction with isopropyl N-phenylcarbamate in regulation of mitosis: JACKSON 5, 745

Membrane(s)

associated with disintegration of mycetomal micro-organisms in *Sitophilus zea-mais*: MUSGRAVE & GRINYER 3, 65

bacterial, moiré patterns in electron micrographs of: GLAUERT 1, 425

freeze-etched surfaces of, in root tips:
NORTHCOTE & LEWIS 3, 199

in bacteroid-containing cells, lateral fusion: GUNNING 7, 307

Membrane(s) (cont.)

isolated, of erythrocyte, X-ray diffraction and electron-microscope studies: KNUT-TON, FINEAN, COLEMAN & LIMBRICK 7, 357

of brush border, X-ray diffraction and electron-microscope studies: LIMBRICK &

FINEAN **7**, 373

of yeast, localization of freeze-fracture planes: HEREWARD & NORTHCOTE 10, 555 particles within, freeze-etch view: FLOWER 9, 435

peripheral, of mycetomal micro-organisms: GRINYER & MUSGRAVE I, 181

structure changes associated with changes in chlorophyllous pigments: HENNINGSEN 7, 587

Membrane differentiation

in Golgi complex visualized by freezeetching: STAEHELIN & KIERMAYER 7, 787

Membrane morphology

in brain, variation with preparative procedures: SCHULTZ & KARLSSON 10, 181

Membranous components

of amphibian oocyte nucleoli: KEZER, MACGREGOR & SCHABTACH 8, I

Meristem(s)

of plant root, cytochemical ATPase in: SHIFRIN & LEVINE 3, 423

of wheat root, action of colchicine and heavy water on microtubules in: BURGESS & NORTHCOTE 5, 433

of wheat, mitosis and cytokinesis in: PICKETT-HEAPS & NORTHCOTE 1, 109

Meristematic cell(s)

of root, localization of intranucleolar DNA in: CHOUINARD 6, 73

Mesenchyme(s)

apposition of trypsinized detached keratinizing epithelium to, ultrastructural changes following: JENSEN & MOTTET 6, 511

Mesenchyme cell(s)

secondary, microtubules and filaments in filopodia of: TILNEY & GIBBINS 5, 195

Mesenteric artery(ies)

innervation, freeze-etch studies on: DEVINE, SIMPSON & BERTAUD 9, 411

smooth muscle cells, surface features: DEVINE, SIMPSON & BERTAUD 8, 427

Metabolic activity

of rat liver cells, effect of method of cell isolation on: LIPSON, CAPUZZI & MARGOLIS 10, 167

Metabolic co-operation

between cells in culture: SUBAK-SHARPE, BURK & PITTS 4, 353

Metabolic inhibitor(s)

effects on ability of SV 40 virus in transformed cells to be detected by cell fusion: WATKINS 6, 721

Metabolism

carbohydrate, of mouse LS cells, effect of dissolved oxygen partial pressure: KIL-BURN, LILLY, SELF & WEBB 4, 25

effect of cell population density on:
GRIFFITHS 10, 515

of WI-38

effect of insulin: GRIFFITHS 7, 575

effect of medium changes: GRIFFITHS 8, 43

Metamorphosing tadpole

of bullfrog, intracellular membrane development concomitant with HCl secretion in oxyntic cells: FORTE, LIMLOMWONGSE & FORTE 4, 709

[Me-3H]methionine

incorporation into wool follicle proteins: WILSON, HENRIKSON & DOWNES 8, 489

N-methyl-N-nitrosourethane

inducing mutations in Amoeba proteus: ORD 7, 531

Micrasterias denticulata Breb.

membranes of Golgi complex visualized by freeze-etching: STAEHELIN & KIER-MAYER 7, 787

Microcyst(s)

formation and germination in *Polysphon-dylium pallidum*, ultrastructure: HOHL, MIURA-SANTO & COTTER **7**, 285

Microfilament(s)

associated with cleavage furrow: TUCKER 8, 557

Micro-organism(s)

mycetomal

chromatin and cell wall of: SINGH & MUSGRAVE I, 175

in Sitophilus zea-mais disintegration of: MUSGRAVE & GRINYER 3, 65

ultrastructure and peripheral membranes of: GRINYER & MUSGRAVE I, 181

Microsporogenesis

in *Lilium* anthers, autoradiography of soluble [2-14C]thymidine derivatives: HESLOP-HARRISON & MACKENZIE 2, 387

Microtubular organelle(s)

in cortex of Nassula, development and deployment: TUCKER 9, 539

morphogenesis and its association with basal bodies in Nassula: TUCKER 6, 385

Microtubular system

in Actinosphaerium nucleofilum, effect of inhalational anaesthetics: ALLISON, HULANDS, NUNN, KITCHING & MACDONALD 7, 483

Microtubule(s)

and ciliary fibrils in insect sensory dendrite, continuity: SLIFER & SEKHON 4, 527

associated with cleavage furrow: TUCKER 8,

associated with mitochondrial extensions in chick spinal cord *in vitro*: GRAINGER & IAMES 4, 729

bands in abnormal mitotic cells of wheat: PICKETT-HEAPS 4, 397

cytoplasmic

anchoring nuclei in Acetabularia: WOOD-COCK 8, 611

in leaf glands of *Phaseolus vulgaris*: o'BRIEN 2, 557

from cilia of Tetrahymena pyriformis, central pair: CHASEY 5, 453

in Caulerpa prolifera: SABNIS & JACOBS 2, 465 in filopodia of secondary mesenchyme cells: TILNEY & GIBBINS 5, 195

in Heliozoa. IV: TILNEY 3, 549

in heliozoan axopodium, III. SHIGENAKA, ROTH & PIHLAJA 8, 127

in individual cells, four classes: BEHNKE & FORER 2, 169

in telotrophic ovarioles, influence of vinblastine sulphate: STEBBINGS 8, 111

in wheat meristems, organization: PICKETT-HEAPS & NORTHCOTE 1, 109

of axopodium, effect of urea: SHIGENAKA, ROTH & PIHLAJA 8, 127

of generative cells of *Haemanthus katherinae*Baker: SANGER & JACKSON 8, 303

of isolated mitotic apparatus, amount of protein in: COHEN & REBHUN 6, 159

of spindle in dividing nuclei of trypanosomes: VICKERMAN & PRESTON 6, 365

polymerization, action of colchicine and heavy water: BURGESS & NORTHCOTE 5, 433

system associated with cytoplasmic movement in telotrophic ovarioles: MAC-GREGOR & STEBBINGS 6, 431

C-microtubule(s)

in isolated mitotic spindles: COHEN & GOTTLIEB 9, 603

Microtubule-arms

in feeding organelle of *Phascolodon vorticella*: TUCKER 10, 883

Microtubule orientation

in spindle of dividing endosperm cells affected by isopropyl N-phenylcarbamate: HEPLER & JACKSON 5, 727

Microtubule patterns

in Nassula, initiation and differentiation: TUCKER 7, 793

Microvilli

number in BHK21 cells, inverse relation with cell density: O'NEILL & FOLLETT 7, 695

surface, effect on water permeability of toad oocytes: DICK, DICK & BRADBURY 6, 451

Midpiece

of mouse spermatozoon, form and development seen by surface replication: WOOL-LEY 6, 865

Milk fat globule

mechanism of secretion: WOODING 9, 805
Milkweed bug: SEE Oncopeltus fasciatus

Mineral nutrient requirement

of mouse LS (suspension) cells: BIRCH & PIRT 8, 693

Mitochondrial changes

in denervated muscle: MILEDI & SLATER 3, 49

Mitochondrial extension(s)

associated with microtubules in chick spinal cord in vitro: GRAINGER & JAMES 4, 729

Mitochondrial membranes

in relation to elementary particles: MAL-HOTRA & EAKIN 2, 205

Mitochondrial ultrastructure

chloramphenicol-related changes: SMITH, SMITH & YUNIS 7, 501

Mitochondrion(a)

of Calliphora erythrocephala flight muscle, biochemical and structural variations during ageing: TRIBE & ASHHURST 10, 471 Mitopus morio

photoreceptors, fine structure: CURTIS 4, 327

in Aspergillus nidulans: ROBINOW & CATEN 5,

in fused cells:

I. JOHNSON & HARRIS 5, 603

II. JOHNSON & HARRIS 5, 625
III. JOHNSON & HARRIS 5, 645

in heterobasidiomycetous yeasts, MCCULLY & ROBINOW 10, 857

in Labyrinthula sp., formation of centriole and centriole-like structures: PERKINS 6, 629

in Leucosporidium scottii: MCCULLY & ROBINOW 10, 857

in *Lithodesmium undulatum*, fine structure and development of spindle:

II. MANTON, KOWALLIK & VON STOSCH 5, 271

III. MANTON, KOWALLIK & VON STOSCH 6, 131

IV. MANTON, KOWALLIK & VON STOSCH 7, 407

Mitosis (cont.)

in metamorphic moult of Oncopeltus fasciatus, radioautographic study: LAW-RENCE 3, 391

in multinucleate frog eggs, regulation: GRAHAM I, 363

in Schizosaccharomyces pombe, comparative study with light and electron microscopy: MCCULLY & ROBINOW 9, 475

in Ulva mutabilis Føyn: LØVLIE & BRÅTEN 6, 100

in wheat meristems, organization of microtubules and endoplasmic reticulum: PICKETT-HEAPS & NORTHCOTE I, 109

of pollen, synchronous, in massulate orchids: HESLOP-HARRISON 3, 457

regulation of:

II. JACKSON 5, 745 III. JACKSON 10, 15

Mitotic apparatus(es)

isolated

amount of microtubule protein: COHEN & REBHUN 6, 159

structure and properties: GOLDMAN & REBHUN 4, 179

of sea-urchin zygotes, dry matter concentration in vivo and after isolation: FORER & GOLDMAN 10, 387

Mitotic cell(s)

abnormal, of wheat, microtubule bands in: PICKETT-HEAPS 4, 397

Mitotic spindle(s)

isolated, C-microtubules in: COHEN & GOTTLIEB 9, 603

Mitral cell(s)

of olfactory bulb: PRICE & POWELL 7, 631

cycloid, for the chromosome: WHITEHOUSE 2, 9

Moiré patterns

in electron micrographs of bacterial membrane: GLAUERT I, 425

Molecular basis

for indiscriminate and selective cell adhesion: JONES & MORRISON 4, 799

Molecular structure

of stromacentre in plastids: GUNNING, STEER & COCHRANE 3, 445

Mollusques gastéropodes

spermatozoïde de, compartimentage des activités enzymatiques:

I. PERSONNE & ANDERSON 4, 693

Monkey(s)

ovaries, uptake of tritiated uridine and phenylalanine by: BAKER, BFAUMONT & FRANCHI 4, 655

Monolayer(s)

surface extensions on BHK cells grown in: TUFFERY 10, 123

Morphogenesis

of Dictyostelium discoideum, relevance of changes in cell surface charge density: LEE 10, 249

of large microtubular organelle in Nassula: TUCKER 6, 385

Morphological effect(s)

of polylysine on Amoeba proteus: SANDERS & BELL 7, 739

Morphological revertant(s)

in polyoma-transformed hybrid clones. segregation: MARIN 9, 61

Morphology

of granule cells of olfactory bulb: PRICE & POWELL 7, 91

Mosaicism

intracellular, for thymidine kinase in mouse L cells: CLAYTON & TEPLITZ 10,

Moult

metamorphic, of Oncopeltus fasciatus, mitosis and cell cycle in: LAWRENCE 3, 391

Mouse (Mice)

adult, effect of lysophosphatidyl choline injections into white matter of spinal cord: HALL 10, 535

cerebral cortex, changes in extracellular space during fixation and post-fixation: VAN HARREVELD & KHATTAB 4, 437

cultivated cells, glucosamine-containing component of surface: ONODERA & **SHEININ 7, 337**

fibroblast cells

growth and macromolecular synthesis:

I. LEVENE & BATES 7, 671

II. BATES & LEVENE 7, 683

in culture, choline and serum protein requirements: BIRCH & PIRT 5, 135 vitamin uptake by: BLAKER & PIRT 8, 701 leukaemic cell, half-lives of enzyme activities in: BOSMANN 10, 153

LS cells

effect of dissolved oxygen partial pressure on growth and carbohydrate metabolism: KILBURN, LILLY, SELF & WEBB 4, 25

suspension, improved medium: BIRCH & PIRT 7, 661

myelinated peripheral nerve fibres, effect of lysophosphatidyl choline injected into: HALL & GREGSON 9, 769

oesophagus, trachea and ureter, cell proliferation in: BLENKINSOPP 5, 393

Mouse (Mice) (cont.)

oocyte, germinal vesicle breakdown in: CALARCO, DONAHUE & SZOLLOSI 10, 369

prepubertal oocyte, study of nucleolus during growth: CHOUINARD 9, 637

spermatozoon, form and development of midpiece seen by surface replication: woolley 6, 865

spleen, incorporation of [3H]thymidine in: PELC 3, 263

with mycoplasma-like infection, cytoplasmic inclusions in: GAY & ATTRIDGE 2,

Mouse-human heterokaryon

formation, rapid intermixing of cell surface antigens: FRYE & EDIDIN 7, 319

Movement(s)

of epithelial cell sheets in vitro: VAUGHAN & TRINKAUS I, 407

of migrating grex of Dictyostelium discoideum, cellular basis of: GARROD 4, 781

of preaggregation cells of *Dictyostelium* discoideum, behaviour of cell surface:
GARROD & WOLPERT 3, 365

of pseudopods of *Difflugiella* sp.: GRIFFIN 10, 563

Mucopolysaccharide(s)

sulphated, synthesis and localization in megakaryocytes and platelets of rat: MACPHERSON 10, 705

Multiflagellate cell(s)

of *Naegleria* induced by temperature shock: DINGLE **7**, 463

Multinucleate transfer cell

a nematode-induced syncytium: JONES & NORTHCOTE 10, 789

Muscle (SEE ALSO specific types of muscle) atrial, of amphibian, cellular surfaces of:

LORBER & BERTAUD 9, 427

attachment related to cuticle architecture in Apterygota: CAVENEY 4, 541

cardiac, surface features: RAYNS, SIMPSON & BERTAUD 3, 467

denervated, mitochondrial changes in:
MILEDI & SLATER 3, 49

fibrillar flight, of giant water-bugs: ASH-HURST 2, 435

fish skeletal, freeze-etch studies: BERTAUD, RAYNS & SIMPSON 6, 537

flight

biochemical and structural variations in mitochondria of ageing *Calliphora* erythrocephala: TRIBE & ASHHURST 10, 471

of *Ips confusus*, fine structure during degeneration: BHAKTHAN, BORDEN & NAIR **6**, 807

insect fibrillar, contractile element of:
ABBOTT & CHAPLAIN I, 311

insect visceral, organization and myofilament array: SMITH, GUPTA & SMITH I, 49

obliquely striated, of Lumbricus terrestris, fine structure: MILL & KNAPP 7, 233

of insect, effects of denervation on ultrastructure: REES & USHERWOOD 10, 667

of *Lumbricus terrestris*, neuromuscular junctions in: MILL & KNAPP 7, 263

skeletal, surface features: RAYNS, SIMPSON & BERTAUD 3, 475

smooth, caveolae intracellulares and sarcoplasmic reticulum in: GABELLA 8, 601 striated

fibre changes during contraction and growth: GOLDSPINK 9, 123

localization of ATPase in: GILLIS & PAGE 2, 113

longitudinal growth of fibres: WILLIAMS & GOLDSPINK 9, 751

of Lumbricus terrestris body wall, contractile mechanism: KNAPP & MILL 8, 413

of rat, influence of fixation on Z-disk: LANDON 6, 257

of vertebrate, dual innervation of fibres?
BONE 10, 657
surface features:

I. RAYNS, SIMPSON & BERTAUD 3, 467
II. RAYNS, SIMPSON & BERTAUD 3, 475
lights foults in accurage lettings and 17

Z-disks, faults in square lattice: ROWE & MORTON 9, 139

Muscle cells

dissociated, from embryonic chick, effect of neuraminidase on aggregation: KEMP 6, 751

of embryonic chick, inhibition of aggregation *in vitro* by hexosamines, biochemical study: LLOYD & KEMP 9, 85

Muscle fibre(s)

and contained crystalloids in basal socket muscle of *Barentsia gracilis*, fine structure: REGER 4, 305

growth, proliferation of myofibrils during: GOLDSPINK 6, 593

mammalian, sarcomere length during postnatal growth: GOLDSPINK 3, 539

phasic and tonic skeletal, physiology and ultrastructure in *Schistocerca gregaria*: COCHRANE, ELDER & USHERWOOD 10, 419 striated

changes during contraction and growth:
GOLDSPINK 9, 123

longitudinal growth: WILLIAMS & GOLD-SPINK 9, 751

Mutant

Xenopus embryos, fine structure of nucleolus: HAY & GURDON 2, 151

B-mutant strain(s)

of Schizophyllum commune, alteration of nuclear distribution: KOLTIN & FLEXER 4, 739

Mutation(s)

induced in *Amoeba proteus* by *N*-methyl-*N*-nitrosourethane: ORD 7, 531

Mycoplasma(s)

in tissue culture: MACPHERSON I, 145

Myelinated peripheral nerve fibre(s)

of mouse, effects of lysophosphatidyl choline injected into: HALL & GREGSON 9, 769 Myofibril(s)

proliferation

proliferation during muscle fibre growth: GOLDSPINK 6, 593

Myofibril splitting

during contraction and growth of striated muscle fibres: GOLDSPINK 9, 123

Myofilament(s)

array and organization of insect visceral muscles: SMITH, GUPTA & SMITH 1, 49

Naegleria

multiflagellate cells induced by temperature shock: DINGLE 7, 463

Nassula

changes in nuclear structure during binary fission: TUCKER 2, 481

development and deployment of cilia, basal bodies and other microtubular organelles in cortex: TUCKER 9, 539

initiation and differentiation of microtubule patterns in: TUCKER 7, 793

morphogenesis of microtubular organelle and its association with basal bodies in: TUCKER 6, 385

pharyngeal basket, fine structure and function: TUCKER 3, 493

Necrosis

in interdigital areas of developing chick limb: HAMMAR & MOTTET 8, 229

Negatively stained native collagen

electron micrographs of, interpretation:

Nematode

-induced syncytium, a multinucleate transfer cell: JONES & NORTHCOTE 10, 789

Neocortex

dendritic spines, morphological variations:
JONES & POWELL 5, 509

Nerve(s)

degeneration, effect on esterases in mammalian motor end-plate: CSILLIK & KNYIHÁR 3, 529 in rat upper urinary tract, effect of 6hydroxydopamine on: GOSLING & DIXON 10, 197

sensory, lack of axon fusion in two insects: STEINBRECHT 4, 39

Nerve fibre(s)

of mouse, effects of lysophosphatidyl choline injected into: HALL & GREGSON 9, 769

Nervous syncytia

lack of axon fusion in two insect sensory nerves: STEINBRECHT 4, 39

Nervous system

comparative light- and electron-microscopical studies of after formalin perfusion: WESTRUM & LUND I, 229

Nervous tissue

extracellular fluid, autoradiographic location of labelled indicators in: BROWN, STUMPF & ROTH 4, 265

Neuraminidase

effect on aggregation of BHK21 and virustransformed BHK21 cells: VICKER & EDWARDS 10, 759

effect on aggregation of cells dissociated from embryonic chick muscle: KEMP 6,751

Neuromuscular junction(s)

in dogfish, dual innervation? BONE 10, 657 in muscles of *Lumbricus terrestris*: MILL & KNAPP 7, 263

Neuron(s)

cholinergic, distribution of cholinesterase in: LEWIS & SHUTE 1, 381

intranuclear fibrillar lattice in: CHANDLER & WILLIS 1, 283

of Octopus, relationship of Golgi and synaptic vesicles in: GRAY 7, 189

sympathetic, of chick embryo in tissue culture, uptake and localization of catecholamines in: ENGLAND & GOLD-STEIN 4, 677

types of olfactory bulb glomerular layer: PINCHING & POWELL 9, 305

Neuropil

of olfactory bulb glomeruli: PINCHING & POWELL 9, 347

of periglomerular region of olfactory bulb: PINCHING & POWELL 9, 379

Neurosensory cell(s)

in Hydra, differentiation: DAVIS 5, 699

Neurotubule(s)

in axons from cockroach ganglia, lanthanum staining: LANE & TREHERNE 7, 217

Newcastle disease

virus, penetration into cells, electronmicroscopic study: MEISELMAN, KOHN & DANON 2, 71 Newt (SEE ALSO individual species)

egg, ultrastructural changes in surface layers in relation to cleavage: SELMAN & PERRY 6, 207

lampbrush chromosomes, polarized movement of lateral loops during oogenesis: SNOW & CALLAN 5, I

male meiosis in, radioautographic study of time course: CALLAN & TAYLOR 3, 615

mitotic chromosomes of spleen, surface topography: DAVIES & TOOZE 1, 331

oocytes, nuclear sodium concentration during maturation: MUIR & WHITLEY 10, 335

spleen, fine structure of erythropoietic cells: TOOZE & DAVIES 2, 617

Nitella translucens

plasmodesmata, structure and electrical resistance: SPANSWICK & COSTERTON 2, 451

Node of Ranvier

asymmetry of: WILLIAMS & KASHEF 3, 341

Nucella lapillus

sperm, coiling of flagellar shaft in head region: WALKER 5, 211

spermatogenesis and structure of mature sperm: WALKER & MACGREGOR 3, 95

Nuclear distribution

in B-mutant strains of Schizophyllum commune, alteration: KOLTIN & FLEXER 4, 739

Nuclear DNA

replication in Amoeba proteus: ORD 9, 1

Nuclear fusion

in fat body of *Rhodnius*: WIGGLESWORTH 2,

Nuclear histone

of X chromosome of spermatocyte, synthesis: BLOCH & TENG 5, 321

Nuclear morphology

and ultrastructural localization of DNA synthesis during interphase: MILNER 4, 569

Nuclear organelle(s)

in oocytes of *Triturus cristatus*, effect of actinomycin D: snow 10, 833

Nuclear sodium concentration

of newt oocytes during maturation: MUIR & WHITLEY 10, 335

Nuclear structure

changes during binary fission in Nassula: TUCKER 2, 481

Nuclear study

on A9 and B82 cells fused together by Sendai virus, early phase: ENGEL, MCGEE & HARRIS 5, 93

Nuclear ultrastructure

of transforming lymphocyte during inhibition of DNA synthesis with hydroxyurea:
MILNER 4, 583

Nucleolar DNA

in oocytes of Xenopus laevis: MACGREGOR 3, 437

Nucleolus (i)

and protein synthesis in roots of *Allium cepa*, sites shown by radioautography: CHOUINARD & LEBLOND **2**, 473

during oocyte growth, light and electronmicroscope study: CHOUINARD 9, 637

evolution during oogenesis in Xenopus laevis: VAN GANSEN & SCHRAM 10, 339

in normal and mutant Xenopus embryos, fine structure: HAY & GURDON 2, 151

in Spirogyra: JORDAN & GODWARD 4, 3 of Ambystoma mexicanum: CALLAN 1, 85

of amphibian oocyte

DNA distribution within: EBSTEIN 5, 27 membranous components: KEZER, MACGREGOR & SCHABTACH 8, I

incorporation of [3H]uridine into: MAC-GREGOR 2, 145

of *Tubifex* chloragogen cells, natural segregation of ribonucleoprotein components: DJACZENKO, GRABSKA & FILADORO 4, 621

peripheral, in oocytes of *Triturus cristatus*, effect of actinomycin D: snow 10, 833 role of in transfer of RNA from nucleus to

cytoplasm: SIDEBOTTOM & HARRIS 5, 351

Nucleolus organizer(s)

in Phaseolus: NAGL 6, 87

Nucleus(i) (SEE ALSO Nuclear distribution, Nuclear DNA etc.)

anchored by cytoplasmic microtubules in *Acetabularia*: WOODCOCK **8**, 611

dividing, of trypanosomes, spindle microtubules in: VICKERMAN & PRESTON 6, 365

induced to enlarge and initiate DNA or RNA synthesis, movement of cytoplasmic proteins into: MERRIAM 5, 333

of amphibian oocytes, water, sodium and potassium concentrations: CENTURY, FENICHEL & HOROWITZ 7, 5

of chicken erythrocyte, structure of condensed chromatin: EVERID, SMALL & DAVIES 7, 35

of erythrocyte

determining enzyme synthesis in hybrid cell: HARRIS & COOK 5, 121

determining species specificity of enzyme in interspecific hybrid cell: COOK 7, I reactivated by cell fusion, changes in cytochemical properties: BOLUND,

RINGERTZ & HARRIS 4, 71

Nucleus(i) (cont.)

of fungi

kinetochore equivalent: GIRBARDT 9, 453 ultrastructure, II: GIRBARDT 9, 453

of red ceil, reactivation of: HARRIS 2, 23

of sporulating Saccharomyces cerevisiae, synaptic structures in: MOENS & RAPPORT 9, 665

RNA of, role of nucleolus in transfer to cytoplasm: SIDEBOTTOM & HARRIS 5, 351

Nucleus pulposus

matrix in young rabbits, distribution of proteinpolysaccharide complex in: SMITH & SERAFINI-FRACASSINI 3, 33

Nudibranch mollusc (SEE ALSO individual species)

eye, fine structure: EAKIN, WESTFALL & DENNIS 2, 349

Nutrient(s)

uptake, effect of cell population density on:
GRIFFITHS 10, 515

Nutritional relationship

between Anemonia sulcata and its symbiont: TAYLOR 4, 751

Octopus

brain, electron-microscope study of subcellular fractions: JONES 2, 573

neurons, relationship of Golgi and synaptic vesicles in: GRAY 7, 189

Octopus vulgaris

retina, synaptic structure: GRAY 7, 203

Oesophagus

of mouse, cell proliferation in: BLENKINSOPP 5, 393

Olfactory bulb

afferent fibre termination in, electronmicroscopic study: PRICE & POWELL 7, 157

glomerular layer

axons intrinsic to: PINCHING & POWELL 10, 637

neuron types of: PINCHING & POWELL 9, 305

termination of centrifugal fibres in: PINCHING & POWELL 10, 621

glomeruli, neuropil of: PINCHING & POWELL

granule cells

morphology: PRICE & POWELL 7, 91 synaptology: PRICE & POWELL 7, 125

mitral and short axon cells: PRICE & POWELL 7, 631

of rat, terminal degeneration in: PINCHING & POWELL 10, 585

periglomerular region, neuropil of: PINCH-ING & POWELL 9, 379

Olfactory epithelium

of Lampetra fluviatilis, ultrastructure: THORNHILL 2, 591

Oncopeltus fasciatus

development and determination of hairs and bristles in: LAWRENCE I, 475

metamorphic moult, mitosis and cell cycle in: LAWRENCE 3, 391

spaced hairs, development of pattern: LAWRENCE & HAYWARD 8, 513

Ontogeny

of pollen in Helleborus foetidus L.:

I. ECHLIN & GODWIN 3, 161

II. ECHLIN & GODWIN 3, 175

III. ECHLIN & GODWIN 5, 459

Oocyte(s)

amphibian

DNA distribution within: EBSTEIN 5, 27 membranous components of nucleoli: KEZER, MACGREGOR & SCHABTACH 8, I

growth in prepubertal mouse, study of nucleolus: CHOUINARD 9, 637

in human ovaries, fine structure: BAKER & FRANCHI 2, 213

isolated, of Cecropia, protein synthesis and uptake by: ANDERSON 8, 735

nucleoli, incorporation of [3H]uridine into RNA of: MACGREGOR 2, 145

of amphibian, water, sodium and potassium concentrations in nucleus and cytoplasm: CENTURY, FENICHEL & HOROWITZ 7, 5

of golden hamster, cytoplasmic whorls in: HADEK 1, 281

of mouse, germinal vesicle breakdown in: CALARCO, DONAHUE & SZOLLOSI 10, 369

of newt, nuclear sodium concentration during maturation: MUIR & WHITLEY 10, 335 of *Triturus cristatus*

effect of actinomycin D on nuclear organelles: SNOW 10, 833

sodium and potassium in: RIEMANN, MUIR & MACGREGOR 4, 299

of Xenopus laevis, nucleolar DNA in: MACGREGOR 3, 437

periphery during vitellogenesis, electronmicroscopical and histochemical study: HOPKINS & KING I, 201

single, of toad, effect of surface microvilli on water permeability: DICK, DICK & BRADBURY 6, 451

Oocyte envelope(s)

of dragonfly, synthesis and deposition and uptake of yolk: BEAMS & KESSEL 4, 241

Oogenesis

early stages in Acheta domesticus, extrachromosomal DNA in: CAVE & ALLEN 4,

Oogenesis (cont.)

in Pteridium aquilinum, incorporation of [3H]thymidine: SIGEE & BELL 8, 467

in Xenopus laevis, evolution of nucleoli during: VAN GANSEN & SCHRAM 10, 339 polarized movement of lateral loops of

newt lampbrush chromosomes during: SNOW & CALLAN 5, I

Oogonia

in human ovaries, fine structure: BAKER & FRANCHI 2, 213

Optic lamina

of lobster

Organization: HÁMORI & HORRIDGE
 1, 249

II. Synapses: HÁMORI & HORRIDGE 1,257
III. Degeneration: HÁMORI & HORRIDGE 1, 271

IV. Glial cells: HÁMORI & HORRIDGE 1, 275

Optic nerve terminals

of pigeon, enlarged synaptic vesicles an early sign of degeneration: CUÉNOD, SANDRI & AKERT 6, 605

Optical diffractometer

light microscope as: GALL 2, 163

Oral apparatus

of *Tetrahymena pyriformis*, structural analysis of basal bodies: WOLFE **6**, 679

Orchid(s)

massulate, synchronous pollen mitosis and formation of generative cell: HESLOP-HARRISON 3, 457

Organ culture

of embryonic skeletal tissues, endocytosis of sugars in:

I. FELL & DINGLE 4, 89

II. GLAUERT, FELL & DINGLE 4, 105
III. APPLETON, PELC, DINGLE & FELL 4,
133

IV. DINGLE, FELL & GLAUERT 4, 139

Organelle(s)

changes during development of vegetative cell: SANGER & JACKSON 8, 317

feeding, in *Phascolodon vorticella*, microtubule-arms and particle propulsion in: TUCKER 10, 883

freeze-etched surfaces of, in root tips: NORTHCOTE & LEWIS 3, 199

nuclear, in oocytes of Triturus cristatus, effect of actinomycin D: snow 10, 833

Organization

and myofilament array of insect visceral muscles: SMITH, GUPTA & SMITH I, 49 of genetic units in chromosomes: CALLAN 2, I of heterochromatin in cells, electronmicroscope observations: DAVIES 3, 129

of lobster optic lamina: HÁMORI & HOR-RIDGE I, 249

of microtubules and endoplasmic reticulum in wheat meristems: PICKETT-HEAPS & NORTHCOTE 1, 109

Orientation instability

during meiosis, temperature-induced: HENDERSON, NICKLAS & KOCH 6, 323

Osmium tetroxide

postfixation of mouse cerebral cortex, changes in extracellular space: VAN HARREVELD & KHATTAB 4, 437

postfixation with, for electron microscopy: VAN HARREVELD & KHATTAB 3, 579

Osteogenic cell(s)

uptake of [3H]uridine in: OWEN 2, 39

Ovariole(s)

telotrophic

effect of vinblastine sulphate: STEBBINGS 8, 111

microtubule system associated with cytoplasmic movement: MACGREGOR & STEBBINGS 6, 431

Ovary(ies)

human

fine structure of oogonia and oocytes in:
BAKER & FRANCHI 2, 213

fine structure of surface epithelium: PAPADAKI & BEILBY 8, 445

of rats and monkeys, uptake of tritiated uridine and phenylalanine by: BAKER, BEAUMONT & FRANCHI 4, 655

Oxygen

dissolved, effect of partial pressure on growth and carbohydrate metabolism of mouse LS cells: KILBURN, LILLY, SELF & WEBB 4, 25

Oxygen want

in Rhodnius, changes in fat body: WIGGLES-WORTH 2, 243

Oxyntic cell(s)

of metamorphosing tadpole, intracellular membrane development concomitant with HCl secretion: FORTE, LIMLOM-WONGSE & FORTE 4, 709

Parafollicular cell(s)

of bat, granule formation in: NUNEZ, GOULD & HOLT 5, 531

of bat thyroid, seasonal changes: NUNEZ, GOULD & HOLT 6, 821

Paramecium

pellicle, DNA in: SMITH-SONNEBORN & PLAUT 2, 225

pellicular DNA, autonomy of: SMITH-SONNEBORN & PLAUT 5, 365

Paramecium aurelia

classes of endosymbionts of: BEALE, JURAND & PREER 5, 65

incorporation of DNA into: GIBSON 3, 381 pellicles isolated with raffinose, properties of associated DNA: HUFNAGEL 5, 561

three different types of mate-killer (mu) particle in: BEALE & JURAND I, 31

Parenchymal cell(s)

intact, from rat liver, method: GALLAI-HATCHARD & GRAY 8, 73

Particle(s)

in haemolymph and defensive secretions of insects: KAY, ROTHSCHILD & APLIN 4, 369 within membranes, freeze-etch view: FLOWER 9, 435

Pattern development

of spaced hairs in Oncopeltus fasciatus: LAWRENCE & HAYWARD 8, 513

Pea

root tips, freeze-etched surfaces of membranes and organelles: NORTHCOTE & LEWIS 3, 199

Pellicle(s)

isolated, of *Tetrahymena*, DNA from: FLAVELL & JONES 9, 719

of Paramecium, DNA in: SMITH-SONNEBORN & PLAUT 2, 225

raffinose-isolated, of *Paramecium aurelia*, properties of associated DNA: HUFNAGEL **5**, 561

Pellicular DNA

autonomy in *Paramecium*: SMITH-SONNEBORN & PLAUT **5**, 365

Peranema trichophorum

effect of enucleation on flagellar regeneration: TAMM 4, 171

Perfusion

fixation with glutaraldehyde for electron microscopy: VAN HARREVELD & KHATTAB
3, 579

of central nervous system with aldehydes, effect on extracellular space: JOHNSTON & ROOTS 2, 377

with formalin, for comparative light- and electron-microscopical studies of nervous system: WESTRUM & LUND I, 229

Periglomerular region

of olfactory bulb, neuropil of: PINCHING & POWELL 9, 379

Perineurium

ultrastructure in *Carausius morosus* and *Periplaneta americana*: MADDRELL & TRE-HERNE **2**, 119

Peripheral nerve

distribution of electron-dense tracers in fibres: HALL & WILLIAMS 8, 541

Periplaneta americana

ultrastructure of perineurium: MADDRELL & TREHERNE 2, 119

Peritrich ciliate(s) (SEE ALSO individual species)

stalk, structure and coiling: AMOS 10, 95

Permeability

to water, of single toad oocytes, effect of surface microvilli: DICK, DICK & BRADBURY 6, 451

Phage-infected bacteria

density of ribosomes bearing m-RNA in: FENWICK 8, 649

Phage progeny RNA

in infected bacteria, function and fate: FENWICK 8, 633

Phalaris tuberosa L.

compatible and incompatible pollinations, fate of intine-held antigens on stigma: KNOX & HESLOP-HARRISON 9, 239

Phascolodon vorticella

feeding organelle, microtubule-arms and particle propulsion in: TUCKER 10, 883

Phaseolus

polytene chromosomes, temperaturedependent functional structures in: NAGL 6, 87

Phaseolus vulgaris

leaf glands, cytoplasmic microtubules in: O'BRIEN 2, 557

[3H]phenylalanine

uptake by ovaries of rats and monkeys: BAKER, BEAUMONT & FRANCHI 4, 655

2-phenyl ethanol

effect on DNA synthesis cycle: возтоск 7, 523

Phloem

of *Coleus blumei*, development and dispersal of P-protein in: STEER & NEWCOMB 4, 155

Phosphatase(s) (SEE ALSO Acid phosphatase, Alkaline phosphatase)

and differentiation of Golgi apparatus:
DAUWALDER, WHALLEY & KEPHART 4,

linear synthesis of during cell cycle of Saccharomyces pombe: MITCHISON & CREANOR 5, 373

Photoinduction

of plastids and chlorophyll in *Chlorella* mutant: BRYAN, ZADYLAK & EHRET 2,

Photoreceptor(s)

in *Mitopus morio*, fine structure: CURTIS 4, 327

of Branchiomma vesiculosa, structure: KRASNE & LAWRENCE I, 239

Photoreduction

of ferricyanide, site in lamellae of isolated spinach chloroplasts: HALL, EDGE & KALINA 9, 289

Phragmoplast

filaments in cell-plate formation: BAJER & ALLEN I, 455

Physarum polycephalum

intramitochondrial granules, effects of starvation and light: NICHOLLS 10, 1

Physiological effect(s)

of polylysine on Amoeba proteus: SANDERS & BELL 7, 739

Phytohaemagglutinin

in transformation of lymphocytes to blastoids: CHAPMAN, ELVES & GOUGH 2, 359

Phytophthora parasitica

encystation and cyst germination, ultrastructural aspects: HEMMES & HOHL 9, 175

Pig

hepatocytes in late foetal and early neonatal life, ultrastructural changes: BI-SCHOFF, RICHTER & STEIN 4, 381

uterine glands, specialization of granular endoplasmic reticulum in, during pregnancy: CROMBIE 10, 693

Pigeon

optic nerve terminal, secondary degeneration, enlarged synaptic vesicles an early sign: CUÉNOD, SANDRI & AKERT 6, 605

Pituitary

of eel, localization of acid phosphatase in prolactin cell: HOPKINS & BAKER 3, 357

Plan

root ATPase: SHIFRIN & LEVINE 3, 423 tissue culture, differentiation induced by indol-3yl acetic acid and sugar: JEFFS & NORTHCOTE 2, 77

Plant cell(s)

polysaccharide localization in, ultrastructural observations: PICKETT-HEAPS 3, 55

Plantar epidermis

of rat, microanalysis of proteins and sulphur in: SIMS & HALL 3, 563

Plasma membrane(s)

from rat liver and hepatoma, ultrastructural localization and content of sialic acid: BENEDETTI & EMMELOT 2, 499 studies on, IV: BENEDETTI & EMMELOT 2, 499

Plasmalemma

in naked swarmers of *Cladophora* and *Chaetomorpha*: ROBINSON & PRESTON 9, 581

Plasmodesmata

in Nitella translucens, structure and electrical resistance: SPANSWICK & COSTERTON 2, 451

Plastid(s)

macromolecular physiology of:

VII. HENNINGSEN & BOYNTON 5, 757

VI. HENNINGSEN 7, 585

of dark-grown barley leaves, effect of brief illumination: HENNINGSEN & BOYNTON 5, 757

photoinduction of, in *Chlorella* mutant: BRYAN, ZADYLAK & EHRET **2**, 513

starch-containing, in *Todea barbara*, electron-microscopic study: SMITH & SMITH **4**, 211

stromacentre in, occurrence, molecular structure and induced formation: GUN-NING, STEER & COCHRANE 3, 445

Platelet(s)

of rat, synthesis and localization of sulphated mucopolysaccharide in: MAC-PHERSON 10, 705

Polarized movement

of lateral loops of newt lampbrush chromosomes during oogenesis: snow & CALLAN 5, 1

Pollen

germinated, isolation and characterization of secretory vesicles: VAN DER WOUDE, MORRÉ & BRACKER 8, 331

mitosis, synchronous, in massulate orchids: HESLOP-HARRISON 3, 457

ultrastructure and ontogeny in *Helleborus* foetidus L.:

I. ECHLIN & GODWIN 3, 161

II. ECHLIN & GODWIN 3, 175

III. ECHLIN & GODWIN 5, 459

Pollen development

in Haemanthus katherinae Baker:

I. SANGER & JACKSON 8, 289

II. SANGER & JACKSON 8, 303

III. SANGER & JACKSON 8, 317

Pollen grain

development in *Helleborus foetidus* L., through callose special wall stage: ECHLIN & GODWIN 3, 175

of Endymion non-scriptus, formation of generative cell in: ANGOLD 3, 573

Pollen grain wall

formation in *Helleborus foetidus*: ECHLIN & GODWIN **5**, 459

Pollen wall(s)

freeze-etched, of Artemisia pycnocephala and Lilium humboldtii: SOUTHWORTH & BRANTON 9, 193

Pollen wall protein(s)

acid phosphatase in intine: KNOX & HESLOP-HARRISON 8, 727

Pollen wall protein(s) (cont.)

fate of intine-held antigens on stigma in compatible and incompatible pollinations: KNOX & HESLOP-HARRISON 9, 239

localization, enzymic activity: KNOX 6, I localization, enzymic and antigenic activity during development in *Gladiolus*: KNOX 9, 209

Pollination(s)

compatible and incompatible, fate of intine-held antigens on stigma: KNOX & HESLOP-HARRISON 9, 239

Polykaryocytes

induced in cells by Newcastle disease virus, electron-microscopic study:

MEISELMAN, KOHN & DANON 2, 71

Polylysine

effects on Amoeba proteus: SANDERS & BELL 7, 739

Polymerization

of microtubules, action of colchicine and heavy water: BURGESS & NORTHCOTE 5, 433

Polyoma

-transformed cells, inhibition of growth by static normal fibroblasts: STOKER, SHEARER & O'NEILL I, 297

 -transformed hybrid clones, segregation of morphological revertants: MARIN 9,

Polvoma virus

-transformed BHK21 cells, effect of neuraminidase on aggregation: VICKER & EDWARDS 10, 759

-transformed cells

interaction with normal bovine fibroblasts in culture: PONTÉN & MACINTYRE 3. 603

treated with specific immune serum, electron-microscopic observations: NEGRONI & TILLY 7, 711

-transformed hamster cell culture, structure: HOUSE & STOKER 1, 169

Polyploid(s)

of *Lilium*, fine structure of meiotic chromosome pairing: MOENS 7, 55

Polyploidy

in fat body of *Rhodnius*: WIGGLESWORTH 2, 603

Polysaccharide

localization in plant cells, ultrastructural observations on: PICKETT-HEAPS 3, 55

Polysphondylium pallidum

microcysts, ultrastructural changes in: HOHL, MIURA-SANTO & COTTER 7, 285

Pool component(s)

changes during cell cycle of Schizosaccharomyces pombe: STEBBING 9, 701 Portunus depurator

single fibres, natural variability in length of thin and thick filaments: FRANZINI-ARMSTRONG 6, 559

Postfixation

with osmium tetroxide

changes in extracellular space of mouse cerebral cortex: VAN HARREVELD & KHATTAB 4, 437

for electron microscopy: VAN HARREVELD & KHATTAB 3, 579

Potassium

concentration in nucleus and cytoplasm of amphibian oocytes: CENTURY, FENICHEL & HOROWITZ 7, 5

in oocytes of *Triturus cristatus*: RIEMANN, MUIR & MACGREGOR **4**, 299

Potassium ion(s)

and sodium ions, differential effects on isolated polytene chromosomes: LEZZI & GILBERT 6, 615

P-protein

development and dispersal in phloem of Coleus blumei: STEER & NEWCOMB 4, 155

Preaggregation cell(s)

of Dictyostelium discoideum

effect of temperature on mutual adhesion: GARROD & BORN 8, 751

progressive change in electrophoretic mobility: GARROD & GINGELL 6, 277

Precursor

pools in osteogenic cells, uptake of [3H]-thymidine into: OWEN 2, 39

Pregnancy

later stages in pig, specialization of granular endoplasmic reticulum in uterine glands: CROMBIE 10, 693

Premature chromosome condensation

for elimination of chromosomes in virusfused cells: RAO & JOHNSON 10, 495

Preparative procedure(s)

for brain, variations of extracellular space and membrane morphology with: SCHULTZ & KARLSSON 10, 181

Preprophase

microtubule bands in abnormal mitotic cells of wheat: PICKETT-HEAPS 4, 397

Preservation

of specialization by dispersed cells in longterm culture: SIEGEL 9, 49

Prolactin cell

of eel pituitary, localization of acid phosphatase in: HOPKINS & BAKER 3, 357

Prolamellar body

recrystallization in etioplasts: BERRY & SMITH 8, 185

Proliferation

of mast cells in adult rats: BLENKINSOPP 2, 33 of myofibrils during muscle fibre growth: GOLDSPINK 6, 593

Pronuclear membrane

alterations during approximation of pronuclei and initiation of cleavage in rabbit: GONDOS, BHIRALEUS & CONNER 10, 61

Pronucleus (i)

approximation in rabbit, pronuclear membrane alterations during: GONDOS, BHIRALEUS & CONNER 10, 61

Propulsion

of food particles in feeding organelle of Phascolodon vorticella: TUCKER 10, 883

Prorocentrum micans

crystal lattice of pyrenoid matrix: KOWALLIK 5, 251

Protein(s)

cholesteric, self-assembling liquid crystal produced by biological system: NEVILLE & LUKE 8, 93

cortical, in *Tetrahymena*, synthesis: WIL-LIAMS, MICHELSEN & ZEUTHEN **5**, 143

histochemical analysis of in larval fat body of *Sarcophaga bullata*: BENSON & BENSON I, 81

in microtubules of isolated mitotic apparatus, amount: cohen & Rebhun 6, 159 in rat plantar epidermis, X-ray micro-

analysis: SIMS & HALL 3, 563 of pollen wall

acid phosphatase in intine: KNOX & HESLOP-HARRISON 8, 727

localization and enzymic activity: KNOX & HESLOP-HARRISON 6, I

of wool follicle, [Me-3H]methionine incorporation into: WILSON, HENRIKSON & DOWNES 8, 489

ribosomal, staining with silver: SMITH & STUART 9, 253

Protein synthesis

and structural changes in zoospore of Blastocladiella emersonii: SOLL & SONNE-BORN 9, 679

by isolated Cecropia oocytes: ANDERSON 8,

in nucleoli of root cells of *Allium cepa*, sites shown by radioautography: CHOUINARD & LEBLOND 2, 473

Protein uptake

by isolated Cecropia oocytes: ANDERSON 8, 735

Proteinpolysaccharide

in epiphysial plate cartilage of rabbit, disposition: SMITH 6, 843

complex

distribution in bovine articular cartilage: SMITH, PETERS & SERAFINI-FRACASSINI 2, 129

in nucleus pulposus matrix in young rabbits, distribution: SMITH & SERAFINI-FRACASSINI 3, 33

of rabbit corneal stroma: SMITH & FRAME
4, 421

Protozoon: SEE Peranema trichophorum, Spirostomum ambiguum, etc.

Prymnesium parvum

scale production in: MANTON 1, 375

Pseudocilia

in *Tetraspora lubrica*, ultrastructure: LEMBI & WALNE **9**, 569

Pseudopod(s)

extension and contraction in *Difflugia*, structural organization: WOHLMAN & ALLEN 3, 105

of Difflugiella sp., movement, fine structure and fusion: GRIFFIN 10, 563

Pseudopodium induction

by quaternary ammonium ions in Amoeba proteus: BREWER & BELL 4, 17

in Amoeba proteus by cations, specificity:
BREWER & BELL 7, 549

Pteridium aquilinum

oogenesis, cytoplasmic incorporation of [3H]thymidine: SIGEE & BELL 8, 467

Purified population(s)

of avian erythroid cells, DNA synthesis in: WILLIAMS 10, 27

Puromycin

effect on aggregation of trypsin- and versene-dissociated chick fibroblasts:
KEMP, JONES, CUNNINGHAM & JAMES 2, 323

inhibition of cell aggregation, mechanism:
DUNN, OWEN & KEMP 7, 557

Pyramidal cell axon(s)

in cerebral cortex, synapses on initial segments of: JONES & POWELL 5, 495

Pyramimonas amylifera Conrad

scale production in: MANTON 1, 429

Pyrenoid(s)

development and structure in *Bulbochaete* hiloensis: RETALLACK & BUTLER **6**, 229 distribution among some brown algae: EVANS **1**, 449

fine structure in marine dinoflagellates:
DODGE 3, 41

of Chlorella pyrenoidosa, ultrastructure: BERTAGNOLI & NADAKAVUKAREN 7, 623

of Chrysochromulina chiton, fine structure:
MANTON I, 187

Pyrenoid matrix

of Prorocentrum micans, crystal lattice: KOWALLIK 5, 251

Quaternary ammonium ions

induction of pseudopodia by in Amoeba proteus: BREWER & BELL 4, 17

Rabbit(s)

corneal stroma, collagen and proteinpolysaccharide complex in: SMITH & FRAME 4, 421

kidney cells

cultured, location of blood group antigen A on: DIMMOCK, FRANKS & GLAUERT 10, 525

in culture, surface structure: DIMMOCK 7, 719

pronuclear membrane alterations during approximation of pronuclei and initiation of cleavage: GONDOS, BHIRALEUS & CONNER 10, 61

young

disposition of proteinpolysaccharide in epiphysial plate cartilage: SMITH 6, 843

proteinpolysaccharide complex in nucleus pulposus matrix of: SMITH & SERAFINI-FRACASSINI 3, 33

Radiation resistance

and fine structure in a resistant strain of Acinetobacter: THORNLEY & GLAUERT 3,

and fine structure of *Acinetobacter*: GLAUERT & THORNLEY **8**, 19

Radioautography, etc.: SEE Autoradiography,

Rat(s)

adult, mast cell proliferation in: BLENKIN-SOPP 2, 33

foetal foot, cell death and digestion in:
BALLARD & HOLT 3, 245

liver and hepatoma plasma membranes, ultrastructural localization and content of sialic acid: BENEDETTI & EMMELOT 2,

liver cells, effect of isolation method on metabolic activity: LIPSON, CAPUZZI & MARGOLIS 10, 167

liver of adult, intact parenchymal cells from, method: GALLAI-HATCHARD & GRAY 8, 73

olfactory bulb, terminal degeneration in: PINCHING & POWELL 10, 585

ovaries, uptake of tritiated uridine and phenylalanine by: BAKER, BFAUMONT & FRANCHI 4, 655

plantar epidermis, microanalysis of proteins and sulphur in: SIMS & HALL 3, 563

small intestine epithelial cells, isolation of brush border: MILLINGTON, CRITCHLEY & TOVELL I, 415

striated muscle Z-disk, influence of fixation on: LANDON 6, 257

upper urinary tract, effect of 6-hydroxydopamine on nerves in: GOSLING & DIXON 10, 197

Reactivation

of peripheral lymphocytes in culture: LING & HOLT 2, 57

of red cell nucleus: HARRIS 2, 23

Rectal papillae

of *Calliphora*, fine-structural changes during ion and water transport: BERRIDGE & GUPTA 2, 89

Rectum

of *Calliphora*, fine-structural localization of adenosine triphosphatase in: BERRIDGE & GUPTA 3, 17

Red cell

nucleus, reactivation of: HARRIS 2, 23

Red-light stimulation

of prolamellar body recrystallization and thylakoid formation in etioplasts: BERRY & SMITH 8, 185

Reformation

of axopodium microtubules after urea degradation: SHIGENAKA, ROTH & PIHLAJA 8, 127

Regulation

of DNA synthesis and mitosis in multinucleate frog eggs: GRAHAM 1, 363 of mitosis:

1111110313.

II. JACKSON 5, 745III. JACKSON 10, 15

of thymidylate synthetase activity in cultured mammalian cells: CONRAD & RUDDLE 10, 471

Rehnia spinosus

X chromosome, synthesis of DNA and nuclear histone in: BLOCH & TENG 5, 321

Resilin

in locusts, factors affecting tertiary structure: NEVILLE 2, 273

Respiration control

in polymorphonuclear leucocytes: DAVID & MCMULLEN 10, 719

Retina

of *Octopus vulgaris*, synaptic structure: GRAY 7, 203

Retinula cell(s)

endings, degeneration: HÁMORI & HORRIDGE
1, 271

Rhodnius

fat body

cytological changes during starvation, feeding and oxygen want: WIGGLES-WORTH 2, 243

polyploidy and nuclear fusion in WIGGLESWORTH 2, 603

Ribonucleic acid: SEE RNA

Ribonucleoprotein

components of nucleoli of *Tubifex* chloragogen cells, natural segregation of:
DJACZENKO, GRABSKA & FILADORO 4,
621

Ribosomal protein(s)

silver staining of: SMITH & STUART 9,

Ribosomal RNA

smaller component, intranuclear RNA resembling: BRAMWELL 6, 53

Ribosome(s)

bearing m-RNA, density in phage-infected and normal bacteria: FENWICK 8, 649

in telotrophic ovarioles, influence of vinblastine sulphate: STEBBINGS 8, 111

of chloroplast, deficiency and function:
BOYNTON, GILLHAM & CHABOT 10, 267

species in *Chlamydomonas reinhardi*, structure and location: BOURQUE, BOYNTON & GILLHAM 8, 153

Ribosome-deficient mutants

in Chlamydomonas reinhardii: BOYNTON, GILLHAM & CHABOT 10, 267

Rifampicin

action on Marchantia polymorpha: MACHE & LOISEAUX 10, 821

RNA

in mitochondria and chloroplasts, autoradiographic evidence for *in situ* synthesis: GIBB 3, 327

in osteogenic cells, uptake of [3H]uridine into: OWEN 2, 39

intranuclear accumulation, resembling smaller ribosomal component: BRAMWELL 6, 53

of oocyte nucleoli, incorporation of [3H]-uridine: MACGREGOR 2, 145

of phage progeny in infected bacteria, function and fate: FENWICK 8, 633

ribosomal species in *Chlamydomonas reinhardi*: BOURQUE, BOYNTON & GILLHAM **8**, 153

transfer from nucleus to cytoplasm, role of nucleolus: SIDEBOTTOM & HARRIS 5,

m-RNA

density of ribosomes bearing, in bacteria: FENWICK 8, 649

RNA synthesis

and structural changes in zoospore of Blastocladiella emersonii: SOLL & SONNE-BORN 9, 679

initiation in nuclei induced to enlarge: MERRIAM 5, 333

Root

meristem, cytochemical adenosinetriphosphatase in: SHIFRIN & LEVINE 3, 423

meristem of wheat, action of colchicine and heavy water on microtubules in: BURGESS & NORTHCOTE 5, 433

meristematic cells

localization of intranucleolar DNA in: CHOUINARD 6, 73

of Allium cepa, radioautography of sites of protein synthesis in nucleoli: CHOUINARD & LEBLOND 2, 473

Root nodule(s)

bacteroid-containing cells in, fusion of membranes: GUNNING 7, 307

Root tip(s)

of pea, freeze-etched surfaces of membranes and organelles: NORTHCOTE & LEWIS 3, 199

Rotifer

cilia tips, a spiral sleeve in: DICKSON I, 47I Rous sarcoma virus (SEE ALSO Virus)

-transformed human tumour astrocytes, cytology and growth characteristics: MACINTYRE, GRIMES & VATTER 5, 583

Saccharomyces cerevisiae (Hansen)

sporulating, synaptic structures in nuclei: MOENS & RAPPORT 9, 665

Saccharomyces pombe

linear synthesis of sucrase and phosphatases during cell cycle: MITCHISON & CREANOR 5, 373

Salivary gland(s)

of Simulium, fine structure: MACGREGOR & MACKIE 2, 137

Salts

effect on growth and enzyme activity of L5178Y cells: BERNACKI & BOSMANN 8, 399

Saprolegnia

Flimmer, origin: HEATH, GREENWOOD & GRIFFITHS 7, 445

Sarcomere

length during post-natal growth of mammalian muscle fibres: GOLDSPINK 3, 539

Sarcophaga bullata

larval fat body, histochemical analysis of proteins: BENSON & BENSON I, 81

Sarcoplasmic reticulum

in smooth muscle: GABELLA 8, 601

Scale(s)

formation in Chrysochromulina chiton, further observations: MANTON 2, 411

production

in Chrysochromulina chiton, fine structure: MANTON 2, 265

in Prymnesium parvum: MANTON 1, 375

in Pyramimonas amylifera Conrad: MAN-

Schistocerca gregaria

cephalic airflow receptor, function and fine structure: GUTHRIE 1, 463

fat body, fine structure and histochemistry: ODHIAMBO 2, 235

phasic and tonic skeletal muscle fibres, physiology and ultrastructure: COCHRANE, ELDER & USHERWOOD 10, 419

Schizophyllum commune

alteration of nuclear distribution in Bmutant strains: KOLTIN & FLEXER 4, 739

Schizosaccharomyces pombe

DNA synthesis cycle, effect of 2-phenyl ethanol: BOSTOCK 7, 523

growth and changes in pool and macromolecular components during cell cycle: STEBBING 9, 701

mitosis, comparative study with light and electron microscopy: MCCULLY & ROBINOW 9, 475

Schmidt and Lanterman incisures

studies on: HALL & WILLIAMS 6, 767

Seasonal changes

in bat thyroid parafollicular cells: NUNEZ, GOULD & HOLT 6, 821

in fine structure of basal granular cells of bat thyroid: NUNEZ, GOULD, HAMILTON, HAYWARD & HOLT 2, 401

Sea-urchin

eggs, intact, displacement of valine from: PIATIGORSKY & TYLER 3, 515

egg surface, effect of high hydrostatic pressure on mechanical properties: WOL-PERT, MARSLAND & HIRSHFIELD 8, 87

embryos, uptake of valine and cytidine by, relation to the cell surface: MITCHISON & CUMMINS 1, 35

zygotes, dry matter concentration of mitotic apparatuses *in vivo* and after isolation: FORER & GOLDMAN 10, 387

Secretion

of milk fat globule, mechanism: WOODING
9, 805

Secretory granule(s)

of bat thyroid parafollicular cells, seasonal changes: NUNEZ, GOULD & HOLT 6, 821

Secretory process(es)

in the corpus cardiacum of Carausius morosus: SMITH & SMITH 1, 50

Secretory vesicle(s)

in germinated pollen, isolation and characterization: VAN DER WOUDE, MORRÉ & BRACKER 8, 331

Segregation

of morphological revertants in polyomatransformed hybrid clones: MARIN 9, 61

Seminiferous epithelium

growth in vitro: ELLINGSON & YAO 6, 195

Sendai virus

fusion of A9 with B82 cells, early phase, cytogenetic and nuclear studies: ENGEL, MCGEE & HARRIS 5, 93

inactivated, cell fusion induced by: SCHNEE-BERGER & HARRIS 1, 401

Sensory dendrite

of insect, continuity of ciliary fibrils and microtubules in: SLIFER & SEKHON 4, 527

Sensory nerve(s)

of insect, lack of axon fusion in: STEIN-BRECHT 4, 39

Serum

for growth and macromolecular synthesis of mouse fibroblast: BATES & LEVENE 7, 683

of calf, inhibitor in, preventing growth of BHK21 cells: OTSUKA 10, 137

Serum protein

requirement of LS cells in culture: BIRCH & PIRT 5, 135

Sheer

wool follicles, cell migration in: CHAPMAN 9, 791

Sialic acid

and cell aggregation: MCQUIDDY & LILIEN 9, 823

ultrastructural localization and content in plasma membranes from rat liver and hepatoma: BENEDETTI & EMMELOT 2,

Silkworm moth: SEE Bombyx mori

Silver staining

of ribosomal proteins: SMITH & STUART 9, 253

Simulium

fine structure of cytoplasm in salivary glands: MACGREGOR & MACKIE 2, 137

Sirodotia tenuissima

cells, systemic viral material in: LEE 8,

Sitophilus granarius (L.)

mycetomal micro-organisms of: SINGH & MUSGRAVE I, 175; GRINYER & MUSGRAVE I, 181

Sitophilus zea-mais (Mots.)

disintegration of mycetomal microorganisms in, membranes associated: MUSGRAVE & GRINYER 3, 65

Size distribution

of Euglena gracilis, effect of chloramphenicol on: BEN-SHAUL & MARKUS 4, 627

Skeletal muscle (SEE ALSO Muscle)

fibres in *Schistocerca gregaria*, physiology and ultrastructure: COCHRANE, ELDER & USHERWOOD 10, 419

surface features: RAYNS, SIMPSON & BER-TAUD 3, 475

Z-disks, faults in square lattice: ROWE & MORTON 9, 139

Skeletal tissue(s)

embryonic, in organ culture, endocytosis of sugars in:

I. FELL & DINGLE 4, 89

II. GLAUERT, FELL & DINGLE 4, 105

III. APPLETON, PELC, DINGLE & FELL 4, 133

IV. DINGLE, FELL & GLAUERT 4, 139

Skin

of chick embryo, defective in vitro keratinization: JENSEN & MOTTET 6, 485

Slime mould: SEE Dictyostelium discoideum, Polysphondylium pallidum

Small intestine

of rat, isolation of brush borders from epithelial cells: MILLINGTON, CRITCHLEY & TOVELL 1, 415

Smooth muscle (SEE ALSO Muscle)

caveolae intracellulares and sarcoplasmic reticulum in: GABELLA 8, 601

Smooth muscle cell(s)

from mesenteric artery and vas deferens, surface features: DEVINE, SIMPSON & BERTAUD 8, 427

Sodium

concentration

in nuclei of newt oocytes during maturation: MUIR & WHITLEY 10, 335

in nucleus and cytoplasm of amphibian oocytes: CENTURY, FENICHEL & HORO-WITZ 7, 5

in oocytes of *Triturus cristatus*: RIEMANN, MUIR & MACGREGOR **4**, 299

Sodium ion(s)

and potassium ions, differential effects on isolated polytene chromosomes: LEZZI & GILBERT 6, 615

Specialization

of dispersed cells in long-term culture, preservation: SIEGEL 9, 49

of granular endoplasmic reticulum in pig uterine glands during pregnancy: CROMBIE 10, 693

Species

different, artificial heterokaryons of animal cells from: HARRIS, WATKINS, FORD & SCHOEFL I, I

Species specificity

of enzyme determined by erythrocyte nucleus in interspecific hybrid cell: COOK 7, I

Specific immune serum

action on virus-transformed cells, electronmicroscopic observations: NEGRONI & TILLY 7, 711

Sperm

mature, of Nucella lapillus

coiling of flagellar shaft in head region: WALKER 5, 211

structure: WALKER & MACGREGOR 3, 95 of *Drosophila*, development, organization and degeneration of flagellum: KIEFER 6, 177

Spermatocyte(s)

of crane-fly, spindle shape changes as indicator of force production: LAFOUN-TAIN 10, 79

of Rehnia spinosus, synthesis of DNA and nuclear histone in X chromosome of: BLOCH & TENG 5, 321

Spermatogenesis

in Nucella lapillus (L.): WALKER & MACGREGOR 3, 95

Spermatozoa

of guinea-pig, topographical relationship between transverse axis of head and plane of central pair of flagellar fibrils: FAWCETT 3, 187

Spermatozoïde

de certains mollusques gastéropodes, compartimentage des activités enzymatiques: I. PERSONNE & ANDERSON 4, 693

Spermatozoon

of Aspiculuris tetraptera, structure and development: LEE & ANYA 2, 537

of mouse, form and development of midpiece seen by surface replication: wool-LEY 6, 865

Spermidine

toxic effect on normal and transformed cells: OTSUKA 9, 71

Spheroplast(s)

of *Lactobacillus casei* and cellular distribution of bactoprenol: BARKER & THORNE 7, 755

Spinach

isolated chloroplast lamellae, site of ferricyanide reduction in: HALL, EDGE & KALINA 9, 289

thylakoid structure, effect of washing with EDTA: PARK & PFEIFHOFER 5, 313

Spinal cord

of adult mouse, effect of lysophosphatidyl choline injections into white matter: HALL 10, 535

of chick *in vitro*, mitochondrial extensions associated with microtubules: GRAINGER & JAMES 4, 729

of vertebrate, comparative electron microscopy of: CHARLTON & GRAY I, 67

Spindle

as basal body distributor in meiosis of Bombyx mori: FRIEDLÅNDER & WAHRMAN 7, 65

fibres, structure of: BARNICOT I, 217

fine structure and development in *Litho-desmium undulatum*:

II. MANTON, KOWALLIK & VON STOSCH 5, 271

III. MANTON, KOWALLIK & VON STOSCH 6, 131

IV. MANTON, KOWALLIK & VON STOSCH 7, 407

isolated mitotic, C-microtubules in: COHEN & GOTTLIEB 9, 603

microtubule orientation in dividing endosperm cells affected by isopropyl *N*phenylcarbamate: HEPLER & JACKSON **5**, 727

microtubules in dividing nuclei of trypanosomes: VICKERMAN & PRESTON 6,

Spindle shape change(s)

as indicator of force production in crane-fly spermatocytes: LAFOUNTAIN 10, 79

Spiral sleeve

in rotifer cilia tips: DICKSON I, 471

Spirogyra

nucleolus: JORDAN & GODWARD 4, 3

Spirostomum ambiguum

scanning electron-microscopical study, freeze-drying methods for: BOYDE & BARBER 4, 223

Spleen

of mouse, incorporation of [3H]thymidine in: PELC 3, 263

of Triturus cristatus, light- and electronmicroscope studies on erythropoietic cells: TOOZE & DAVIES 2, 617

Square lattice

of mammalian muscle Z-disks, faults: ROWE & MORTON 9, 139

Staining

of ribosomal proteins with silver nitrate: SMITH & STUART 9, 253

Stalk

of Vorticella and Carchesium, structure and coiling: AMOS 10, 95

Starvation

and light, effects on intramitochondrial granules in *Physarum polycephalum*: NICHOLLS 10, 1

of *Rhodnius*, changes in fat body: WIGGLES-WORTH 2, 243

Stationary culture

of lymphoma cells, experimental and theoretical analysis of aggregation: MAY-HEW & BLUMENSON 10, 749

Statistical appendix

WILLIAMS 5, 389

Statocyst

of Loligo vulgaris, scanning electronmicroscopical study, freeze-drying methods for: BOYDE & BARBER 4, 223

Steer

thyroidal cells in dispersed culture, preservation of specialization: SIEGEL 9, 49

Stentor coeruleus

contractility and fibre systems: BANNISTER & TATCHELL 3, 295

Stick insect: SEE Carausius morosus

Stomatal complex

formation, in young leaves of wheat: PICKETT-HEAPS & NORTHCOTE I, 121

Striated muscle (SEE ALSO Muscle)

in Lumbricus terrestris body wall, contractile mechanism: KNAPP & MILL 8, 413 of rat, influence of fixation on Z-disk:

LANDON 6, 257

Striated muscle fibre(s)

changes during contraction and growth:
GOLDSPINK 9, 123

longitudinal growth: WILLIAMS & GOLD-SPINK 9, 751

of vertebrate, dual innervation? BONE 10, 657

Stromacentre

occurrence, molecular structure and induced formation in plastids: GUNNING, STEER & COCHRANE 3, 445

Structure (SEE ALSO Fine structure, Ultrastructure)

changes in relation to protein and RNA synthesis: SOLL & SONNEBORN 9, 679

of macromolecular units on cell walls of Bacillus polymyxa: FINCH, KLUG & NER-MUT 2, 587

of mature sperm of Nucella lapillus (L.): WALKER & MACGREGOR 3, 95

Structure (cont.)

of normal and polyoma virus-transformed hamster cell cultures: HOUSE & STOKER I, 169

of photoreceptors of Branchiomma vesiculosa: KRASNE & LAWRENCE 1, 239

of plasmodesmata in Nitella translucens: SPANSWICK & COSTERTON 2, 451

of pyrenoids in *Bulbochaete hiloensis*: RETALLAK & BUTLER **6**, 229

of ribosomes and ribosomal RNA species in Chlamydomonas reinhardi: BOURQUE, BOYNTON & GILLHAM 8, 153

of spermatozoon of Aspiculuris tetraptera: LEE & ANYA 2, 537

of spindle fibres: BARNICOT 1, 217

of stalk of Vorticella and Carchesium:

tertiary, of resilin in locusts, factors affecting: NEVILLE 2, 273

Stylonichia notophora (Stokes)

macronuclear Anlage in, organization and development: SAPRA & DASS 6, 351

Subcellular fractions

of Octopus brain, electron-microscope study: JONES 2, 573

Submandibular gland

mechanism of watery vacuolation in acinar cells of: TAPP 4, 55

Subsidiary components

of flagella of *Chlamydomonas reinhardi*: HOPKINS 7, 823

Substrate

induction of alkaline phosphatase in mammalian cell cultures, mechanism of: GRIFFIN & COX 2, 545

Substructure

of flagellar fibres: GRIMSTONE & KLUG I,

Sucrase

linear synthesis during cell cycle of Saccharomyces pombe: MITCHISON & CREANOR 5, 373

Sucrose

effects on growth and enzyme activity of L5178Y cells: Bernacki & Bosmann 8, 399

effect on cellular fine structure in organ culture: GLAUERT, FELL & DINGLE 4, 105

[14C]sucrose

distribution in organ culture: APPLETON, PELC, DINGLE & FELL 4, 133

Sugar(s)

in embryonic skeletal tissues in organ culture, endocytosis:

I. FELL & DINGLE 4, 89

II. GLAUERT, FELL & DINGLE 4, 105

III. APPLETON, PELC, DINGLE & FELL 4,

IV. DINGLE, FELL & GLAUERT 4, 139 influence on pattern of induced differentiation in plant tissue culture: JEFFS & NORTHCOTE 2, 77

Sulphated mucopolysaccharide(s)

synthesis and localization in megakaryocytes and platelets of rat: MACPHERSON 10, 705

Sulphur

in rat plantar epidermis, X-ray microanalysis: SIMS & HALL 3, 563

Surface coat

and flagellar adhesion in trypanosomes: VICKERMAN 5, 163

Surface extension(s)

on BHK cells in monolayers and agar suspension: TUFFERY 10, 123

Surface features

of smooth muscle cells: DEVINE, SIMPSON & BERTAUD 8, 427

Surface layer(s)

of newt's egg, ultrastructural changes in relation to cleavage: SELMAN & PERRY 6, 207

Surface morphology

of cultured cells, ultrastructural studies: PUGH-HUMPHREYS & SINCLAIR **6**, 477

Surface replication

for studying form and development of midpiece of mouse spermatozoon: WOOLLEY 6, 865

Surface structure

of cultured rabbit kidney cells: DIMMOCK 7, 719

Suspension culture

partially synchronized, of sycamore callus cells, structure during division: ROBERTS & NORTHCOTE 6, 299

SV40 virus

in transformed cells, effects of metabolic inhibitors on ability to be detected by cell fusion: WATKINS 6, 721

Swarmer(s)

naked, of *Cladophora* and *Chaetomorpha*, plasmalemma and Golgi apparatus: ROBINSON & PRESTON 9, 581

of Cladophora and Chaetomorpha, chloroplast fine structure: ROBINSON 10, 307

of Cladophora and Chaetomorpha, fine structure:

I. ROBINSON & PRESTON 9, 581

II. ROBINSON 10, 307

Sycamore

callus cells, structure during division in suspension culture: ROBERTS & NORTH-COTE 6, 299

Sycamore (cont.)

vascular tissue walls, radioautographic and chemical studies of incorporation into: WOODING 3, 71

Symbiont

with Anemonia sulcata, nutritional relationship: TAYLOR 4, 751

Synapse(s)

in vertebrate spinal cord, comparative electron microscopy of: CHARLTON & GRAY I, 67

of lobster optic lamina: HÁMORI & HORRIDGE
1, 257

on axon hillocks and initial segments of pyramidal cell axons in cerebral cortex: JONES & POWELL 5, 495

Synaptic structure(s)

in nuclei of sporulating Saccharomyces cerevisiae: MOENS & RAPPORT 9, 665

of retina of Octopus vulgaris: GRAY 7, 203

Synaptic vesicle(s)

and Golgi vesicles in Octopus neurons, relationship: GRAY 7, 189

classified by electron stereoscopy: DENNISON 8, 525

enlarged, early sign of secondary degeneration in optic nerve terminals: CUÉNOD, SANDRI & AKERT 6, 605

Synaptinemal complex(es)

and chromocentres: LA COUR & WELLS 6, 655

in Coprinus, II, relation to genetic recombination: LU 6, 669

Synaptology

of granule cells of olfactory bulb: PRICE & POWELL 7, 125

Syncytium

nematode-induced, a multinucleate transfer cell: IONES & NORTHCOTE 10, 789

Synthesis

in situ of chloroplast and mitochondrial RNA, autoradiographic evidence: GIBB 3, 327

linear, of sucrase and phosphatases during cell cycle: MITCHISON & CREANOR 5, 373 of DNA

initiation, maintenance and termination:

through cell cycle of Amoeba proteus: ORD 3, 483

of sulphated mucopolysaccharide in megakaryocytes and platelets of rat: MAC-PHERSON 10, 705

Synura

Flimmer, origin: HEATH, GREENWOOD & GRIFFITHS 7, 445

2,4,5-T formulations

cytological effects of 2,4,5-trichlorophenoxyacetic acid and dioxin contaminants in: Jackson 10, 15

Tapetum

development in pollen of *Helleborus foetidus* L.: ECHLIN & GODWIN 3, 161

Telotrophic ovariole(s)

microtubule system associated with cytoplasmic movement in: MACGREGOR & STEBBINGS 6, 431

Temperature-dependent functional structure(s)

in Phaseolus: NAGL 6, 87

Temperature effect

on mutual adhesion of Dictyostelium discoideum cells: GARROD & BORN 8, 751

Temperature shock

induction of multiflagellate cells in Naegleria: DINGLE 7, 463

Terminal degeneration

in olfactory bulb of rat: PINCHING & POWELL 10, 585

Termination

of centrifugal fibres in glomerular layer of olfactory bulb: PINCHING & POWELL 10, 621

Tetrahymena

isolated pellicles, DNA from: FLAVELL & JONES 9, 719

synthesis of cortical proteins in: WILLIAMS, MICHELSEN & ZEUTHEN 5, 143

Tetrahymena pyriformis

basal bodies of isolated oral apparatus, structural analysis: WOLFE 6, 679

cilia, central pair of microtubules from: CHASEY 5, 453

Tetraspora lubrica (Roth) Ag.

ultrastructure of pseudocilia: LEMBI & WALNE 9, 569

Tetrazolium salt

study of cellular degeneration and necrosis in developing chick limb: HAMMAR & MOTTET 8, 229

Theoretical analysis

of lymphoma cell aggregation in stationary culture: MAYHEW & BLUMENSON 10, 749

Thrombocyte

ultrastructure during clot retraction: SHEPRO, BELAMARICH, MERK & CHAO 4, 763

Thylakoid(s)

deep-etched, ultrastructural observations on: PARK & PFEIFHOFER 5, 299

formation in etioplasts: BERRY & SMITH 8,

of spinach, effect of EDTA washing on structure: PARK & PFEIFHOFER 5, 313

Thymidine

tritiated, effect on cell proliferation: BLENKINSOPP 2, 305

[2-14C]thymidine

soluble derivatives during meiosis and microsporogenesis in *Lilium* anthers: HESLOP-HARRISON & MACKENZIE **2**, 387

[3H]thymidine

availability following intraperitoneal injection, duration of: BLENKINSOPP 3, 89

comparison of multiple injections with continuous infusion, and estimation of cell cycle time: BLENKINSOPP 5, 575

cytoplasmic incorporation during oogenesis: SIGEE & BELL 8, 467

effect on cell proliferation: BLENKINSOPP 2, 3°5

incorporation in mouse spleen: PELC 3, 263

Thymidine kinase

intracellular mosaicism for, in mouse L cells: CLAYTON & TEPLITZ 10, 487

Thymidylate synthetase

activity regulation in cultured mammalian cells: CONRAD & RUDDLE 10, 471

Thyroid

of bat

seasonal changes in basal granular cells: NUNEZ, GOULD, HAMILTON, HAYWARD & HOLT 2, 401

seasonal changes in parafollicular cells: NUNEZ, GOULD & HOLT 6, 821

Thyroidal cell(s)

of steer in dispersed culture, preservation of specialization: SIEGEL 9, 49

Tissue culture

metabolic co-operation between biochemically marked mammalian cells in: SUBAK-SHARPE, BÜRK & PITTS 4, 353

mycoplasmas in: MACPHERSON I, 145

of chick embryo sympathetic neurons, uptake and localization of catecholamines: ENGLAND & GOLDSTEIN 4, 677

of plant, differentiation induced by indol-3yl acetic acid and sugar: JEFFS & NORTHCOTE 2, 77

Toad

single oocytes, effect of surface microvilli on water permeability: DICK, DICK & BRADBURY 6, 451

Todea barbara

electron-microscopic study of starch-containing plastids in: SMITH & SMITH 4,211

Topographical relationship

between plane of central pair of flagellar fibrils and transverse axis of head in guinea-pig spermatozoa: FAWCETT 3, 187 Toxic effect

of spermidine on normal and transformed cells: OTSUKA 9, 71

Frachea

of mouse, cell proliferation in: BLENKINSOPP 5, 393

Transfer cell

multinucleate, a nematode-induced syncytium: JONES & NORTHCOTE 10, 789

Transferase activity(ies)

cytochemical localization: HIGGINS & BARR-NETT 6, 29

Transformation

of human leucocytes in vitro, electronmicroscope study:

I. CHAPMAN, ELVES & GOUGH 2, 359
II. CHAPMAN, GOUGH & ELVES 2, 371

of leucocytes to macrophages: CHAPMAN, GOUGH & ELVES 2, 371

of lymphocytes to blastoids in presence of phytohaemagglutinin: CHAPMAN, ELVES & GOUGH 2, 359

Transformed cell(s) (SEE ALSO Polyoma-, Virus-)

effects of metabolic inhibitors on ability of SV40 virus to be detected by cell fusion in: WATKINS 6, 721

toxic effect of spermidine on: OTSUKA 9, 71

2,4,5-trichlorophenoxyacetic acid cytological effects of: JACKSON 10, 15

Tritiated actinomycin D: SEE ³H-actinomycin D

Tritiated phenylalanine: SEE [3H]phenylalanine

Tritiated thymidine: SEE [3H]thymidine Tritiated uridine: SEE [3H]uridine

mitotic chromosomes of spleen, surface topography: DAVIES & TOOZE I, 331 oocytes

effect of actinomycin D on nuclear organelles: snow 10, 833

sodium and potassium in: RIEMANN, MUIR & MACGREGOR 4, 299

spleen, fine structure of erythropoietic cells: TOOZE & DAVIES 2, 617

Triturus vulgaris

Triturus cristatus

male meiosis in, radioautographic study of time course in: CALLAN & TAYLOR 3, 615

Trypanosoma (Trypanozoon) brucei

formation of filopodium-like processes by: WRIGHT, LUMSDEN & HALES 6, 285

Trypanosome(s) (SEE ALSO Trypanosoma brucei)

spindle microtubules in dividing nuclei of: VICKERMAN & PRESTON 6, 365

Trypanosome(s) (cont.)

surface coat and flagellar adhesion: VICKERMAN 5, 163

Trypsin

-dissociated chick fibroblasts, effect of puromycin on aggregation: KEMP, JONES, CUNNINGHAM & JAMES 2, 323

effect on basal lamina of chick limb buds: GOEL & JURAND 3, 373

Trypsinization

of keratinizing epithelium, ultrastructural changes after: JENSEN & MOTTET 6, 511

Trypsinized cell(s)

aggregation: EDWARDS & CAMPBELL 8, 53

Tubifex

chloragogen cells, natural segregation of ribonucleoprotein components of nucleoli: DJACZENKO, GRABSKA & FILADORO 4, 621

Tumour

astrocytes, human, virus-transformed, cytology and growth characteristics:
MACINTYRE, GRIMES & VATTER 5, 583

Tumour cell hybrids

with diploid fibroblasts: WIENER, KLEIN & HARRIS 8, 681

with L cell derivatives: KLEIN, BREGULA, WIENER & HARRIS 8, 659

Tunicate

heart, cellular junctions in: LORBER & RAYNS 10, 211

Ubisch body(ies)

development in pollen of Helleborus foetidus
L.: ECHLIN & GODWIN 3, 161

Ultrastructural changes

in keratinizing epithelium following trypsinization, epidermal detachment and apposition to mesenchymes: JENSEN & MOTTET 6, 511

in microcysts of Polysphondylium pallidum: HOHL, MIURA-SANTO & COTTER 7,

285

in pig hepatocytes between late foetal and early neonatal life: BISCHOFF, RICHTER & STEIN 4, 381

in surface layers of newt's egg in relation to cleavage: SELMAN & PERRY 6, 207

Ultrastructure (SEE ALSO Electron microscopy, Fine structure, Structure)

effects of injected lysophosphatidyl choline into myelinated peripheral nerve fibres of mouse: HALL & GREGSON 9, 769

methods for demonstration of glycogen in thin sections, comparison: VYE & FISCH-

of cement gland of Xenopus lacvis: PERRY & WADDINGTON I, 193

of Chlorella pyrenoidosa pyrenoids: BERTA-GNOLI & NADAKAVUKAREN 7, 623

of cultured cells, surface morphology: PUGH-HUMPHREYS & SINCLAIR 6, 477

of deep-etched thylakoids: PARK & PFEIFHOFER 5, 299

of defective *in vitro* keratinization of chick embryonic skin: JENSEN & MOTTET **6**, 485

of DNA synthesis during interphase, localization: MILNER 4, 569

of encystation and germination of *Phyto- phthora parasitica*: HEMMES & HOHL 9,
175

of Euglena gracilis, effect of chloramphenicol: BEN-SHAUL & MARKUS 4, 627

of fertilization and zygote formation in Ulva mutabilis: BRÅTEN 9, 621

of fungal nucleus, II: GIRBARDT 9, 453

of insect muscle, effects of denervation: REES & USHERWOOD 10, 667

of interspecific cell fusion induced by inactivated Sendai virus: SCHNEEBERGER & HARRIS I, 401

of kinetochore in vincristine-treated cells: JOURNEY & WHALEY 7, 49

of [Me-3H]methionine incorporation into wool follicle proteins: WILSON, HENRIKSON & DOWNES 8, 489

of mitochondria, chloramphenicol-related changes: SMITH, SMITH & YUNIS 7, 501

of mycetomal micro-organisms: GRINYER & MUSGRAVE I, 181

of olfactory epithelium of Lampetra fluviatilis: THORNHILL 2, 591

of perineurium in *Carausius morosus* and *Periplaneta americana*: MADDRELL & TRE-HERNE 2, 119

of phasic and tonic skeletal muscle fibres in Schistocerca gregaria: COCHRANE, ELDER & USHERWOOD 10, 419

of plant cells, polysaccharide localization $_{\rm PICKETT\text{-}HEAPS}$ 3, 55

of pollen in Helleborus foetidus L.:

I. ECHLIN & GODWIN 3, 161

II. ECHLIN & GODWIN 3, 175
III. ECHLIN & GODWIN 5, 459

of pseudocilia in *Tetraspora lubrica*: LEMBI & WALNE 9, 569

of synchronized HeLa cells: ERLANDSON & DE HARVEN 8, 353

of thrombocyte during clot retraction: SHEPRO, BELAMARICH, MERK & CHAO 4, 763

of transneuronal cell degeneration: PIN-CHING & POWELL 8, 253

Ulva mutabilis Føyn

mitosis in: LØVLIE & BRÅTEN 6, 109

ultrastructure of fertilization and zygote formation: BRÅTEN 9, 621

Unit threads

of condensed chromatin on surface of chicken erythrocyte nuclei: EVERID, SMALL & DAVIES 7, 35

Uptake (SEE ALSO specific substances)

of valine and cytidine by sea-urchin embryos and relation to cell surface: MITCHISON & CUMMINS I, 35

of vitamins by mouse fibroblast cells: BLAKER & PIRT 8, 701

dilute, effect on microtubules of axopodium: SHIGENAKA, ROTH & PIHLAJA 8,

Ureter

of mouse, cell proliferation in: BLENKINSOPP 5, 393

[3H]uridine

incorporation into RNA of oocyte nucleoli: MACGREGOR 2, 145

uptake

by ovaries of rats and monkeys: BAKER, BEAUMONT & FRANCHI 4, 655

into precursor pools and RNA in osteogenic cells: OWEN 2, 39

Urinary tract

of rat, effect of 6-hydroxydopamine on nerves in: GOSLING & DIXON 10, 197

Uterine gland(s)

of pig during pregnancy, specialization of granular endoplasmic reticulum in: скомвіе то, 693

Utilization

of amino acids and glucose and contact inhibition of WI-38 cells: GRIFFITHS 6, 739

Vacuolation

watery, in acinar cells of submandibular gland: TAPP 4, 55

Valine

displacement from sea-urchin eggs by exogenous amino acids: PIATIGORSKY & TYLER 3, 515

uptake by sea-urchin embryos and its relation to the cell surface: MITCHISON & CUMMINS I, 35

Vascular tissue

walls of sycamore, radioautographic and chemical studies of incorporation into: WOODING 3, 71

Vas deferens

innervation, freeze-etch studies on: DEVINE, SIMPSON & BERTAUD 9, 411

smooth muscle cells, surface features: DEVINE, SIMPSON & BERTAUD 8, 427

Vegetative cell

formation in Haemanthus katherinae Baker: SANGER & JACKSON 8, 289

of Haemanthus katherinae Baker, development: SANGER & JACKSON 8, 317

Vegetative thallus

of Fucus, fine structure and functions of epidermal cells: MCCULLY 3, 1

Versene

-dissociated chick fibroblasts, effect of puromycin on aggregation: KEMP, JONES, CUNNINGHAM & JAMES 2, 323

Vertebrate (SEE ALSO individual species)

spinal cord, comparative electron microscopy of: CHARLTON & GRAY I, 67 striated muscle fibres, dual innervation?

BONE 10, 657 Vesicle(s): SEE Coated vesicles, Golgi vesicles. Synaptic vesicles, etc.

Viability

of anucleate cytoplasm of Amoeba proteus: ORD 3, 81

Vinblastine sulphate

effect on microtubules and ribosomes: STEBBINGS 8, 111

Vincristine

-treated mammalian cells, kinetochore ultrastructure: JOURNEY & WHALEY 7, 49

Viral material

systemic, in Sirodotia tenuissima: LEE 8, 623

Viral transformation

associated with Forssman antigen in BHK21 cells: O'NEILL 3, 405

Virus

-fused cells, mechanism for elimination of chromosomes in: RAO & JOHNSON 10, 405 penetration into cells, electron-microscopic study: MEISELMAN, KOHN & DANON 2, 71 Rous sarcoma, cells transformed by: MAC-

INTYRE & PONTÉN 2, 309 -transformed and normal cells, transfer of

growth inhibition between: STOKER 2, 293

-transformed cells treated with specific immune serum, electron-microscopic observations: NEGRONI & TILLY 7, 711

-transformed human tumour astrocytes, cytology and growth characteristics: MACINTYRE, GRIMES & VATTER 5, 583

Vitamin(s)

uptake by mouse fibroblast cells: BLAKER & PIRT 8, 701

Vitelline membrane

synthesis and deposition and uptake of yolk in dragonfly: BEAMS & KESSEL 4, 241

Vitellogenesis

in Bombus terrestris, electron-microscopical and histochemical study: HOPKINS & KING I, 201

Vorticella

stalk, structure and coiling: AMOS 10, 95

Water

concentration in nucleus and cytoplasm of amphibian oocytes: CENTURY, FENICHEL & HOROWITZ 7, 5

transport in rectal papillae of *Calliphora*, fine-structural changes: BERRIDGE & GUPTA 2, 89

Water permeability

of single toad oocytes, effect of surface microvilli: DICK, DICK & BRADBURY 6, 451

Wheat

abnormal mitotic cells, microtubule bands in: PICKETT-HEAPS 4, 397

leaves, formation of stomatal complex in:
PICKETT-HEAPS & NORTHCOTE 1, 121

meristems, mitosis and cytokinesis in: PICKETT-HEAPS & NORTHCOTE I, 109

root meristem, action of colchicine and heavy water on microtubules in: BURGESS & NORTHCOTE 5, 433

White matter

of mouse spinal cord, effect of lysophosphatidyl choline injections: HALL 10, 535

WI-38 cell

contact inhibition and quantitative utilization of amino acids and glucose: GRIFFITHS 6, 739

growth and metabolism

effect of insulin: GRIFFITHS 7, 575 effect of medium changes: GRIFFITHS 8,

Woloszynskia micra Leadbeater & Dodge flagellar hairs, intracellular origin: LEAD-BEATER 9, 443

Wool follicle(s)

of sheep, cell migration in: CHAPMAN 9, 791

proteins, [Me-3H]methionine incorporation into: wilson, Henrikson & Downes 8, 489

Xanthophyceae

flagellar hairs, intracellular origin: LEEDALE, LEADBEATER & MASSALSKI 6, 701

X chromosome

of spermatocyte, synthesis of DNA and nuclear histone in: BLOCH & TENG 5, 321

Xenopus

embryos, fine structure of nucleolus: HAY & GURDON 2, 151

Xenopus laevis

cement gland, ultrastructure: PERRY & WADDINGTON I, 193

healthy and anaemic, haemoglobins of: MACLEAN & JURD 9, 509

oocytes, nucleolar DNA in: MACGREGOR 3, 437

oogenesis, evolution of nucleoli during: VAN GANSEN & SCHRAM 10, 339

X-ray diffraction studies

of brush border membrane: LIMBRICK & FINEAN 7, 373

of isolated cell membranes: FINEAN, COLE-MAN, GREEN & LIMBRICK 1, 287

of isolated erythrocyte membranes: KNUTTON, FINEAN, COLEMAN & LIMBRICK 7, 357

X-ray emission microanalysis

of proteins and sulphur in rat plantar epidermis: SIMS & HALL 3, 563

Yeast(s) (SEE ALSO individual species)

membranes, localization of freeze-fracture planes: HEREWARD & NORTHCOTE 10, 555 mitosis, comparative study with light and electron microscopy: MCCULLY & ROBINOW 9, 475

mitosis in: Mccully & Robinow 10, 857 sporulating, synaptic structures in nuclei: Moens & Rapport 9, 665

Z-disk(s)

of mammalian skeletal muscle, faults in square lattice: ROWE & MORTON 9, 139 of rat striated muscle, influence of fixation on: LANDON 6, 257

Zoospore

germination in Blastocladiella emersonii:

I. SOLL & SONNEBORN 9, 679

II. SOLL & SONNEBORN 10, 315

Zygote(s)

of sea-urchin, dry matter concentration of mitotic apparatuses *in vivo* and after isolation: FORER & GOLDMAN 10, 387

Zygote formation

in *Ulva mutabilis*, ultrastructure of: BRÅTEN **9**, 621



INDEX OF AUTHORS

ABBOTT, R. H. & CHAPLAIN, R. A. Preparation and properties of the contractile element of insect fibrillar muscle 1, 311

AHKONG, Q. F., CRAMP, F. C., FISHER, D., HOWELL, J. I. & LUCY, J. A. Studies on chemically induced cell fusion 10, 769

AKERT, K. See CUÉNOD, SANDRI & AKERT

ALLEN, E. R. See CAVE & ALLEN

ALLEN, E. R. See HAYES & ALLEN

ALLEN, R. D. See BAJER & ALLEN

ALLEN, R. D. See WOHLMAN & ALLEN

ALLISON, A. C., HULANDS, G. H., NUNN, J. F., KITCHING, J. A. & MACDONALD, A. C. The effect of inhalational anaesthetics on the microtubular system in Actinosphaerium nucleofilum 7, 483

AMBROSE, E. J. See WARD & AMBROSE

AMOS, W. B. Structure and coiling of the stalk in the peritrich ciliates Vorticella and Carchesium 10, 95

ANDERSON, LUCY M. Protein synthesis and uptake by isolated Cecropia oocytes 8, 735

ANDERSON, W. & HILL, G. C. Division and DNA synthesis in the kinetoplast of Crithidia fasciculata 4, 611

ANDERSON, W. See PERSONNE & ANDERSON

ANGOLD, R. E. The formation of the generative cell in the pollen grain of Endymion nonscriptus (L.) 3, 573

ANYA, A. O. See LEE & ANYA

APLIN, R. See KAY, ROTHSCHILD & APLIN

APPELS, R., WELLS, J. R. E. & WILLIAMS, A. F. Characterization of DNA-bound histone in the cells of the avian erythropoietic series 10, 47

APPLETON, T. C., PELC, S. R., DINGLE, J. T. & FELL, HONOR B. Endocytosis of sugars in embryonic skeletal tissues in organ culture. III. Radioautographic distribution of [14C]sucrose 4, 133

APPLETON, T. C., PELC, S. R. & TARBIT, M. H. Formation and loss of DNA in intestinal epithelium 5, 45

ASHHURST, DOREEN E. The fibrillar flight muscles of giant water-bugs: an electronmicroscope study 2, 435

ASHHURST, DOREEN E. See TRIBE & ASHHURST ATTRIDGE, J. T. See GAY & ATTRIDGE

BAJER, A. & ALLEN, R. D. Role of phragmoplast filaments in cell-plate formation 1, 455 BAKER, BRIDGET I. See HOPKINS & BAKER

BAKER, T. G., BEAUMONT, HEATHER M. & FRANCHI, L. L. The uptake of tritiated uridine and phenylalanine by the ovaries of rats and monkeys 4, 655

BAKER, T. G. & FRANCHI, L. L. The fine structure of oogonia and oocytes in human

ovaries 2, 213

BALLARD, KATHLEEN J. & HOLT, S. J. Cytological and cytochemical studies on cell death and digestion in the foetal rat foot: the role of macrophages and hydrolytic enzymes 3, 245

BANNISTER, L. H. & TATCHELL, E. C. Contractility and the fibre systems of Stentor coeruleus

3, 295

BARBER, V. C. See BOYDE & BARBER

BARKER, D. C. & THORNE, KAREEN J. I. Spheroplasts of Lactobacillus casei and the cellular distribution of bactoprenol 7, 755

BARNICOT, N. A. A note on the structure of spindle fibres I, 217

BARRNETT, R. J. See HIGGINS & BARRNETT

BATES, C. J. & LEVENE, C. I. Growth and macromolecular synthesis in the 3T6 mouse fibroblast. II. The role of serum 7, 683

BATES, C. J. See LEVENE & BATES

BEALE, G. H. & JURAND, A. Three different types of mate-killer (mu) particle in Paramecium aurelia (syngen 1) 1, 31

BEALE, G. H., JURAND, A. & PREER, J. R. The classes of endosymbiont of Paramecium aurelia 5, 65

BEAMS, H. W. & KESSEL, R. G. Synthesis and deposition of oocyte envelopes (vitelline membrane, chorion) and the uptake of yolk in the dragonfly (Odonata: Aeschnidae) 4, 241

BEAUMONT, HEATHER M. See BAKER, BEAUMONT & FRANCHI

BEHNKE, O. & FORER, A. Evidence for four classes of microtubules in individual cells

BEILBY, J. O. W. See PAPADAKI & BEILBY

BELAMARICH, F. A. See SHEPRO, BELAMARICH, MERK & CHAO

BELL, L. G. E. See BREWER & BELL

BELL, L. G. E. See SANDERS & BELL

BELL, P. R. See SIGEE & BELL

BENEDETTI, E. L. & EMMELOT, P. Studies on plasma membranes, IV. The ultrastructural localization and content of sialic acid in plasma membranes isolated from rat liver and hepatoma 2, 499

BEN-SHAUL, Y. & MARKUS, Y. Effects of chloramphenical on growth, size distribution, chlorophyll synthesis and ultrastructure of Euglena gracilis 4, 627

BENSON, D. G. See BENSON, KATHERINE A. & RENSON

- BENSON, KATHERINE A. & BENSON, D. G., JR. A histochemical analysis of the proteins in the larval fat body of *Sarcophaga bullata* **r**, 81
- BERNACKI, R. J. & BOSMANN, H. B. The effects of sucrose and various salts on the growth and lysosomal enzyme activity of L5178Y cells 8, 399
- BERRIDGE, M. J. & GUPTA, B. L. Fine-structural changes in relation to ion and water transport in the rectal papillae of the blowfly, *Calliphora* 2, 89
- BERRIDGE, M. J. & GUPTA, B. L. Fine-structural localization of adenosine triphosphatase in the rectum of *Calliphora* 3, 17
- BERRY, D. R. & SMITH, H. Red-light stimulation of prolamellar body recrystallization and thylakoid formation in barley etioplasts 8, 185
- BERTAGNOLLI, B. L. & NADAKAVUKAREN, M. J. An ultrastructural study of pyrenoids from *Chlorella pyrenoidosa* 7, 623
- BERTAUD, W. S., RAYNS, D. G. & SIMPSON, F. O. Freeze-etch studies on fish skeletal muscle 6, 537
- Bertaud, w. s. See devine, simpson & Bertaud Bertaud, w. s. See lorber & Bertaud
- BERTAUD, W. S. See RAYNS, SIMPSON & BERTAUD BERTLES, J. F. See MURPHY, BERTLES & GORDON
- BHAKTHAN, N. M. G., BORDEN, J. H. & NAIR, K. K. Fine structure of degenerating and regenerating flight muscles in a bark beetle, *Ips confusus*. I. Degeneration **6**, 807
- BHIRALEUS, P. See GONDOS, BHIRALEUS & CONNER
- BIRCH, J. R. & PIRT, S. J. The choline and serum protein requirements of mouse fibroblast cells (strain LS) in culture 5, 135
- BIRCH, J. R. & PIRT, S. J. Improvements in a chemically defined medium for the growth of mouse cells (strain LS) in suspension 7, 661
- BIRCH, J. R. & PIRT, S. J. The quantitative glucose and mineral nutrient requirements of mouse LS (suspension) cells in chemically defined medium 8, 693
- BIRCH, J. R. See BLAKER, BIRCH & PIRT
- BISCHOFF, M. B., RICHTER, W. R. & STEIN, R. J. Ultrastructural changes in pig hepatocytes during the transitional period from late foetal to early neonatal life 4, 381

- BLAKER, G. J., BIRCH, J. R. & PIRT, S. J. The glucose, insulin and glutamine requirements of suspension cultures of HeLa cells in a defined culture medium 9, 529
- BLAKER, G. J. & PIRT, S. J. The uptake of vitamins by mouse fibroblast cells (strain LS) during growth in a chemically defined medium 8, 701
- BLENKINSOPP, W. K. Mast cell proliferation in adult rats 2, 33
- BLENKINSOPP, W. K. Effect of tritiated thymidine on cell proliferation 2, 305
- BLENKINSOPP, W. K. Duration of availability of tritiated thymidine following intraperitoneal injection 3, 89
- BLENKINSOPP, W. K. Cell proliferation in the epithelium of the oesophagus, trachea and ureter in mice 5, 393
- BLENKINSOPP, W. K. Comparison of multiple injections with continuous infusion of tritiated thymidine, and estimation of the cell cycle time 5, 575
- BLOCH, D. P. & TENG, CHRISTINA. The synthesis of deoxyribonucleic acid and nuclear histone of the X chromosome of the Rehnia spinosus spermatocyte 5, 321
- BLUMENSON, L. E. See MAYHEW & BLUMENSON BOLUND, L., RINGERTZ, N. R. & HARRIS, H. Changes in the cytochemical properties of erythrocyte nuclei reactivated by cell fusion 4, 71
- BONE, Q. The dogfish neuromuscular junction: dual innervation of vertebrate striated muscle fibres? 10, 657
- BORDEN, J. H. See BHAKTHAN, BORDEN & NAIR BORN, G. V. R. See GARROD & BORN
- BOSMANN, H. B. Half-lives of enzyme activities in an L5178 Y mouse leukaemic cell 10, 153 BOSMANN, H. B. See BERNACKI & BOSMANN
- BOSTOCK, C. J. The effect of 2-phenyl ethanol on the DNA synthesis cycle of Schizosaccharomyces pombe 7, 523
- BOURQUE, D. P., BOYNTON, J. E. & GILLHAM, N. W. Studies on the structure and cellular location of various ribosome and ribosomal RNA species in the green alga *Chlamydomonas reinhardi* 8, 153
- BOYDE, A. & BARBER, V. C. Freeze-drying methods for the scanning electron-microscopical study of the protozoon Spirostomum ambiguum and the statocyst of the cephalopod mollusc Loligo vulgaris 4, 223
- BOYNTON, J. E., GILLHAM, N. W. & CHABOT, J. F. Chloroplast ribosome deficient mutants in the green alga *Chlamydomonas reinhardi* and the question of chloroplast ribosome function 10, 267

- BOYNTON, J. E. See BOURQUE, BOYNTON & GILLHAM
- BOYNTON, J. E. See HENNINGSEN & BOYNTON
- Bracker, C. e. See van der woude, morré & bracker
- BRADBURY, S. See DICK, DICK & BRADBURY
- BRAMWELL, M. E. Intranuclear accumulation of RNA resembling the smaller ribosomal RNA component 6, 53
- BRAMWELL, M. E. See HARRIS, SIDEBOTTOM, GRACE & BRAMWELL
- BRANTON, D. See SOUTHWORTH & BRANTON
- BRÅTEN, T. The ultrastructure of fertilization and zygote formation in the green alga *Ulva mutabilis* Føyn 9, 621
- BRÅTEN, T. See LØVLIE & BRÅTEN
- BREGULA, U., KLEIN, G. & HARRIS, H. The analysis of malignancy by cell fusion. II. Hybrids between Ehrlich cells and normal diploid cells 8, 673
- BREGULA, U. See KLEIN, BREGULA, WIENER & HARRIS
- BREWER, J. E. & BELL, L. G. E. Pseudopodium induction by the action of quarternary ammonium ions on *Amoeba proteus* 4, 17
- BREWER, J. E. & BELL, L. G. E. Specificity of pseudopodium induction by the action of cations on *Amoeba proteus* 7, 549
- BROWN, D. A., STUMPF, W. E. & ROTH, L. J. Location of radioactively labelled extracellular fluid indicators in nervous tissue by autoradiography 4, 265
- BRYAN, G. W., ZADYLAK, ARLENE H. & EHRET, C. F. Photoinduction of plastids and of chlorophyll in a *Chlorella* mutant 2, 513
- BURGESS, J. & NORTHCOTE, D. H. Action of colchicine and heavy water on the polymerization of microtubules in wheat root meristem 5, 433
- bürk, R. R. See Subak-Sharpe, bürk & PITTS BUTLER, R. D. See RETALLACK & BUTLER
- CALARCO, PATRICIA G., DONAHUE, R. P. & SZOLLOSI, D. Germinal vesicle breakdown in the mouse oocyte 10, 369
- callan, H. G. Chromosomes and nucleoli of the axolotl, Ambystoma mexicanum 1, 85
- CALLAN, H. G. The organization of genetic units in chromosomes 2, 1
- CALLAN, H. G. & TAYLOR, J. H. A radioautographic study of the time course of male meiosis in the newt *Triturus vulgaris* 3, 615
- CALLAN, H. G. See SNOW & CALLAN
- CAMPBELL, JANICE A. See EDWARDS & CAMPBELL CAPUZZI, D. M. See LIPSON, CAPUZZI & MARGOLIS

- CATEN, C. E. See ROBINOW & CATEN
- CAVE, M. D. & ALLEN, E. R. Extra-chromosomal DNA in early stages of oogenesis in *Acheta domesticus* 4, 593
- CAVENEY, S. Muscle attachment related to cuticle architecture in Apterygota 4, 541
- CENTURY, T. J., FENICHEL, I. R. & HOROWITZ, S. B. The concentrations of water, sodium and potassium in the nucleus and cytoplasm of amphibian oocytes 7, 5
- CHABOT, J. F. See BOYNTON, GILLHAM & CHABOT
- CHANDLER, R. L. & WILLIS, R. An intranuclear fibrillar lattice in neurons 1, 283
- CHAO, F. C. See SHEPRO, BELAMARICH, MERK & CHAO
- CHAPLAIN, R. A. See ABBOTT & CHAPLAIN
- CHAPMAN, J. A., ELVES, M. W. & GOUGH, J. An electron-microscope study of the *in vitro* transformation of human leucocytes. I. Transformation of lymphocytes to blastoid cells in the presence of phytohaemagglutinin 2, 359
- CHAPMAN, J. A., GOUGH, J. & ELVES, M. W. An electron-microscope study of the *in vitro* transformation of human leucocytes. II. Transformation to macrophages 2, 371
- CHAPMAN, R. E. Cell migration in wool follicles of sheep 9, 791
- CHARLTON, B. T. & GRAY, E. G. Comparative electron microscopy of synapses in the vertebrate spinal cord 1, 67
- CHASEY, D. Observations on the central pair of microtubules from the cilia of *Tetrahymena pyriformis* 5, 453
- CHOUINARD, L. A. Localization of intranucleolar DNA in root meristematic cells of Allium cepa 6, 73
- chouinard, L. A. A light- and electronmicroscope study of the nucleolus during growth of the oocyte in the prepubertal mouse 9, 637
- CHOUINARD, L. A. & LEBLOND, C. P. Sites of protein synthesis in nucleoli of root meristematic cells of *Allium cepa* as shown by radioautography with [³H] arginine 2, 473
- CLARK, A. w. The fine structure of the eye of the leech, *Helobdella stagnalis* 2, 341
- CLAYTON, D. A. & TEPLITZ, R. L. Intracellular mosaicism (nuclear-/mitochondrial+) for thymidine kinase in mouse L cells 10, 487
- COCHRANE, D. G., ELDER, H. Y. & USHERWOOD, P. N. R. Physiology and ultrastructure of phasic and tonic skeletal muscle fibres in the locust, *Schistocerca gregaria* 10, 419
- COCHRANE, M. P. See GUNNING, STEER & COCHRANE

COHEN, W. D. & GOTTLIEB, T. C-microtubules in isolated mitotic spindles 9, 603

COHEN, W. D. & REBHUN, L. I. An estimate of the amount of microtubule protein in the isolated mitotic apparatus 6, 159

COLEMAN, R. See FINEAN, COLEMAN, GREEN & LIMBRICK

COLEMAN, R. See KNUTTON, FINEAN, COLEMAN & LIMBRICK

COLWIN, A. L. See FRIEDMANN, COLWIN & COLWIN

COLWIN, LAURA H. See FRIEDMANN, COLWIN & COLWIN

CONNER, L. A. See GONDOS, BHIRALEUS & CONNER

CONRAD, ABIGAIL H. & RUDDLE, F. H. Regulation of thymidylate synthetase activity in cultured mammalian cells 10, 471

COOK, P. R. Species specificity of an enzyme determined by an erythrocyte nucleus in an interspecific hybrid cell 7, 1

COOK, P. R. See HARRIS & COOK

COSTERTON, J. W. F. See SPANSWICK & COSTERTON

COTTER, D. A. See HOHL, MIURA-SANTO & COTTER

COX, R. P. See GRIFFIN & COX

COX, R. W., GRANT, R. A. & KENT, C. M. The interpretation of electron micrographs of negatively stained native collagen 10, 547 COX, R. W. See GRANT, COX & KENT

CRAMP, F. C. See AHKONG, CRAMP, FISHER,

HOWELL & LUCY
CRAWFORD, R. M. See DODGE & CRAWFORD

CREANOR, J. See MITCHISON & CREANOR CRITCHLEY, D. R. See MILLINGTON, CRITCHLEY

CROMBIE, PAULA R. A new specialization of the granular endoplasmic reticulum in the uterine glands of the pig in the later stages

of pregnancy 10, 693

CSILLIK, B. & KNYIHÁR, ELIZABETH. On the effect of motor-nerve degeneration on the fine-structural localization of esterases in the mammalian motor end-plate 3, 529

CUÉNOD, M., SANDRI, CLARA & AKERT, K. Enlarged synaptic vesicles as an early sign of secondary degeneration in the optic nerve terminals of the pigeon 6, 605

CUMMINS, J. E. See MITCHISON & CUMMINS CUNNINGHAM, I. See KEMP, JONES, CUNNING-HAM & JAMES

CURTIS, D. J. The fine structure of photoreceptors in *Mitopus morio* (Phalangida) 4, 327

danon, d. See meiselman, kohn & danon

dass, c. m. s. See sapra & dass

DAUWALDER, MARIANNE, WHALEY, W. G. & KEPHART, JOYCE E. Phosphatases and differentiation of the Golgi apparatus 4, 455

DAVID, G. B. & MCMULLEN, JAMIE M. Quantitative cytochemical observations on the control of respiration in polymorphonuclear neutrophil leucocytes of *Amphiuma tridactylum* 10, 719

DAVIES, H. G. Electron-microscope observations on the organization of heterochromatin in certain cells 3, 129

DAVIES, H. G. & TOOZE, J. Electron- and light-microscope observations on the spleen of the newt *Triturus cristatus*: the surface topography of the mitotic chromosomes I, 331

DAVIES, H. G. See EVERID, SMALL & DAVIES

DAVIES, H. G. See SMALL & DAVIES

DAVIES, H. G. See TOOZE & DAVIES

8, 427

DAVIS, LOWELL E. Differentiation of neurosensory cells in *Hydra* 5, 699

DE HARVEN, E. See ERLANDSON & DE HARVEN DENNIS, M. J. See EAKIN, WESTFALL & DENNIS DENNISON, MARION E. Electron stereoscopy as a means of classifying synaptic vesicles

DEVINE, C. E., SIMPSON, F. O. & BERTAUD, W. S. Surface features of smooth muscle cells from the mesenteric artery and vas deferens

DEVINE, C. E., SIMPSON, F. O. & BERTAUD, W. S.
Freeze-etch studies on the innervation of
mesenteric arteries and vas deferens 9, 411

DICK, D. A. T. See DICK, ELIZABETH G., DICK & BRADBURY

DICK, ELIZABETH G., DICK, D. A. T. & BRADBURY, s. The effect of surface microvilli on the water permeability of single toad oocytes 6, 451

DICKSON, M. R. A spiral sleeve in rotifer cilia tips 1, 471

DIMMOCK, ELIZABETH. The surface structure of cultured rabbit kidney cells as revealed by electron microscopy 7, 719

DIMMOCK, ELIZABETH, FRANKS, D. & GLAUERT, AUDREY M. The location of blood group antigen A on cultured rabbit kidney cells as revealed by ferritin-labelled antibody 10, 525

DINGLE, A. D. Control of flagellum number in Naegleria. Temperature shock induction of multiflagellate cells 7, 463

DINGLE, J. T., FELL, HONOR B. & GLAUERT, AUDREY M. Endocytosis of sugars in embryonic skeletal tissues in organ culture. IV. Lysosomal and other biochemical effects. General discussion 4, 139

- DINGLE, J. T. See APPLETON, PELC, DINGLE & FELL
- DINGLE, J. T. See FELL & DINGLE
- DINGLE, J. T. See GLAUERT, FELL & DINGLE
- DIXON, J. S. See GOSLING & DIXON
- DJACZENKO, W., GRABSKA, J. & FILADORO, F. Natural segregation of the ribonucleoprotein components of the nucleoli of chloragogen cells in Tubifex 4, 621
- DODGE, J. D. The fine structure of chloroplasts and pyrenoids in some marine dinoflagellates 3, 41
- DODGE, J. D. & CRAWFORD, R. M. Observations on the fine structure of the eyespot and associated organelles in the dinoflagellate Glenodinium foliaceum 5, 479
- DONAHUE, R. P. See CALARCO, DONAHUE & SZOLLOSI
- DOWNES, A. M. See WILSON, HENRIKSON & DOWNES
- DUNN, M. J., OWEN, E. & KEMP, R. B. Studies on the mechanism underlying the inhibition by puromycin of cell aggregation in vitro 7, 557
- EAKIN, R. M., WESTFALL, JANE A. & DENNIS, M. J. Fine structure of the eye of a nudibranch mollusc, Hermissenda crassicornis 2, 349
- EAKIN, R. T. See MALHOTRA & EAKIN
- EBSTEIN, BONNIE S. The distribution of DNA within the nucleoli of the amphibian oocyte as demonstrated by tritiated actinomycin D radioautography 5, 27
- ECHLIN, P. & GODWIN, H. The ultrastructure and ontogeny of pollen in Helleborus foetidus L. I. The development of the tapetum and Ubisch bodies 3, 161
- ECHLIN, P. & GODWIN, H. The ultrastructure and ontogeny of pollen in Helleborus foetidus L. II. Pollen grain development through the callose special wall stage 3, 175
- ECHLIN, P. & GODWIN, H. The ultrastructure and ontogeny of pollen in Helleborus foetidus L. III. The formation of the pollen grain wall 5, 459
- EDGE, H. See HALL, EDGE & KALINA
- EDIDIN, M. See FRYE & EDIDIN
- EDWARDS, J. G. & CAMPBELL, JANICE A. The aggregation of trypsinized BHK21 cells 8, 53
- EDWARDS, J. G. See VICKER & EDWARDS EHRET, C. F. See BRYAN, ZADYLAK & EHRET
- ELDER, H. Y. See COCHRANE, ELDER & USHER-WOOD
- ELLINGTON, D. J. & YAO, K. T. S. Growth and observations of Chinese hamster seminiferous epithelium in vitro 6, 195

- ELVES, M. W. See CHAPMAN, ELVES & GOUGH ELVES, M. W. See CHAPMAN, GOUGH & ELVES EMMELOT, P. See BENEDETTI & EMMELOT
- ENGEL, E., MCGEE, B. J. & HARRIS, H. Cytogenetic and nuclear studies on A9 and B82 cells fused together by Sendai virus: the early phase 5, 93
- ENGLAND, J. M. & GOLDSTEIN, M. N. The uptake and localization of catecholamines in chick embryo sympathetic neurons in tissue culture 4, 677
- ERLANDSON, R. A. & DE HARVEN, E. The ultrastructure of synchronized HeLa cells 8. 353
- EVANS, L. V. Distribution of pyrenoids among some brown algae 1, 449
- EVERID, A. C., SMALL, J. V. & DAVIES, H. G. Electron-microscope observations on the structure of condensed chromatin: evidence for orderly arrays of unit threads on the surface of chicken erythrocyte nuclei
- FAWCETT, D. W. The topographical relationship between the plane of the central pair of flagellar fibrils and the transverse axis of the head in guinea-pig spermatozoa 3,
- FELL, HONOR B. & DINGLE, J. T. Endocytosis of sugars in embryonic skeletal tissues in organ culture. I. General introduction and histological effects 4, 80
- FELL, HONOR B. See APPLETON, PELC, DINGLE & FELL
- FELL, HONOR B. See DINGLE, FELL & GLAUERT FELL, HONOR B. See GLAUERT, FELL & DINGLE
- FENICHEL, I. R. See CENTURY, FENICHEL & HOROWITZ
- FENWICK, M. L. On the function and fate of phage progeny RNA in infected bacteria 8,
- FENWICK, M. L. The density of ribosomes bearing messenger RNA in phage-infected and normal bacteria 8, 649
- FILADORO, F. See DJACZENKO, GRABSKA & FILADORO
- FINCH, J. T., KLUG, A. & NERMUT, M. V. The structure of the macromolecular units on the cell walls of Bacillus polymyxa 2, 587
- FINEAN, J. B., COLEMAN, R., GREEN, W. G. & LIMBRICK, A. R. Low-angle X-ray diffraction and electron-microscope studies of isolated cell membranes I, 287
- FINEAN, J. B. See KNUTTON, FINEAN, COLEMAN & LIMBRICK
- FINEAN, J. B. See LIMBRICK & FINEAN
- FISCHMAN, D. A. See VYE & FISCHMAN

FISHER, D. See AHKONG, CRAMP, FISHER, HOWELL & LUCY

FLAVELL, R. A. & JONES, I. G. DNA from isolated pellicles of Tetrahymena 9, 719

FLEXER, A. S. See KOLTIN & FLEXER

FLOWER, N. E. Particles within membranes: a freeze-etch view 9, 435

FLOWER, N. E. A new junctional structure in the epithelia of insects of the order Dictyoptera 10, 683

FOLLETT, E. A. C. See O'NEILL & FOLLETT

FORD, C. E. See HARRIS, WATKINS, FORD & SCHOEFL

FORER, A. & GOLDMAN, R. D. The concentrations of dry matter in mitotic apparatuses in vivo and after isolation from sea-urchin zygotes 10, 387

FORER, A. See BEHNKE & FORER

FORTE, GERTRUDE M., LIMLOMWONGSE, L. & FORTE, J. G. The development of intracellular membranes concomitant with the appearance of HCl secretion in oxyntic cells of the metamorphosing bullfrog tadpole 4, 709

FORTE, J. G. See FORTE, GERTRUDE M., LIMLOM-WONGSE & FORTE

FRAME, J. See SMITH, J. W. & FRAME

Franchi, L. L. See Baker & Franchi

FRANCHI, L. L. See BAKER, BEAUMONT & FRANCHI

FRANKS, D. See DIMMOCK, FRANKS & GLAUERT FRANZINI-ARMSTRONG, CLARA. Natural variability in the length of thin and thick filaments in single fibres from a crab, Portunus depurator 6, 559

FRIEDLÄNDER, M. & WAHRMAN, J. Giant centrioles in neuropteran meiosis I, 129

FRIEDLÄNDER, M. & WAHRMAN, J. The spindle as a basal body distributor: a study in the meiosis of the male silkworm moth, Bombyx mori 7, 65

FRIEDMANN, I., COLWIN, A. L. & COLWIN, LAURA H. Fine-structural aspects of fertilization in *Chlamydomonas reinhardi* 3, 115

FRYE, L. D. & EDIDIN, M. The rapid intermixing of cell surface antigens after formation of mouse-human heterokaryons 7, 319

FURNEAUX, P. J. S., JAMES, C. R. & POTTER, S. A. The egg shell of the house cricket (*Acheta domesticus*): an electron-microscope study 5, 227

GABELLA, G. Caveolae intracellulares and sarcoplasmic reticulum in smooth muscle 8, 601

GALL, J. G. The light microscope as an optical diffractometer 2, 163

GALLAI-HATCHARD, JENNIFER J. & GRAY, G. M. A method of obtaining a suspension of intact parenchymal cells from adult rat liver 8, 73

GARROD, D. R. The cellular basis of movement of the migrating grex of the slime mould

Dictyostelium discoideum 4, 781

GARROD, D. R. & BORN, G. V. R. Effect of temperature on the mutual adhesion of preaggregation cells of the slime mould, Dictyostelium discoideum 8, 751

GARROD, D. R. & GINGELL, D. A progressive change in the electrophoretic mobility of preaggregation cells of the slime mould,

Dictyostelium discoideum 6, 277

GARROD, D. R. & WOLPERT, L. Behaviour of the cell surface during movement of preaggregation cells of the slime mould Dictyostelium discoideum studied with fluorescent antibody 3, 365

GAY, F. W. & ATTRIDGE, J. T. The fine structure of cytoplasmic inclusions in a mycoplasma-

like infection in mice 2, 445

GIBBINS, J. R. See TILNEY & GIBBINS
GIBBS, SARAH P. Autoradiographic evidence
for the *in situ* synthesis of chloroplast and
mitochondrial RNA 3, 327

GIBSON, I. Studies on the incorporation of DNA into Paramecium aurelia 3, 381

GILBERT, L. I. See LEZZI & GILBERT

GILLHAM, N. W. See BOURQUE, BOYNTON & GILLHAM

GILLHAM, N. W. See BOYNTON, GILLHAM & CHABOT

GILLIS, J. M. & PAGE, SALLY G. Localization of ATPase activity in striated muscle and probable sources of artifact 2, 113

GINGELL, D. See GARROD & GINGELL

GIRBARDT, M. Ultrastructure of the fungal nucleus. II. The kinetochore equivalent (KCE) 9, 453

GLAUERT, AUDREY M. Moiré patterns in electron micrographs of a bacterial membrane 1, 425

GLAUERT, AUDREY M., FELL, HONOR B. & DINGLE, J. T. Endocytosis of sugars in embryonic skeletal tissues in organ culture. II. Effect of sucrose on cellular fine structure 4, 105

GLAUERT, AUDREY M. & THORNLEY, MARGARET J. Fine structure and radiation resistance in *Acinetobacter*: a comparison of a range of strains 8, 19

GLAUERT, AUDREY M. See DINGLE, FELL & GLAUERT

GLAUERT, AUDREY M. See DIMMOCK, FRANKS & GLAUERT

GLAUERT, AUDREY M. See THORNLEY & GLAUERT GLIDDON, R. Ciliary organelles and associated fibre systems in Euplotes eurystomus (Ciliata, Hypotrichida). I. Fine structure I, 439 GODWARD, M. B. E. See JORDAN & GODWARD

GODWIN, H. See ECHLIN & GODWIN

GOEL, S. C. & JURAND, A. Electron microscopic observations on the basal lamina of chick limb buds after trypsin and EDTA treatment 3, 373

GOLDMAN, R. D. & REBHUN, L. I. The structure and some properties of the isolated mitotic apparatus 4, 179

GOLDMAN, R. D. See FORER & GOLDMAN

GOLDSPINK, G. Sarcomere length during postnatal growth of mammalian muscle fibres 3, 539

GOLDSPINK, G. The proliferation of myofibrils during muscle fibre growth 6, 593

GOLDSPINK, G. Changes in striated muscle fibres during contraction and growth with particular reference to myofibril splitting 9, 123

GOLDSPINK, G. See WILLIAMS & GOLDSPINK GOLDSTEIN, M. N. See ENGLAND & GOLDSTEIN GONDOS, B., BHIRALEUS, P. & CONNER, L. A.

Pronuclear membrane alterations during approximation of pronuclei and initiation of cleavage in the rabbit 10, 61

GORDON, A. S. See MURPHY, BERTLES & GORDON GOSLING, J. A. & DIXON, J. S. The effect of 6-hydroxydopamine on nerves in the rat upper urinary tract 10, 197

GOTTLIEB, T. See COHEN & GOTTLIEB

GOUGH, J. See CHAPMAN, ELVES & GOUGH GOUGH, J. See CHAPMAN, GOUGH & ELVES

GOULD, R. P. See NUNEZ, GOULD, HAMILTON, HAYWARD & HOLT

GOULD, R. P. See NUNEZ, GOULD & HOLT GRABSKA, J. See DJACZENKO, GRABSKA & FILADORO

GRACE, D. M. See HARRIS, SIDEBOTTOM, GRACE & BRAMWELL

GRACE, D. M. See WATKINS & GRACE

GRAHAM, C. F. The regulation of DNA synthesis and mitosis in multinucleate frog eggs r, 363

GRAINGER, FELICITY & JAMES, D. W. Mitochondrial extensions associated with microtubules in outgrowing processes from chick spinal cord *in vitro* 4, 729

GRANT, R. A. See COX, GRANT & KENT

GRANT, R. A., COX, R. W. & KENT, C. M. The effects of irradiation with high energy electrons on the structure and reactivity of native and cross-linked collagen fibres 7, 387

GRAY, E. G. The question of relationship between Golgi vesicles and synaptic vesicles in *Octopus* neurons 7, 189

GRAY, E. G. A note on synaptic structure of the retina of *Octopus vulgaris* 7, 203

GRAY, E. G. & WILLIS, R. A. Problems of electron stereoscopy of biological tissue 3, 309

GRAY, E. G. See CHARLTON & GRAY

GRAY, G. M. See GALLAI-HATCHARD & GRAY

GREEN, W. G. See FINEAN, COLEMAN, GREEN & LIMBRICK

GREENWOOD, A. D. See HEATH, GREENWOOD & GRIFFITHS

GREGSON, N. A. See HALL & GREGSON

GRIFFIN, J. L. Movement, fine structure, and fusion of pseudopods of an enclosed amoeba, *Difflugiella* sp. 10, 563

GRIFFIN, M. J. & COX, R. P. Studies on the mechanism of substrate induction and L-cyst(e)ine repression of alkaline phosphatase in mammalian cell cultures 2, 545

GRIFFITHS, H. B. See HEATH, GREENWOOD & GRIFFITHS

GRIFFITHS, J. B. The quantitative utilization of amino acids and glucose and contact inhibition of growth in cultures of the human diploid cell, WI-38 6, 739

GRIFFITHS, J. B. The effect of insulin on the growth and metabolism of the human diploid cell, WI-38 7, 575

GRIFFITHS, J. B. The effect of medium changes on the growth and metabolism of the human diploid cell, WI-38 8, 43

GRIFFITHS, J. B. The effect of cell population density on nutrient uptake and cell metabolism: a comparative study of human diploid and heteroploid cell lines 10, 515

GRIMES, R. A. See MACINTYRE, GRIMES & VATTFR

GRIMSTONE, A. V. & KLUG, A. Observations on the substructure of flagellar fibres I, 35I GRIMSTONE, A. V., ROTHERAM, SUSAN & SALT, G.

An electron-microscope study of capsule formation by insect blood cells 2, 281

GRINYER, I., & MUSGRAVE, A. J. Ultrastructure and peripheral membranes of the mycetomal micro-organisms of *Sitophilus granarius* (L.) (Coleoptera) 1, 181

GRINYER, I. Sec MUSGRAVE & GRINYER

GRÖSCHEL-STEWART, U. See KEMP, JONES & GRÖSCHEL-STEWART

GUNNING, B. E. S. Lateral fusion of membranes in bacteroid-containing cells of leguminous root nodules 7, 307 GUNNING, B. E. S., STEER, M. W. & COCHRANE, M. P. Occurrence, molecular structure, and induced formation of the 'stromacentre' in plastids 3, 445

GUPTA, B. L. See BERRIDGE & GUPTA

GUPTA, B. L. See SMITH, D. S., GUPTA & SMITH GURDON, J. B. See HAY & GURDON

GUTHRIE, D. M. The function and fine structure of the cephalic airflow receptor in Schistocerca gregaria 1, 463

HADEK, R. Cytoplasmic whorls in the golden hamster oocyte I, 281

HALES, H. See WRIGHT, LUMSDEN & HALES

HALL, D.O., EDGE, H. & KALINA, M. The site of ferricyanide photoreduction in the lamellae of isolated spinach chloroplasts: a cytochemical study 9, 289

HALL, SUSAN M. The effect of injections of lysophosphatidyl choline into white matter of the adult mouse spinal cord 10,

535

HALL, SUSAN M. & GREGSON, N. A. The *in vivo* and ultrastructural effects of injection of lysophosphatidyl choline into myelinated peripheral nerve fibres of the adult mouse 9, 769

HALL, SUSAN M. & WILLIAMS, P. L. Studies on the 'incisures' of Schmidt and Lanterman

6, 767

HALL, SUSAN M. & WILLIAMS, P.L. The distribution of electron-dense tracers in peripheral nerve fibres 8, 541

HALL, T. See SIMS & HALL

HAMILTON, D. W. See NUNEZ, GOULD, HAMILTON, HAYWARD & HOLT

HAMMAR, S. P. & MOTTET, N. K. Tetrazolium salt and electron-microscopic studies of cellular degeneration and necrosis in the interdigital areas of the developing chick limb 8, 229

HÁMORI, J. & HORRIDGE, G. A. The lobster optic lamina. I. General organization 1, 249

HÁMORI, J. & HORRIDGE, G. A. The lobster optic lamina II. Types of synapse I, 257

HÁMORI, J. & HORRIDGE, G. A. The lobster optic lamina. III. Degeneration of retinula cell endings I, 271

HÁMORI, J. & HORRIDGE, G. A. The lobster optic lamina. IV. Glial cells 1, 275

HARRIS, H. The reactivation of the red cell nucleus 2, 23

HARRIS, H. & COOK, P. R. Synthesis of an enzyme determined by an erythrocyte nucleus in a hybrid cell 5, 121

HARRIS, H., SIDEBOTTOM E., GRACE, D. M. & BRAMWELL, M. E. The expression of genetic information: A study with hybrid animal cells 4, 499

HARRIS, H., WATKINS, J. F., FORD, C. E. & SCHOEFL, G. I. Artificial heterokaryons of animal cells from different species I, I

HARRIS, H. See BOLUND, RINGERTZ & HARRIS

HARRIS, H. See BREGULA, KLEIN & HARRIS

HARRIS, H. See ENGEL, MCGEE & HARRIS HARRIS, H. See JOHNSON & HARRIS

HARRIS, H. See KLEIN, BREGULA, WIENER & HARRIS

harris, h. See schneeberger & harris harris, h. See sidebottom & harris

HARRIS, H. See WIENER, KLEIN & HARRIS HAWKINS, SHIRLEY E. & WILLIS, LESLEY R.

Cytoplasmic DNA-containing bodies and the response of amoebae to dimidium bromide 5, 57

HAY, ELIZABETH D. & GURDON, J. B. Fine structure of the nucleolus in normal and mutant Xenopus embryos 2, 151

HAYES, R. L. & ALLEN, E. R. Electron-microscopic studies on a double-stranded beaded filament of embryonic collagen 2, 419

HAYWARD, J. S. See NUNEZ, GOULD, HAMILTON, HAYWARD & HOLT

HAYWARD, P. See LAWRENCE & HAYWARD

HEATH, I. B., GREENWOOD, A. D. & GRIFFITHS, H. B. The origin of Flimmer in Saprolegnia, Synura and Cryptomonas 7, 445

HEMMES, D. E. & HOHL, H. R. Ultrastructural aspects of encystation and cyst-germination in *Phytophthora parasitica* 9, 175

HENDERSON, S. A., NICKLAS, R. B. & KOCH, CAROL A. Temperature-induced orientation instability during meiosis: an experimental analysis 6, 323

HENNINGSEN, K. W. Macromolecular physiology of plastids. VI. Changes in membrane structure associated with shifts in the absorption maxima of the chlorophyllous pigments 7, 587

HENNINGSEN, K. W. & BOYNTON, J. E. Macromolecular physiology of plastids. VII. The effect of a brief illumination on plastids of dark-grown barley leaves 5, 757

HENRIKSON, R. C. See WILSON, HENRIKSON & DOWNES

N-phenyl carbamate affects spindle microtubule orientation in dividing endosperm cells of *Haemanthus katherinae* Baker 5, 727

HEREWARD, F. V. & NORTHCOTE, D. H. Localization of freeze-fracture planes of yeast membranes 10, 555

HESLOP-HARRISON, J. Synchronous pollen mitosis and the formation of the generative cell in massulate orchids 3, 457

HESLOP-HARRISON, J. & MACKENZIE, A. Autoradiography of soluble [2-14C]thymidine derivatives during meiosis and microsporogenesis in *Lilium* anthers 2, 387

HESLOP-HARRISON, J. See KNOX & HESLOP-HARRISON

HIGGINS, JOAN A. & BARRNETT, R. J. Cytochemical localization of transferase activities: carnitine acetyltransferase 6, 20

HILL, G. C. See ANDERSON & HILL

HIRSHFIELD, M. See WOLPERT, MARSLAND & HIRSHFIELD

HOHL, H. R., MIURA-SANTO, L. Y. & COTTER, D. A. Ultrastructural changes during formation and germination of microcysts in *Polysphondylium pallidum*, a cellular slime mould 7, 285

HOHL, H. R. See HEMMES & HOHL

HOLT, P. J. L. See LING & HOLT

HOLT, S. J. See BALLARD & HOLT

HOLT, S. J. See NUNEZ, GOULD, HAMILTON, HAYWARD & HOLT

HOLT, S. J. See NUNEZ, GOULD & HOLT

HOPKINS, C. R. & BAKER, BRIDGET I. The fine structural localization of acid phosphatase in the prolactin cell of the eel pituitary 3, 357

HOPKINS, C. R. & KING, P. E. An electronmicroscopical and histochemical study of the oocyte periphery in *Bombus terrestris* during vitellogenesis I, 201

HOPKINS, J. M. Subsidiary components of the flagella of *Chlamydomonas reinhardii* 7, 823 HOROWITZ, S. B. *See* CENTURY, FENICHEL &

HOROWITZ

HORRIDGE, G. A. See HÁMORI & HORRIDGE

HOUSE, W. & STOKER, M. G. P. Structure of normal and polyoma virus-transformed hamster cell cultures 1, 169

HOWELL, J. I. See AHKONG, CRAMP, FISHER, HOWELL & LUCY

HUFNAGEL, LINDA A. Properties of DNA associated with raffinose-isolated pellicles of Paramecium aurelia 5, 561

HULANDS, G. H. See ALLISON, HULANDS, NUNN, KITCHING & MACDONALD

JACKSON, W. T. Regulation of mitosis. II. Interaction of isopropyl N-phenylcarbamate and melatonin 5, 745

JACKSON, W. T. Regulation of mitosis. III.

Cytological effects of 2,3,5-trichlorophenoxyacetic acid and of dioxin contaminants in 2,4,5,-T formulations 10, 15

Jackson, W. T. See Hepler & Jackson Jackson, W. T. See Sanger & Jackson Jacobs, W. P. See Sabnis & Jacobs James, C. R. See Furneaux, James & Potter

JAMES, D. W. See GRAINGER & JAMES

James, M. C. M. See kemp, Jones, cunningham & James

JEFFS, R. A. & NORTHCOTE, D. H. The influence of indol-3yl acetic acid and sugar on the pattern of induced differentiation in plant tissue culture 2, 77

JENSEN, H. M. & MOTTET, N. K. Ultrastructural features of defective *in vitro* keratinization of chick embryonic skin **6**, 485

JENSEN, H. M. & MOTTET, N. K. Ultrastructural changes in keratinizing epithelium following trypsinization, epidermal detachment and apposition to mesenchymes 6, 511

JENSEN, W. A. See SCHULZ & JENSEN

JOHNSON, R. T. & HARRIS, H. DNA synthesis and mitosis in fused cells. I. HeLa homokaryons 5, 603

JOHNSON, R. T. & HARRIS, H. DNA synthesis and mitosis in fused cells. II. HeLa-chick erythrocyte heterokaryons 5, 625

JOHNSON, R. T. & HARRIS, H. DNA synthesis and mitosis in fused cells. III. HeLa-Ehrlich heterokaryons 5, 645

JOHNSON, R. T. See RAO & JOHNSON

JOHNSTON, PATRICIA V. & ROOTS, BETTY I. Fixation of the central nervous system by perfusion with aldehydes and its effect on the extracellular space as seen by electron microscopy 2, 377

JONES, B. M. & MORRISON, G. A. A molecular basis for indiscriminate and selective cell adhesion 4, 799

JONES, B. M. See KEMP, JONES, CUNNINGHAM & JAMES

JONES, B. M. See KEMP, JONES & GRÖSCHEL-STEWART

JONES, D. G. An electron-microscope study of subcellular fractions of *Octopus* brain 2, 573

JONES, E. G. & POWELL, T. P. S. Synapses on the axon hillocks and initial segments of pyramidal cell axons in the cerebral cortex 5. 405

JONES, E. G. & POWELL, T. P. S. Morphological variations in the dendritic spines of the neocortex 5, 509

JONES, I. G. See FLAVELL & JONES

JONES, M. G. K. & NORTHCOTE, D. H. Nematodeinduced syncytium – a multinucleate transfer cell 10, 789

JORDAN, E. G. & GODWARD, M. B. E. Some observations on the nucleolus in Spirogyra 4, 3

JOURNEY, L. J. & WHALEY, AUDREY. Kinetochore ultrastructure in vincristine-treated mammalian cells 7, 49

JURAND, A. See BEALE & JURAND

JURAND, A. See BEALE, JURAND & PREER

JURAND, A. See GOEL & JURAND

JURD, R. D. See MACLEAN & JURD

KALINA, M. See HALL, EDGE & KALINA KARLSSON, U. L. See SCHULTZ & KARLSSON KASHEF, R. See WILLIAMS & KASHEF

KAY, D., ROTHSCHILD, MIRIAM & APLIN, R. Particles present in the haemolymph and defensive secretions of insects 4, 369

KEMP, D. J. & ROGERS, G. E. Immunological and immunofluorescent studies on keratin of the hair follicle 7, 273

KEMP, R.B. The effect of neuraminidase (3:2:1:18) on the aggregation of cells dissociated from embryonic chick muscle tissue 6, 751

KEMP, R. B., JONES, B. M., CUNNINGHAM, I. & JAMES, M. C. M. Quantitative investigation on the effect of puromycin on the aggregation of trypsin- and versene-dissociated chick fibroblast cells 2, 323

KEMP, R. B., JONES, B. M. & GRÖSCHEL-STEWART, U. Aggregative behaviour of embryonic chick cells in the presence of antibodies directed against actomyosins 9, 103

KEMP, R. B. See DUNN, OWEN & KEMP

KEMP, R. B. See LLOYD & KEMP

KENT, C. M. See COX, GRANT & KENT

KENT, C. M. See GRANT, COX & KENT

KEPHART, JOYCE E. See DAUWALDER, WHALEY & KEPHART

KESSEL, R. G. See BEAMS & KESSEL

KEZER, J., MACGREGOR, H. C. & SCHABTACH, E. Observations on the membranous components of amphibian oocyte nucleoli 8, I

KHATTAB, F. I. See VAN HARREVELD & KHATTAB KIEFER, B. I. Development, organization, and degeneration of the *Drosophila* sperm flagellum 6, 177

KIERMAYER, O. See STAEHELIN & KIERMAYER

KILBURN, D. G., LILLY, M. D., SELF, DAPHNE A. & WEBB, F. C. The effect of dissolved oxygen partial pressure on the growth and carbohydrate metabolism of mouse LS cells 4, 25

KILBURN, D. G., LILLY, M. D. & WEBB, F. C.
The energetics of mammalian cell growth
4, 645

KING, P. E. See HOPKINS & KING

KITCHING, J. A. See ALLISON, HULANDS, NUNN, KITCHING & MACDONALD KLEIN, G., BREGULA, U., WIENER, F. & HARRIS, H.

The analysis of malignancy by cell fusion.

I. Hybrids between tumour cells and L cell derivatives 8, 659

KLEIN, G. See BREGULA, KLEIN & HARRIS

KLEIN, G. See WIENER, KLEIN & HARRIS

KLUG, A. See FINCH, KLUG & NERMUT

KLUG, A. See GRIMSTONE & KLUG

KNAPP, M. F. & MILL, P. J. The contractile mechanism in obliquely striated body wall muscle of the earthworm *Lumbricus terrest*ris 8, 413

KNAPP, M. F. See MILL & KNAPP

KNOX, R. B. Pollen-wall proteins: localization, enzymic and antigenic activity during development in *Gladiolus* (Iridaceae) 9, 209

KNOX, R. B. & HESLOP-HARRISON, J. Pollenwall proteins: localization and enzymic activity 6, 1

KNOX, R. B. & HESLOP-HARRISON, J. Pollen-wall proteins: electron-microscopic localization of acid phosphatase in the intine of *Crocus vernus* 8, 727

KNOX, R. B. & HESLOP-HARRISON, J. Pollenwall proteins: the fate of intine-held antigens on the stigma in compatible and incompatible pollinations of *Phalaris tuber*osa L. 9, 239

KNUTTON, S., FINEAN, J. B., COLEMAN, R. & LIMBRICK, A. R. Low-angle X-ray diffraction and electron-microscope studies of isolated erythrocyte membranes 7, 357

KNYIHÁR, ELIZABETH. See CSILLIK & KNYIHÁR KOCH, CAROL A. See HENDERSON, NICKLAS & KOCH

KOHN, A. See MEISELMAN, KOHN & DANON

KOLTIN, Y. & FLEXER, A. S. Alteration of nuclear distribution in β -mutant strains of Schizophyllum commune 4, 739

KOWALLIK, K. The crystal lattice of the pyrenoid matrix of *Prorocentrum micans* 5, 251

KOWALLIK, K. See MANTON, KOWALLIK & VON STOSCH

KRASNE, F. B. & LAWRENCE, P. A. Structure of the photoreceptors in the compound eyespots of *Branchiomma vesiculosum* 1, 239

LA COUR, L. F. & WELLS, B. Chromocentres and the synaptinemal complex 6, 655

LAFOUNTAIN, J. R. JR. Spindle shape changes as an indicator of force production in crane-fly spermatocytes 10, 79

LANDON, D. N. The influence of fixation upon the fine structure of the Z-disk of rat striated muscle 6, 257 LANE, NANCY J. & TREHERNE, J. E. Lanthanum staining of neurotubules in axons from cockroach ganglia 7, 217

LASKEY, R. A. The use of antibiotics in the preparation of amphibian cell cultures from highly contaminated material 7, 653

LAWRENCE, P. A. Development and determination of hairs and bristles in the milkweed bug, *Oncopeltus fasciatus* (Lygaeidae, Hemiptera) 1, 475

LAWRENCE, P. A. Mitosis and the cell cycle in the metamorphic moult of the milkweed bug, *Oncopeltus fasciatus*. A radioautographic study 3, 391

LAWRENCE, P. A. & HAYWARD, P. 'The development of a simple pattern: spaced hairs in Oncopeltus fasciatus 8, 513

LAWRENCE, P. A. See KRASNE & LAWRENCE

LEADBEATER, B. S. C. The intracellular origin of flagellar hairs in the dinoflagellate Woloszynskia micra Leadbeater & Dodge 9, 443

LEADBEATER, B. S. C. See LEEDALE, LEADBEATER & MASSALSKI

LEBLOND, C. P. See CHOUINARD & LEBLOND

LEE, D. L. & ANYA, A. O. The structure and development of the spermatozoon of Aspiculuris tetraptera (Nematoda) 2, 537

LEE, K.-C. Cell electrophoresis of the cellular slime mould *Dictyostelium discoideum*. I. Characterization of some of the cell surface ionogenic groups 10, 229

LEE, K.-C. Cell electrophoresis of the cellular slime mould *Dictyostelium discoideum*. II. Relevance of the changes in cell surface charge density to cell aggregation and morphogenesis 10, 249

LEE, R. E. Systemic viral material in the cells of the freshwater red alga *Sirodotia* tenuissima (Holden) Skuja 8, 623

LEEDALE, G. F., LEADBEATER, B. S. C. & MASSAL-SKI, A. The intracellular origin of flagellar hairs in the Chrysophyceae and Xanthophyceae 6, 701

LEMBI, CAROLE A. & WALNE, PATRICIA L. Ultrastructure of pseudocilia in *Tetraspora lubrica* (Roth) Ag. 9, 569

LEVENE, C. I. & BATES, C. J. Growth and macromolecular synthesis in the 3T6 mouse fibroblast. I. General description and the role of ascorbic acid 7, 671

LEVENE, C. I. See BATES & LEVENE

LEVINE, L. See SHIFRIN & LEVINE

LEWIS, D. R. See NORTHCOTE & LEWIS

LEWIS, P. R. & SHUTE, C. C. D. The distribution of cholinesterase in cholinergic neurons demonstrated with the electron microscope 1, 381

LEZZI, M. & GILBERT, L. I. Differential effects of K⁺ and Na⁺ on specific bands of isolated polytene chromosomes of *Chironomus tentans* 6, 615

LILIEN, J. See MCQUIDDY & LILIEN

LILLY, M. D. See KILBURN, LILLY, SELF & WEBB LILLY, M. D. See KILBURN, LILLY & WEBB

LIMBRICK, A. R. & FINEAN, J. B. X-ray diffraction and electron-microscope studies of the brush border membrane of guinea pig intestinal epithelial cells 7, 373

LIMBRICK, A. R. See FINEAN, COLEMAN, GREEN & LIMBRICK

LIMBRICK, A. R. See KNUTTON, FINEAN, COLE-MAN & LIMBRICK

Limlomwongse, L. See forte, Limlomwongse & forte

LING, N. R. & HOLT, P. J. L. The activation and reactivation of peripheral lymphocytes in culture 2, 57

LIPSON, L. G., CAPUZZI, D. M. & MARGOLIS, S. Effect of method of cell isolation on the metabolic activity of isolated rat liver cells 10, 167

LLOYD, C. W. & KEMP, R. B. A biochemical investigation into the inhibitory effects of glucosamine and N-acetylglucosamine on the aggregation *in vitro* of embryonic chick muscle cells **9**, 85

LOISEAUX, S. See MACHE & LOISEAUX

LORBER, V. & BERTAUD, W. S. Cellular surfaces of amphibian atrial muscle 9, 427

LORBER, V. & RAYNS, D. G. Cellular junctions in the tunicate heart 10, 211

LØVLIE, A. & BRÅTEN, T. On mitosis in the multicellular alga *Ulva mutabilis* Føyn **6**, 109

LU, B. C. Meiosis in *Coprinus lagopus*: a comparative study with light and electron microscopy 2, 529

LU, B. C. Genetic recombination in *Coprinus*. II. Its relations to the synaptinemal complexes **6**, 669

LUCY, J. A. See AHKONG, CRAMP, FISHER, HOWELL & LUCY

LUKE, B. M. See NEVILLE & LUKE

LUMSDEN, W. H. R. See WRIGHT, LUMSDEN & HALES

LUND, R. D. See WESTRUM & LUND

MACDONALD, A. C. See ALLISON, HULANDS, NUNN, KITCHING & MACDONALD

MACGREGOR, H. C. Pattern of incorporation of [3H]uridine into RNA of amphibian oocyte nucleoli 2, 145

MACGREGOR, H. C. Nucleolar DNA in oocytes of Xenopus laevis 3, 437

MACGREGOR, H.C. & MACKIE, J.B. Fine structure of the cytoplasm in salivary

glands of Simulium 2, 137

MACGREGOR, H. C. & STEBBINGS, H. A massive system of microtubules associated with cytoplasmic movement in telotrophic ovarioles 6, 431

MACGREGOR, H. C. See KEZER, MACGREGOR & SCHABTACH

MACGREGOR, H. C. See RIEMANN, MUIR & MACGREGOR

MACGREGOR, H. C. See WALKER & MACGREGOR MACHE, R. & LOISEAUX, S. Action of rifampicin on the liverwort Marchantia polymorpha 10, 821

MACINTYRE, ELIZABETH & PONTÉN, J. Interaction between normal and transformed bovine fibroblasts in culture. I. Cells transformed by Rous sarcoma virus 2, 309

MACINTYRE, E. H., GRIMES, R. A. & VATTER, A. E. Cytology and growth characteristics of human tumour astrocytes transformed by Rous sarcoma virus 5, 583

MACINTYRE, ELIZABETH. See PONTÉN & MACINTYRE

MACKENZIE, A. See HESLOP-HARRISON & MACKENZIE

MACKIE, J. B. See MACGREGOR & MACKIE

MACLEAN, N. & JURD, R. D. The haemoglobins of healthy and anaemic *Xenopus laevis* 9, 509

MACPHERSON, G. G. Synthesis and localization of sulphated mucopolysaccharide in mega-karyocytes and platelets of the rat, an analysis by electron-microscope autoradiography 10, 705

MACPHERSON, I. Microplasmas in tissue culture I, 145

MADDRELL, S. H. P. & TREHERNE, J. E. The ultrastructure of the perineurium in two insect species, *Carausius morosus* and *Periplaneta americana* 2, 119

MALHOTRA, S. K. & EAKIN, R. T. A study of mitochondrial membranes in relation to elementary particles 2, 205

MALHOTRA, S. K. See VAN HARREVELD & MALHOTRA

MANTON, IRENE. Further observations on the fine structure of *Chrysochromulina chiton*, with special reference to the pyrenoid **I**, 187

MANTON, IRENE. Observations on scale production in *Prymnesium parvum* 1, 375

MANTON, IRENE. Observations on scale production in *Pyramimonas amylifera* Conrad I, 429

MANTON, IRENE. Further observations on the fine structure of *Chrysochromulina chiton* with special reference to the haptonema, 'peculiar' Golgi structure and scale production 2, 265

MANTON, IRENE. Further observations on scale formation in Chrysochromulina chiton 2, 411

MANTON, IRENE, KOWALLIK, K. & VON STOSCH, H. A. Observations on the fine structure and development of the spindle at mitosis and meiosis in a marine centric diatom (*Lithodesmium undulatum*). II. The early meiotic stages in male gametogenesis 5, 271

MANTON, IRENE, KOWALLIK, K. & VON STOSCH, H. A. Observations on the fine structure and development of the spindle at mitosis and meiosis in a marine centric diatom (*Lithodesmium undulatum*). III. The later stages of meiosis in male gametogenesis 6, 131

MANTON, IRENE, KOWALLIK, K. & VON STOSCH, H. A. Observations on the fine structure and development of the spindle at mitosis and meiosis in a marine centric diatom (*Lithodesmium undulatum*). IV. The second meiotic division and conclusion 7, 407

MARGOLIS, S. See LIPSON, CAPUZZI & MARGOLIS MARIN, G. Segregation of morphological revertants in polyoma-transformed hybrid clones of hamster fibroblasts 9, 61

MARKUS, Y. See BEN-SHAUL & MARKUS

MARSLAND, D. See WOLPERT, MARSLAND & HIRSHFIELD

MASSALSKI, A. See LEEDALE, LEADBEATER & MASSALSKI

MAYHEW, E. & BLUMENSON, L. E. Aggregation of Burkitt lymphoma cells in stationary culture: experimental and theoretical analysis 10, 749

Mccully, E. Kathleen & Robinow, C. F. Mitosis in the fission yeast *Schizosaccharomyces pombe*: a comparative study with light and electron microscopy 9, 475

Mccully, E. Kathleen & Robinow, C. F. Mitosis in heterobasidiomycetous yeasts. I. Leucosporidium scottii (Candida scottii) 10, 857

Mccully, Margaret e. Histological studies on the genus *Fucus*. III. Fine structure and possible functions of the epidermal cells of the vegetative thallus 3, 1

MCGEE, B. J. See ENGEL, MCGEE & HARRIS

McMullen, Jamie M. See David & McMullen McQuiddy, P. & Lilien, J. Sialic acid and cell aggregation 9, 823

MEISELMAN, N., KOHN, A. & DANON, D. Electronmicroscopic study of penetration of Newcastle disease virus into cells leading to formation of polykaryocytes 2, 71

- MERK, F. B. See SHEPRO, BELAMARICH, MERK & CHAO
- MERRIAM, R. W. Movement of cytoplasmic proteins into nuclei induced to enlarge and initiate DNA or RNA synthesis 5, 333

MICHELSEN, O. See WILLIAMS, MICHELSEN & ZEUTHEN

- MILEDI, R. & SLATER, C. R. Some mitochondrial changes in denervated muscle 3,
- MILL, P. J. & KNAPP, M. F. The fine structure of obliquely striated body wall muscles in the earthworm, *Lumbricus terrestris* Linn. 7, 233
- MILL, P. J. & KNAPP, M. F. Neuromuscular junctions in the body wall muscles of the earthworm, *Lumbricus terrestris* Linn. 7, 263

MILL, P. J. See KNAPP & MILL

- MILLINGTON, P. F., CRITCHLEY, D. R. & TOVELL, P. W. A. The role of calcium in the isolation of brush borders from epithelial cells of rat small intestine I, 415
- MILNER, GILLIAN R. Nuclear morphology and the ultrastructural localization of deoxyribonucleic acid synthesis during interphase 4, 569
- MILNER, GILLIAN R. Nuclear ultrastructure of the transforming lymphocyte during inhibition of deoxyribonucleic acid synthesis with hydroxyurea 4, 583

MITCHISON, J. M. & CREANOR, J. Linear synthesis of sucrase and phosphatases during the cell cycle of *Schizosaccharomyces* pombe 5, 373

MITCHISON, J. M. & CUMMINS, J. E. The uptake of valine and cytidine by sea-urchin embryos and its relation to the cell surface

MIURA-SANTO, L. Y. See HOHL, MIURA-SANTO & COTTER

MOENS, P. B. The fine structure of meiotic chromosome pairing in natural and artificial *Lilium* polyploids 7, 55

MOENS, P. B. & RAPPORT, E. Synaptic structures in the nuclei of sporulating yeast, Saccharomyces cerevisiae (Hansen) 9, 665

MORRÉ, D. J. See VAN DER WOUDE, MORRÉ & BRACKER

MORRISON, G. A. See JONES & MORRISON

MORTON, D. J. See ROWE & MORTON

MOTTET, N. K. See HAMMAR & MOTTET

MOTTET, N. K. See JENSEN & MOTTET

MUIR, C. & WHITLEY, J. E. Variation in the nuclear sodium concentration of newt oocytes during maturation 10, 335

MUIR, C. See RIEMANN, MUIR & MACGREGOR

MUKHERJEE, T. M. & STAEHELIN, L. A. The finestructural organization of the brush border of intestinal epithelial cells 8, 573

MURPHY, M. J. JR., BERTLES, J. F. & GORDON, A. S. Identifying characteristics of the haematopoietic precursor cell 9, 23

MUSGRAVE, A. J. & GRINYER, I. Membranes associated with the distintegration of mycetomal micro-organisms in *Sitophilus zea-mais* (Mots.) (Coleoptera) 3, 65

Musgrave, a. j. See grinyer & musgrave musgrave, a. j. See singh & musgrave

NADAKAVUKAREN, M. J. See BERTAGNOLLI & NADAKAVUKAREN

NAGL, W. Temperature-dependent functional structures in the polytene chromosomes of *Phaseolus*, with special reference to the nucleolus organizers **6**, 87

NAIR, K. K. See BHAKTHAN, BORDEN & NAIR NEGRONI, G. & TILLY, RITA. Electronmicroscopic observations of polyoma virustransformed mouse cells treated with specific immune serum 7, 711

NERMUT, M. V. See FINCH, KLUG & NERMUT NEVILLE, A. C. Factors affecting the tertiary structure of resilin in locusts 2, 273

NEVILLE, A. C. & LUKE, B. M. A biological system producing a self-assembling cholesteric protein liquid crystal 8, 93

NEWCOMB, E. H. See STEER & NEWCOMB

NICHOLLS, T. J. The effects of starvation and light on intra-mitochondrial granules in *Physarum polycephalum* 10, 1

NICKLAS, R. B. See HENDERSON, NICHLAS & KOCH

NORTHCOTE, D. H. & LEWIS, D. R. Freezeetched surfaces of membranes and organelles in the cells of pea root tips 3, 199

NORTHCOTE, D. H. See BURGESS & NORTHCOTE NORTHCOTE, D. H. See HEREWARD & NORTHCOTE NORTHCOTE, D. H. See JEFFS & NORTHCOTE

NORTHCOTE, D. H. See JONES & NORTHCOTE

NORTHCOTE, D. H. See PICKETT-HEAPS & NORTHCOTE

NORTHCOTE, D. H. See ROBERTS & NORTHCOTE NUNEZ, E. A., GOULD, R. P., HAMILTON, D. W., HAYWARD, J. S. & HOLT, S. J. Seasonal changes in the fine structure of the basal granular cells of the bat thyroid 2, 401

NUNEZ, E. A., GOULD, R. P. & HOLT, S. J. A study of granule formation in the bat parafollicular cell 5, 531

NUNEZ, E. A., GOULD, R. P. & HOLT, S. J. Seasonal changes in secretory granules and crystalloid inclusions of bat thyroid parafollicular cells 6, 821

- NUNN, J. F. See ALLISON, HULANDS, NUNN, KITCHING & MACDONALD
- O'BRIEN, T. P. Cytoplasmic microtubules in the leaf glands of *Phaseolus vulgaris* 2, 557 ODHIAMBO, T. R. The fine structure and histo-

chemistry of the fat body in the locust, Schistocerca gregaria 2, 235

O'NEILL, C. See STOKER, SHEARER & O'NEILL

- O'NEILL, C. H. An association between viral transformation and Forssman antigen detected by immune adherence in cultured BHK21 cells 3, 405
- o'NEILL, C. H. & FOLLETT, E. A. C. An inverse relation between cell density and the number of microvilli in cultures of BHK21 hamster fibroblasts 7, 695
- onodera, K. & Sheinin, Rose. Macromolecular glucosamine-containing component of the surface of cultivated mouse cells **7**, 337
- ORD, M. J. The viability of the anucleate cytoplasm of Amoeba proteus 3, 81
- ORD, M. J. The synthesis of DNA through the cell cycle of *Amoeba proteus* 3, 483
- ord, M. J. Mutations induced in Amoeba proteus by the carcinogen N-methyl-N-nitrosourethane 7, 531
- ORD, M. J. The initiation, maintenance and termination of DNA synthesis: a study of nuclear DNA replication using *Amoeba proteus* as a cell model **9**, 1

OTSUKA, H. The toxic effect of spermidine on normal and transformed cells 9, 71

OTSUKA, H. An inhibitor present in calf serum which prevents growth of BHK21 cells in suspension culture 10, 137

OWEN, E. See DUNN, OWEN & KEMP

OWEN, MAUREEN. Uptake of [3H]uridine into precursor pools and RNA in osteogenic cells 2, 39

PAGE, SALLY G. See GILLIS & PAGE

- PAOLILLO, D. J. JR. The three-dimensional arrangement of intergranal lamellae in chloroplasts 6, 243
- PAPADAKI, LUCIENNE & BEILBY, J. O. W. The fine structure of the surface epithelium of the human ovary 8, 445
- PARK, R. B. & PFEIFHOFER, A. O. Ultrastructural observations on deep-etched thylakoids 5, 299
- PARK, R. B. & PFEIFHOFER, A. O. The effect of ethylenediaminetetra-acetate washing on the structure of spinach thylakoids 5, 313
- PELC, S. R. Incorporation of [3H]thymidine in mouse spleen 3, 263
- PELC, S. R. See APPLETON, PELC, DINGLE & FELL

- PELC, S. R. See APPLETON, PELC & TARBIT
- PERKINS, F. O. Formation of centriole and centriole-like structures during meiosis and mitosis in *Labyrinthula* sp. (Rhizopodea, Labyrinthulida). An electronmicroscope study 6, 629
- PERRY, MARGARET M. Identification of glycogen in thin sections of amphibian embryos 2, 257
- PERRY, MARGARET M. & WADDINGTON, C. H.
 The ultrastructure of the cement gland in
 Xenopus laevis 1, 193
- PERRY, M. M. See SELMAN & PERRY
- PERSONNE, P. & ANDERSON, W. Compartimentage des activités enzymatiques dans le spermatozoïde de certains mollusques gastéropodes. I. Localisation des déshydrogénases 4, 693
- PETERS, T. J. See SMITH, PETERS & SERAFINI-FRACASSINI
- PFEIFHOFER, A. O. See PARK & PFEIFHOFER
- PIATIGORSKY, J. & TYLER, A. Displacement of valine from intact sea-urchin eggs by exogenous amino acids 3, 515
- PICKETT-HEAPS, J. D. Further ultrastructural observations on polysaccharide localization in plant cells 3, 55
- PICKETT-HEAPS, J. D. Preprophase microtubule bands in some abnormal mitotic cells of wheat 4, 397
- PICKETT-HEAPS, J. D. & NORTHCOTE, D. H. Organization of microtubules and endoplasmic reticulum during mitosis and cytokinesis in wheat meristems 1, 109
- PICKETT-HEAPS, J. D. & NORTHCOTE, D. H. Cell division in the formation of the stomatal complex of the young leaves of wheat 1, 121
- PIENAAR, R. N. The fine structure of *Crico-sphaera carterae*. I. External morphology 4, 561
- PIHLAJA, D. J. See SHIGENAKA, ROTH & PIHLAJA PINCHING, A. J. & POWELL, T. P. S. Ultrastructural features of transneuronal cell degeneration in the olfactory system 8, 253
- PINCHING, A. J. & POWELL, T. P. S. The neuron types of the glomerular layer of the olfactory bulb 9, 305
- PINCHING, A. J. & POWELL, T. P. S. The neuropil of the glomeruli of the olfactory bulb 9, 347
- PINCHING, A. J. & POWELL, T. P. S. The neuropil of the periglomerular region of the olfactory bulb 9, 379
- PINCHING, A. J. & POWELL, T. P. S. A study of terminal degeneration in the olfactory bulb of the rat 10, 585

PINCHING, A.J. & POWELL, T.P.S. The termination of centrifugal fibres in the glomerular layer of the olfactory bulb 10,

PINCHING, A. J. & POWELL, T. P. S. Experimental studies on the axons intrinsic to the glomerular layer of the olfactory bulb 10, 637

PIRT, S. J. See BIRCH & PIRT

PIRT, S. J. See BLAKER, BIRCH & PIRT

PIRT, S. J. See BLAKER & PIRT

PITTS, J. D. See SUBAK-SHARPE, BÜRK & PITTS PLAUT, W. See SMITH-SONNEBORN & PLAUT

PONTÉN, J. & MACINTYRE, ELIZABETH. Interaction between normal and transformed bovine fibroblasts in culture. II. Cells transformed by polyoma virus 3, 603

PONTÉN, J. See MACINTYRE & PONTÉN

POTTER, S. A. See FURNEAUX, JAMES & POTTER

POWELL, T. P. S. See JONES & POWELL

POWELL, T. P. S. See PINCHING & POWELL

POWELL, T. P. S. See PRICE & POWELL

PREER, J. R. See BEALE, JURAND & PREER

PRESTON, R. D. See ROBINSON & PRESTON PRESTON, T. M. See VICKERMAN & PRESTON

PRICE, J. L. & POWELL, T. P. S. The morphology

of the granule cells of the olfactory bulb 7,

PRICE, J. L. & POWELL, T. P. S. The synaptology of the granule cells of the olfactory bulb 7,

PRICE, J. L. & POWELL, T. P. S. An electronmicroscopic study of the termination of the afferent fibres to the olfactory bulb from the cerebral hemisphere 7, 157

PRICE, J. L. & POWELL, T. P. S. The mitral and short axon cells of the olfactory bulb

7,631

PUGH-HUMPHREYS, R. G. P. & SINCLAIR, W. Ultrastructural studies relating to the surface morphology of cultured cells 6, 477

RAO, P. N. & JOHNSON, R. T. Premature chromosome condensation: a mechanism for the elimination of chromosomes in virus-fused cells 10, 495

RAPPORT, E. See MOENS & RAPPORT

RAYNS, D. G., SIMPSON, F. O. & BERTAUD, W. S. Surface features of striated muscle. I. Guinea-pig cardiac muscle 3, 467

RAYNS, D. G., SIMPSON, F. O. & BERTAUD, w. s. Surface features of striated muscle. II. Guinea-pig skeletal muscle 3, 475

RAYNS, D. G. See BERTAUD, RAYNS & SIMPSON RAYNS, D. G. See LORBER & RAYNS

REBHUN, L. I. See COHEN & REBHUN

REBHUN, L. I. See GOLDMAN & REBHUN

REES, D. & USHERWOOD, P. N. R. Effects of denervation on the ultrastructure of insect muscle 10, 667

REGER, J. F. Studies on the fine structure of muscle fibres and contained crystalloids in basal socket muscle of the Entoproct, Barentsia gracilis 4, 305

RETALLACK, B. & BUTLER, R. D. The development and structure of pyrenoids in Bulbochaete hiloensis 6, 229

RICHTER, W. R. See BISCHOFF, RICHTER & STEIN RIDLER, M. A. C. & SMITH, G. F. The response of human cultured lymphocytes to cytochalasin B 3, 595

RIEMANN, W., MUIR, C. & MACGREGOR, H. C. Sodium and potassium in oocytes of Triturus cristatus 4, 200

RINGERTZ, N. R. See BOLUND, RINGERTZ & HARRIS

ROBERTS, K. & NORTHCOTE, D. H. The structure of sycamore callus cells during division in a partially synchronized suspension culture 6, 299

ROBINOW, C. F. & CATEN, C. E. Mitosis in Aspergillus nidulans 5, 403

ROBINOW, C. F. See MCCULLY & ROBINOW

ROBINSON, D. G. Fine structure of swarmers of Cladophora and Chaetomorpha, II, The chloroplast 10, 307

ROBINSON, D. G. & PRESTON, R. D. Fine structure of swarmers of Cladophora and Chaetomorpha. I. The plasmalemma and Golgi apparatus in naked swarmers 9,

ROGERS, G. E. See KEMP & ROGERS

ROOTS, BETTY I. See JOHNSTON & ROOTS

ROTH, L. E. See SHIGENAKA, ROTH & PIHLAJA

ROTH, L. J. See BROWN, STUMPF & ROTH

ROTHERAM, SUSAN. See GRIMSTONE, ROTHERAM & SALT

ROTHSCHILD, MIRIAM. See KAY, ROTHSCHILD & APLIN

ROWE, R. W. D. & MORTON, D. J. Faults in the square lattice of mammalian skeletal muscle Z-disks 9, 139

RUDDLE, F. H. See CONRAD & RUDDLE

SABNIS, D. D. & JACOBS, W. P. Cytoplasmic streaming and microtubules in the coenocytic marine alga, Caulerpa prolifera 2, 465

SALT, G. See GRIMSTONE, ROTHERAM & SALT SANDERS, E. J. & BELL, L. G. E. Some physiological and morphological effects of polylysine on Amoeba proteus 7, 739

SANDRI, CLARA. See CUÉNOD, SANDRI & AKERT SANGER, JEAN M. & JACKSON, W. T. Fine structure study of pollen development in *Haemanthus katherinae* Baker. I. Formation of vegetative and generative cells 8, 289

SANGER, JEAN M. & JACKSON, W. T. Fine structure study of pollen development in *Haemanthus katherinae* Baker. II. Microtubules and elongation of the generative cells 8, 303

SANGER, JEAN M. & JACKSON, W. T. Fine structure study of pollen development in *Haemanthus katherinae* Baker. III. Changes in organelles during development of the vegetative cell 8, 317

SAPRA, G. R. & DASS, C. M. S. Organization and development of the macronuclear Anlage in *Stylonychia notophora* Stokes **6**, 351

SCHABTACH, E. See KEZER, MACGREGOR & SCHABTACH

SCHMITTER, RUTH E. The fine structure of Gonyaulax polyedra, a bioluminescent dinoflagellate 9, 147

SCHNEEBERGER, E. E. & HARRIS, H. An ultrastructural study of interspecific cell fusion induced by inactivated Sendai virus 1, 401 SCHOEFL, G. I. See HARRIS, WATKINS, FORD &

SCHOEFL

SCHRAM, A. See VAN GANSEN & SCHRAM

SCHULTZ, R. L. & KARLSSON, U. L. Brain extracellular space and membrane morphology variations with preparative procedures 10, 181

SCHULZ, PATRICIA & JENSEN, W. A. Capsella embryogenesis: the chalazal proliferating tissue 8, 201

SEKHON, S. S. See SLIFER & SEKHON

SELF, DAPHNE A. See KILBURN, LILLY, SELF & WEBB

SELMAN, G. G. & PERRY, M. M. Ultrastructural changes in the surface layers of the newt's egg in relation to the mechanism of its cleavage 6, 207

SERAFINI-FRACASSINI, A. See SMITH, J. W., PETERS & SERAFINI-FRACASSINI

SERAFINI-FRACASSINI, A. See SMITH, J. W. & SERAFINI-FRACASSINI

SHAFFER, B. M. Inhibition of aggregation of the slime mould *Dictyostelium discoideum* by a factor diffusing from *Escherichia coli* **r**, 391

SHAFFER, B. M. Labelling of the cell surface of the collective amoeba *Dictyostelium discoideum* with fluorescent antiserum 3, 151

SHEARER, MOIRA. See STOKER, SHEARER & O'NEILL

SHEININ, ROSE. See ONODERA & SHEININ

SHEPRO, D., BELAMARICH, F. A., MERK, F. B. & CHAO, F. C. Changes in thrombocyte ultrastructure during clot retraction 4, 763

shifrin, Norma & Levine, L. Cytochemical adenosinetriphosphatase in plant root meristem 3, 423

SHIGENAKA, Y., ROTH, L. E. & PIHLAJA, D. J. Microtubules in the heliozoan axopodium. III. Degradation and reformation after dilute urea treatment 8, 127

SHUTE, C. C. D. See LEWIS & SHUTE

SIDEBOTTOM, E. & HARRIS, H. The role of the nucleolus in the transfer of RNA from nucleus to cytoplasm 5, 351

SIDEBOTTOM, E. See HARRIS, SIDEBOTTOM, GRACE & BRAMWELL

SIEGEL, E. The preservation of specialization by dispersed steer thyroidal cells in longterm culture 9, 49

SIGEE, D. C. & BELL, P. R. The cytoplasmic incorporation of tritiated thymidine during oogenesis in *Pteridium aquilinum* 8, 467

SIMPSON, F. O. See BERTAUD, RAYNS & SIMPSON SIMPSON, F. O. See DEVINE, SIMPSON & BERTAUD SIMPSON, F. O. See RAYNS, SIMPSON & BERTAUD SIMS, R. T. & HALL, T. X-ray emission microanalysis of proteins and sulphur in rat

plantar epidermis 3, 563

SINCLAIR, W. See PUGH-HUMPHREYS & SINCLAIR SINGH, S. B. & MUSGRAVE, A. J. Some studies on the chromatin and cell wall of the mycetomal micro-organisms of Sitophilus granarius (L.) (Coleoptera) 1, 175

SLATER, C. R. See MILEDI & SLATER

SLAUTTERBACK, D. B. Coated vesicles in absorptive cells of *Hydra* 2, 563

SLIFER, ELEANOR, H. & SEKHON, S. S. Some evidence for the continuity of ciliary fibrils and microtubules in the insect sensory dendrite 4, 527

SMALL, J. V. & DAVIES, H. G. The haemoglobin in the condensed chromatin of mature amphibian erythrocytes: a further study 7, 15

small, j. v. See everid, small & davies

SMITH, D. S., GUPTA, B. L. & SMITH, UNA.

The organization and myofilament array of insect visceral muscles 1, 49

SMITH, D. S. See SMITH, U. & SMITH

SMITH, D. S. See SMITH, H. M. & SMITH

SMITH, D. S. See SMITH, U., SMITH & YUNIS SMITH, G. F. See RIDLER & SMITH

SMITH, H. See BERRY & SMITH

SMITH, H. M. & SMITH, D. S. An electron-microscopic study of the starch-containing plastids in the fern *Todea barbara* 4, 211

SMITH, J. W. The disposition of proteinpolysaccharide in the epiphysial plate cartilage of the young rabbit 6, 843

smith, J. W. & Frame, J. Observations on the collagen and proteinpolysaccharide complex of rabbit corneal stroma 4, 421

SMITH, J. W., PETERS, T. J. & SERAFINI-FRACASSINI, A. Observations on the distribution of the proteinpolysaccharide complex and collagen in bovine articular cartilage 2, 129

SMITH, J. W. & SERAFINI-FRACASSINI, A. The distribution of the proteinpolysaccharide complex in the nucleus pulposus matrix in young rabbits 3, 33

SMITH, J. W. & STUART, R. J. Silver staining of ribosomal proteins 9, 253

SMITH, UNA & SMITH, D. S. Observations on the secretory processes in the corpus cardiacum of the stick insect, *Carausius morosus* 1, 59

SMITH, UNA, SMITH, D. S. & YUNIS, ADEL A. Chloramphenicol-related changes in mito-chondrial ultrastructure 7, 501

SMITH, UNA. See SMITH, D. S., GUPTA & SMITH SMITH-SONNEBORN, JOAN & PLAUT, W. Evidence for the presence of DNA in the pellicle of Paramecium 2, 225

SMITH-SONNEBORN, JOAN & PLAUT, W. Studies on the autonomy of pellicular DNA in *Paramecium* 5, 365

snow, M. H. L. The effect of actinomycin D in vivo upon peripheral nucleoli and other nuclear organelles in oocytes of *Triturus cristatus* 10, 833

SNOW, M. H. L. & CALLAN, H. G. Evidence for a polarized movement of the lateral loops of newt lampbrush chromosomes during oogenesis 5, 1

SOLL, D. R. & SONNEBORN, D. R. Zoospore germination in *Blastocladiella emersonii*. III. Structural changes in relation to protein and RNA synthesis 9, 679

SOLL, D. R. & SONNEBORN, D. R. Zoospore germination in *Blastocladiella emersonii*. IV. Ion control over cell differentiation 10, 315

SONNEBORN, D. R. See SOLL & SONNEBORN

SOROKIN, S. P. Reconstructions of centriole formation and ciliogenesis in mammalian lungs 3, 207

SOUTHWORTH, D. & BRANTON, D. Freezeetched pollen walls of Artemisia pycnocephala and Lilium humboldtii 9, 193

SPANSWICK, R. M. & COSTERTON, J. W. F. Plasmodesmata in Nitella translucens: structure and electrical resistance 2, 451

STAEHELIN, L. A. & KIERMAYER, O. Membrane differentiation in the Golgi complex of *Micrasterias denticulata* Bréb. visualized by freeze-etching 7, 787

STAEHELIN, L. A. See MUKHERJEE & STAEHELIN STEBBING, NOWELL. Growth and changes in pool and macromolecular components of Schizosaccharomyces pombe during the cell cycle 9, 701

STEBBINGS, H. Influence of vinblastine sulphate on the deployment of microtubules and ribosomes in telotrophic ovarioles 8,

STEBBINGS, H. See MACGREGOR & STEBBINGS STEER, M. W. & NEWCOMB, E. H. Development and dispersal of P-protein in the phloem of Coleus blumei Benth. 4, 155

STEER, M. W. See GUNNING, STEER & COCHRANE STEIN, R. J. See BISCHOFF, RICHTER & STEIN

STEINBRECHT, R. A. On the question of nervous syncytia: lack of axon fusion in two insect sensory nerves 4, 30

STEINER, JANA. See VAN HARREVELD & STEINER STOKER, M. G. P. Transfer of growth inhibition between normal and virus-transformed cells: autoradiographic studies using marked cells 2, 293

STOKER, M. G. P., SHEARER, MOIRA & O'NEILL, C. Growth inhibition of polyoma-transformed cells by contact with static normal fibroblasts 1, 297

STOKER, M. G. P. See HOUSE & STOKER

STUART, R. J. See SMITH, J. W. & STUART

STUMPF, W. E. See BROWN, STUMPF & ROTH

SUBAK-SHARPE, H., BÜRK, R. R. & PITTS, J. D. Metabolic co-operation between biochemically marked mammalian cells in tissue culture 4, 353

SZOLLOSI, D. See CALARCO, DONAHUE & SZOLLOSI

TAMM, S. L. The effect of enucleation on flagellar regeneration in the protozoon Peranema trichophorum 4, 171

TAPP, R. L. The mechanism of watery vacuolation in the acinar cells of the submandibular gland 4, 55

TARBIT, M. H. See APPLETON, PELC & TARBIT TATCHELL, E. C. See BANNISTER & TATCHELL

TAYLOR, D. L. The nutritional relationship of *Anemonia sulcata* (Pennant) and its dinoflagellate symbiont 4, 751

TAYLOR, J. H. See CALLAN & TAYLOR TENG, CHRISTINA. See BLOCH & TENG

TEPLITZ, R. L. See CLAYTON & TEPLITZ

THOMAS, N. W. The form of haemoglobin in the erythrocytes of the cod, Gadus callarias 8, 407

THORNE, KAREEN J. I. See BARKER & THORNE

THORNHILL, R. A. The ultrastructure of the olfactory epithelium of the lamprey Lampetra fluviatilis 2, 591

THORNLEY, MARGARET J. & GLAUERT, AUDREY M. Fine structure and radiation resistance in *Acinetobacter*: studies on a resistant strain 3, 273

THORNLEY, MARGARET J. See GLAUERT & THORNLEY

TILLY, RITA. See NEGRONI & TILLY

TILNEY, L. G. Studies on the microtubules in Heliozoa. IV. The effect of colchicine on the formation and maintenance of the axopodia and the redevelopment of pattern in *Actinosphaerium nucleofilum* (Barrett) 3, 549

TILNEY, L. G. & GIBBINS, J. R. Microtubules and filaments in the filopodia of the secondary mesenchyme cells of *Arbacia punctulata* and *Echinarachnius parma* 5, 195

TOOZE, J. & DAVIES, H. G. Light- and electronmicroscope studies on the spleen of the newt *Triturus cristatus*: the fine structure of erythropoietic cells 2, 617

Tooze, J. See Davies & Tooze

TOVELL, P. W. A. See MILLINGTON, CRITCHLEY & TOVELL

TREHERNE, J. E. See LANE & TREHERNE

TREHERNE, J. E. See MADDRELL & TREHERNE

TRIBE, M. A. & ASHHURST, DOREEN E. Biochemical and structural variations in the flight muscle mitochondria of ageing blowflies, *Calliphora erythrocephala* 10, 443

TRINKAUS, J. P. See VAUGHAN & TRINKAUS

TUCKER, J. B. Changes in nuclear structure during binary fission in the ciliate *Nassula* 2, 481

TUCKER, J. B. Fine structure and function of the cytopharyngeal basket in the ciliate Nassula 3, 493

TUCKER, J. B. Morphogenesis of a large microtubular organelle and its association with basal bodies in the ciliate *Nassula* 6, 385

TUCKER, J. B. Initiation and differentiation of microtubule patterns in the ciliate *Nassula* 7, 793

TUCKER, J. B. Microtubules and a contractile ring of microfilaments associated with a cleavage furrow 8, 557

TUCKER, J. B. Development and deployment of cilia, basal bodies, and other microtubular organelles in the cortex of the ciliate *Nassula* **9**, 539

TUCKER, J. B. Microtubule-arms and propulsion of food particles inside a large feeding organelle in the ciliate *Phascolodon* vorticella 10, 883

TUFFERY, A. A. Surface extensions on BHK cells grown in monolayers and agar suspension 10, 123

TYLER, A. See PIATIGORSKY & TYLER

USHERWOOD, P. N. R. See COCHRANE, ELDER & USHERWOOD

USHERWOOD, P. N. R. See REES & USHERWOOD

VAN DER WOUDE, W. J., MORRÉ, D. J. & BRACKER, C. E. Isolation and characterization of secretory vesicles in germinated pollen of Lilium longiflorum 8, 331

VAN GANSEN, P. & SCHRAM, A. Evolution of the nucleoli during oogenesis in *Xenopus laevis* studied by electron microscopy 10, 339

VAN HARREVELD, A. & KHATTAB, F. I. Perfusion fixation with glutaraldehyde and post-fixation with osmium tetroxide for electron microscopy 3, 579

VAN HARREVELD, A. & KHATTAB, F. I. Changes in extracellular space of the mouse cerebral cortex during hydroxyadipaldehyde fixation and osmium tetroxide post-fixation 4, 437

VAN HARREVELD, A. & MALHOTRA, S. K. Demonstration of extracellular space by freezedrying in the cerebellar molecular layer 1, 223

VAN HARREVELD, A. & STEINER, JANA. The magnitude of the extracellular space in electron micrographs of superficial and deep regions of the cerebral cortex 6, 793

VATTER, A. E. See MACINTYRE, GRIMES & VATTER

VAUGHAN, R. B. & TRINKAUS, J. P. Movements of epithelial cell sheets in vitro 1, 407

VICKER, M. G. & EDWARDS, J. G. The effect of neuraminidase on the aggregation of BHK21 cells and BHK21 cells transformed by polyoma virus 10, 759

VICKERMAN, K. On the surface coat and flagellar adhesion in trypanosomes 5, 163

VICKERMAN, K. & PRESTON, T. M. Spindle microtubules in the dividing nuclei of trypanosomes 6, 365

VON STOSCH, H. A. See MANTON, KOWALLIK & VON STOSCH

VYE, M. V. & FISCHMAN, D. A. A comparative study of three methods for the ultrastructural demonstration of glycogen in thin sections 9, 727

- WADDINGTON, C. H. See PERRY & WADDINGTON
- WAHRMAN, J. See FRIEDLÄNDER & WAHRMAN
- WALKER, MURIEL. Coiling of the flagellar shaft in the head region of the mature sperm of *Nucella (Purpura) lapillus* (L.) 5, 211
- WALKER, MURIEL & MACGREGOR, H. C. Spermatogenesis and the structure of the mature sperm in *Nucella lapillus* (L.) 3, 95
- WALNE, PATRICIA L. See LEMBI & WALNE
- WARD, P. D. & AMBROSE, E. J. Electrophoretic and chemical characterization of the charged groups at the surface of murine CL₃ ascites leukaemia cells 4, 289
- WATKINS, J. F. The effects of some metabolic inhibitors on the ability of SV40 virus in transformed cells to be detected by cell fusion 6, 721
- WATKINS, J. F. & GRACE, D. M. Studies on the surface antigens of interspecific mammalian cell heterokaryons 2, 193
- WATKINS, J. F. See HARRIS, WATKINS, FORD & SCHOEFL
- WATTERS, C. Studies on the motility of the Helizoa. I. The locomotion of Actino-sphaerium eichhorni and Actinophrys sp. 3, 231
- WEBB, F. C. See KILBURN, LILLY, SELF & WEBB WEBB, F. C. See KILBURN, LILLY & WEBB
- WELLBURN, A. R. See WELLBURN, F. & WELLBURN
- WELLBURN, FLORENCE A. M. & WELLBURN, A. R. Developmental changes occurring in isolated intact etioplasts 9, 271
- WELLS, B. See LA COUR & WELLS
- WELLS, J. R. E. See APPELS, WELLS & WILLIAMS WESTFALL, JANE A. See EAKIN, WESTFALL & DENNIS
- WESTRUM, L. E. & LUND, R. D. Formalin perfusion for correlative light- and electronmicroscopical studies of the nervous system I, 229
- WHALEY, AUDREY. See JOURNEY & WHALEY
- WHALEY, W. G. See DAUWALDER, WHALEY & KEPHART
- WHITEHOUSE, H. L. K. A cycloid model for the chromosome 2, 9
- WHITLEY, J. E. See MUIR & WHITLEY
- WIENER, F., KLEIN, G. & HARRIS, H. The analysis of malignancy by cell fusion. III. Hybrids between diploid fibroblasts and other tumour cells 8, 681
- WIENER, F. See KLEIN, BREGULA WIENER & HARRIS

- WIGGLESWORTH, v. B. Cytological changes in the fat body of *Rhodnius* during starvation, feeding and oxygen want 2, 243
- WIGGLESWORTH, v. B. Polyploidy and nuclear fusion in the fat body of *Rhodnius* (Hemiptera) 2, 603
- WIGGLESWORTH, V. B. Bound lipid in the tissues of mammal and insect: a new histochemical method 8, 709
- WILLIAMS, A. F. DNA synthesis in purified populations of avian erythroid cells 10, 27 WILLIAMS, A. F. See APPELS, WELLS & WILLIAMS
- WILLIAMS, D. A. Statistical Appendix 5, 389
 WILLIAMS, N. E., MICHELSEN, O. & ZEUTHEN, E.
 Synthesis of cortical proteins in *Tetra-hymena* 5, 143
- WILLIAMS, PAMELA E. & GOLDSPINK, G. Longitudinal growth of striated muscle fibres 9, 751
- WILLIAMS, P. L. & KASHEF, R. Asymmetry of the node of Ranvier 3, 341
- WILLIAMS, P. L. See HALL & WILLIAMS
- WILLIAMSON, R. E. A light-microscope study of the action of cytochalasin B on the cells and isolated cytoplasm of the Characeae 10, 811
- WILLIS, LESLEY R. See HAWKINS & WILLIS
- WILLIS, R. See CHANDLER & WILLIS
- WILLIS, R. A. See GRAY & WILLIS
- WILSON, PATRICIA A., HENRIKSON, R. C. & DOWNES, A. M. Incorporation of $[Me^{-3}H]$ -methionine into wool follicle proteins: a biochemical and ultrastructural study 8, 489
- WOHLMAN, A. & ALLEN, R. D. Structural organization associated with pseudopod extension and contraction during cell locomotion in *Difflugia* 3, 105
- WOLFE, J. Structural analysis of basal bodies of the isolated oral apparatus of *Tetra-hymena pyriformis* **6**, 679
- WOLPERT, L., MARSLAND, D. & HIRSHFIELD, M.

 The effect of high hydrostatic pressure on
 the mechanical properties of the surface of
 the sea-urchin egg 8, 87
- WOLPERT, L. See GARROD & WOLPERT
- WOODCOCK, C. L. F. The anchoring of nuclei by cytoplasmic microtubules in *Acetabularia* 8, 611
- WOODING, F. B. P. Radioautographic and chemical studies of incorporation into sycamore vascular tissue walls 3, 71
- WOODING, F. B. P. The mechanism of secretion of the milk fat globule 9, 805
- woolley, D. M. The midpiece of the mouse spermatozoon: its form and development as seen by surface replication 6, 865

WRIGHT, K. A., LUMSDEN, W. H. R. & HALES, H. YUNIS, ADEL A. See SMITH, UNA, SMITH & The formation of filopodium-like processes by Trypanosoma (Trypanozoon) brucei 6, 285

YAO, K. T. S. See ELLINGSON & YAO

YUNIS

ZADYLAK, ARLENE H. See BRYAN, ZADYLAK &

ZEUTHEN, E. See WILLIAMS, MICHELSEN & ZEUTHEN





